
MILITARY SPECIFICATION SHEET

ATTENUATORS, FIXED, COAXIAL LINE (SERIES N),

FREQUENCY RANGE: 1 to 10 GHz, CLASS IIB, LOW POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the attenuators described herein shall consist of this specification and the latest issue of MIL-A-3933.



NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only
3. Metric equivalents are in parentheses.

FIGURE 1. Dimensions and configuration.

ENGINEERING DATA:

Class: IIB

Operating frequency range: 1 to 10 gigahertz (GHz .

Test frequencies for VSWR and attenuation measurements: 1, 5.5 or 6 and 10 GHz.

Basic test frequency: 5.5 GHz for dash numbers 1, 2, 3, 4, 8, 9, 10, 11, 12, and 13 and 6 GHz for dash number 14.

Operating temperature range: -55°C to +85°C.

Maximum weight: 8 ounces.

FSC 5985
Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Nominal impedance: 50 ohms.

Attenuation: See table I.

Power: See table I.

VSWR: See table I.

Part number: M3933/5- (dash number from table I).

TABLE I. Electrical characteristics.

Dash number	Frequency range GHz	Attenuation dB Nominal	Attenuation dB Deviation 1 to 10 GHz	Maximum power input AV (W) (continuously)	Maximum power input Peak 1/ (kW)	VSWR maximum
-01 N S	1-10	3	±0.1	5	10	1.25:1
-02 N S	1-10	6	±0.1	3	6	1.25:1
-03 N S	1-10	10	±0.1	1	2	1.25:1 (2 to 10 GHz) 1.30:1 (1 to 2 GHz)
-04 N S	1-10	7	±0.1	3	6	1.25:1 (2 to 10 GHz) 1.30:1 (1 to 2 GHz)
-08 N 2/ S	1-10	1	±0.1	5	10	1.25:1
-09 N S	1-10	2	±0.1	5	10	1.25:1
-10 N S	1-10	4	±0.1	4	8	1.25:1
-11 N S	1-10	5	±0.1	3	6	1.25:1
-12 N S	1-10	8	±0.1	2	2	1.25:1 (2 to 10 GHz) 1.30:1 (1 to 2 GHz)
-13 N -13 S	1-10	9	±0.1	2	2	1.25:1 (2 to 10 GHz) 1.30:1 (1 to 2 GHz)
-14 N S	2-10	20	±0.2	2	2	1.30:1

1/ Peak power for a duty cycle of 5×10^{-4}; maximum pulse duration 5 microseconds.
2/ Part numbers M3933/5-5, -6, and -7 (CN-326A/U, CN-327A/U, and CN-328A) were deleted from this specification previous revision; there were no requirements for these items.

Supersession data: See table II.

Table II. Supersession data.

Part number M3933/5-14	Supersedes M3933/4-1

Cross reference data: See table III.

Table III. Cross reference data.

Part number M3933/5-	AN Nomenclature
01	CN-84B/U
02	CN-85B/U
03	CN-86B/U
04	CN-265/U
14	CN-87B/U

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

NOTE: Attenuators covered by this specification sheet are substitutable for the following manufacturer's or user's part number. This information in no way implies that the manufaturer's part is suitable as a substitute for the military part number: See table IV.

TABLE IV. Substitution data.

Military part number M3933/5-	Manufacturer's code	Manufacturer's part number	NSN
01	93459	530A-3	5985-00-839-4406
01	93459	530-3	6625-00-713-9252
02	93459	530-6	5985-00-816-8717
02	93459	530A-6	5985-00-840-3418
03	93459	530-10	5985-00-777-1380
03	93459	530A-10	5985-00-004-9345
03	12436	81004-280	5985-00-004-9345
04	93459	530A-7	---
10	93459	530A-4	---
11	93459	530A-5	---
12	93459	530A-8	---
13	93459	530A-9	---
14	93459	530A-20	5985-00-839-4405
14	81349	M3933/4-1	5985-00-781-2903
14	80058	CN-978/U	5985-00-376-5390

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI
Air Force - 11, 99
DLA - ES

User activities:
Army - SM
Navy - MC, SH, AS

Agent:
DLA - ES

Preparing activity
Navy - EC

(Project 5985-0983-4)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY
Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-A-3933/5B	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.