MIL-A-3933/68
24 April 1985
SUPERSEDING
MIL-A-3933/6A
28 March 1973

MILITARY SPECIFICATION SHEET

ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE DC TO 1.5 GHz, CLASS IIA, LOW POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the attenuators described herein shall consist of this specification and the latest issue of MIL-A-3933.




FIGURE 1. Dimensions and configuration.




FIGURE 2. Dimensions and configuration.

NOTES.
1. Dimensions are in inches.
2. Metric equivalents are in parentheses.
3 Metric equivalents are given for general information only

FSC 5995

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

ENGINEERING DATA:

Class: IIA.

Operating frequency range: DC to 1.5 gigahertz (GHz).

Test frequencies for VSWR and attenuation measurements: DC, 0.4, 0.9, 1.2, and 1.5 GHz.

Basic test frequency: 0.75 GHz.

Operating temperature range: -55°C to +85°C.

Maximum weight: 4.5 ounces (see figure 1), 5.5 ounces (see figure 2).

REQUIREMENTS:

Dimensions and configuration. See figures 1 and 2.

Nominal impedance: 50 ohms.

Attenuation: See table I.

Power:

Average - 1 watt (continuously) maximum.
Peak - 1 kilowatt minimum for a duty cycle of 5×10^{-4}, maximum pulse duration 5 microseconds.

VSWR. 1.15:1 maximum for both ends.

Part number: M3933/6- (and dash number from table I).

TABLE I. Electrical Characteristics.

Dash number	Attenuation dB		Figure
	Nominal	Deviation DC to 1.5 GHz	
-01 N S	10	±.1	1
-03 N S	6	±.1	1
-05 N S	12	±.1	1
-09 N S	20	±.2	2
-10 N S	30	±.3	2

Cross reference data. See table II.

TABLE II. Cross reference data.

Part number 1/ M3933/6	Type designation 1/
-01	CN-30B/U
-03	CN-32B/U
-05	CN-35B/U
-09	CN-39B/U
-10	CN-40B/U

1/ Part numbers M3933/6-2, -4, -6, -7, and -8 (CN-31B/U, CN-33B/U, CN-36B/U, CN-37B/U, and CN-38B/U) are deleted from this specification; there are no requirements for these items.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

NOTE Attenuators covered by this specification sheet are substitutable for the following manufacturer's or user's part number This information in no way implies that the manufacturer's part is suitable as a substitute for the military part number See table III.

TABLE III. Substitution data.

Military part number M3933/6-	Manufacturer's code	Manufacturer's part number	NSN
01	93459	553-10	5985-01-055-8185
03	93459	553-6	5985-00-929-1557 6625-00-288-0182
05	93459	553-12	---
09	93459	553-20	6625-01-067-9480
10	93459	553-30	---

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities
Army - MI
Air Force - 11, 99
DLA - ES

User activities:
Army - SM
Navy - MC, SH, AS

Agent
DLA - ES

Preparing activity:
Navy - EC

(Project 5985-0983-5)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the proolems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY
Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE
MIL-A-3933/6B	

3a NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*
b ADDRESS *(Street, City, State ZIP Code)*	

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street City State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:29Z
Check the source to verify that this is the current version before use.