
MIL-C-5501/10A
30 June 1976
SUPERSEDING
MIL-C-5501/10
20 March 1973

MILITARY SPECIFICATION SHEET

# CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MACHINE SCREW)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the plugs described herein shall consist of this document and the latest issue of specification MIL-C-5501.




(A)

TABLE I

| DASH NUMBER | | NOMINAL SIZE | A THREAD LENGTH | B HEAD DIA | C SHOULDER THICKNESS | D SHOULDER DIA |
|---|---|---|---|---|---|---|
| RIGID | FLEXIBLE | | | | | |
| R1 | F1 | .250-28 | .31 | .38 | .08 | .50 |
| R2 | F2 | .3125-24 | .31 | .38 | .08 | .50 |
| R3 | F3 | .375-24 | .31 | .38 | .08 | .62 |
| R4 | F4 | .4375-14 | .31 | .50 | .09 | .69 |
| R5 | F5 | .4375-20 | .31 | .50 | .09 | .69 |
| R6 | F6 | .500-13 | .38 | .50 | .10 | .75 |
| R7 | F7 | .500-20 | .38 | .50 | .10 | .75 |
| R8 | F8 | .5625-12 | .38 | .56 | .12 | .81 |
| R9 | F9 | .5625-18 | .38 | .56 | .12 | .81 |
| R10 | F10 | .625-18 | .38 | .56 | .12 | .88 |
| R11 | F11 | .750-16 | .38 | .78 | .12 | 1.00 |
| R12 | F12 | .875-14 | .38 | .78 | .12 | 1.06 |
| R13 | F13 | 1.000-12 | .38 | .78 | .12 | 1.19 |
| R14 | F14 | 1.0625-12 | .38 | .78 | .12 | 1.25 |
| R15 | F15 | 1.125-12 | .38 | .78 | .12 | 1.31 |
| R16 | F16 | 1.250-12 | .38 | 1.00 | .12 | 1.44 |
| R17 | F17 | 1.3125-12 | .38 | 1.00 | .12 | 1.50 |
| R18 | F18 | 1.375-12 | .38 | 1.00 | .12 | 1.56 |
| R19 | F19 | 1.625-12 | .50 | 1.00 | .12 | 1.88 |
| R20 | F20 | 1.875-12 | .50 | 1.00 | .12 | 2.12 |



FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material - Flexible plastic
Ⓐ Rigid plastic
2. Dimensions - All dimensions are in inches.
3. Tolerances - Tolerances shall be ±.03.
4. The part number consists of M5501/10 and a dash number taken from Table I. Example: M5501/10-F1. Flexible plastic
Ⓐ M5501/10-R1 Rigid plastic
5. Plugs covered by the dash numbers in Table I supersede in part the Type II, Form B, Class 2, Styles a, b and e plugs of MIL-C-52078. (See Table II.)
6. These plugs shall be suitable for use with machine screw threads.
7. Knurl or hexagon configuration at option of manufacturer.

TABLE II

Cross-reference between the canceled plugs of MIL-C-52078, Type II, Form B, Class 2, Styles a, b and e and the superseding plugs of MIL-C-5501/10.

| DASH NO. | SIZE | | |
|---|---|---|---|
| MIL-C-5501/10 | Style a | Style b | Style e |
| F1 | 1 | - | - |
| ** | 2 | - | 1 |
| F2 | 3 | - | - |
| F3 | 4 | 1 | 2 |
| F4 | 5 | - | - |
| F5 | 6 | 2 | - |
| ** | 7 | - | 3 |
| F6 | 8 | - | - |
| F7 | 9 | 3 | 4 |
| F8 | 10 | - | - |
| F9 | 11 | 4 | - |
| ** | 12 | - | - |
| F10 | 13 | 5 | 5 |
| ** | 14-15 | - | - |
| ** | 16-17 | - | - |

** No replacement



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

TABLE II (Cont'd)

| DASH NO. | SIZE | | |
|---|---|---|---|
| MIL-C-5501/10 | Style a | Style b | Style e |
| 11 | 18 | 6-7 | - |
| ** | 19-20-21 | -- | 6 |
| 12 | 22 | 8-9-10-11 | - |
| ** | 23-24-25 | -- | 7 |
| 13 | 26 | -- | - |
| ** | 27-28-29 | -- | - |
| 14 | 30 | 12-13 | - |
| ** | 31 | 14 | 8 |
| 15 | 32 | -- | - |
| 16 | 33 | -- | - |
| ** | 34 | -- | |
| 17 | 35 | 15-16 | |
| ** | 36 | -- | |
| 18 | 37 | -- | |
| ** | 38-39 | -- | |
| 19 | 40 | 17-18 | |
| ** | 41 | -- | |
| 20 | 42 | 19 | |
| ** | 43-44 | -- | |

** No replacement

Custodians:
Army - WC
Navy - AS
Air Force - 99

Reviewer Activities:
Army - AV, EL, GL, MU
Navy - None
Air Force - None
DSA - IS

Preparing Activity:
Army - WC

Project No. 5340-1191

User Activities:
Army - AT, ME, MI
Navy - MC, OS, SH, YD
Air Force - None



Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

**INSTRUCTIONS** The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZA 'ION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE'

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE'

☐ YES ☐ NO *(If "Yes", in what way')*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

**DD FORM 1 JAN 72 1426** REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Rock Island Arsenal
ATTN: SARRI-LE-S
Rock Island, Illinois 61201

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.