MILITARY SPECIFICATION SHEET

CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-UNJ THREAD)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the caps described herein shall consist of this document and the latest issue of specification MIL-C-5501.




TABLE I

DASH NO.	TUBE O.D. REF	THREAD	A INSIDE DIA +.015 -.000	B INSIDE LENGTH ±.010
3	3/16	.3750-28	.375	.200
4	1/4	.4375-24	.438	.240
5	5/16	.5000-24	.500	.240
6	3/8	.5625-20	.562	.260
8	1/2	.7188-20	.719	.270
10	5/8	.8438-18	.844	.340
12	3/4	1.0000-16	1.000	.380
14	7/8	1.1250-16	1.125	.400
16	1	1.2500-14	1.250	.480
20	1-1/4	1.5156-14	1.516	.430
21	1-1/4	1.5781-14	1.578	.430
24	1-1/2	1.7812-14	1.782	.500
25	1-1/2	1.8438-14	1.844	.500

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material - Aluminum alloy (3003-0).
   The seal shall be neoprene.

2. Protective Coating - Anodized in accordance with MIL-A-8625, Type II, Class 2 and dyed blue in accordance with Fed. Std. No. 595, color no. 35526.

3. Dimensions - All dimensions are in inches.

4. The part number consists of M5501/12 and a dash number taken from Table I. Example: M5501/12-3. For cap with neoprene seal, add "G" after the dash number. Example: M5501/12-3G.

5. These caps shall be capable of mating with UNJ-3 and UNJS-3 threads in accordance with MIL-S-8879.

Custodians:
Army - WC
Navy - AS
Air Force - 82

Reviewer Activities:
Army - AV, EL, GL, MU
Navy - None
Air Force - None
DSA - IS

Preparing Activity:
Army - WC

Project No. 5340-0948

User Activities:
Army - AT, ME, MI
Navy - MC, OS, SH, YD
Air Force - None

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO (If "yes" in what way?)

4 REMARKS (Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity)

SUBMITTED BY (Printed or typed name and activity Optional)

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
HEADQUARTERS
U S ARMY WEAPONS COMMAND
ROCK ISLAND, ILLINOIS 61201

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300



POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

Commander
Rock Island Arsenal
Weapons Laboratory
ATTN: SWERR-E-SC
Rock Island, Illinois 61201

U.S. Army Weapons Command
ATTN: AMSWE-RREE-S

FOLD

To detach this form, cut along this line.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.