MILITARY SPECIFICATION SHEET

CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR RESISTOFLEX DYNATUBE FITTINGS

The complete requirements for procuring the caps described herein shall consist of this document and the latest issue of specification MIL-C-5501.

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.




TABLE I

DASH NO AL ALLOY	TUBE O.D.	FIG SIZE	THREAD	A ID ±.03	B HEIGHT INSIDE ±.050	WALL THK AL ALLOY
-3	3/16	-03	.3750-28	.375	.200	.012
-4	1/4	-04	.4375-24	.438	.240	.012
-5	5/16	-05	.5000-24	.500	.240	.012
-6	3/5	-06	.5625-20	.562	.260	.012
-8	1/2	-08	.7188-20	.719	.280	.012
-10	5/8	-10	.8438-18	.844	.340	.012
-12	3/4	-12	1.0000-16	1.000	.380	.016
-16	1"	-16	1.2500-14	1.250	.480	.025
-21	1-1/4	-24S	1.5781-14	1.579	.430	.040
-25	1-1/2	-25S	1.5438-14	1.844	.500	.040

REQUIREMENTS:

1. Material - Aluminum alloy 3003-0, QQ-A-250/2.
2. Protective Coating - Aluminum alloy shall be chemically treated per MIL-C-5541, Class 1A.

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

3. Dimensions - All dimensions are in inches.
4. The part number consists of M5501/14 and a dash number taken from Table I.
   Example. M5501/14-3.
   For aluminum alloy cap with neoprene seal, add "G" after the dash number. Example: M5501/14-3G.
5. These caps shall be suitable for use with Resistoflex Dynatube Fittings for protection of threads and sealing surfaces, and for prevention of intrusion of contaminate in U.S. Navy Aircraft fitted with Dynatube fittings.
6. Threads shall be special radius thread form to mate with Dynatube fittings.
7. Seals: Neoprene, resistant to MIL-H-5606, MIL-H-6083 and MIL-H-83282 hydraulic fluids.

Custodians:
Army - WC
Navy - AS
Air Force - 82

Preparing activity:
Army - WC

Project No. 5340-1180

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Rock Island Arsenal
ATTN: SARRI-LR-S
Rock Island, Illinois 61201

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE Caps, Protective, Dust and Moisture Seal
MIL-C-5501/14; For Resistoflex Dynatube Fittings

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:56Z
Check the source to verify that this is the current version before use.