
METRIC
MIL-C-5501/25
30 June 1989

MILITARY SPECIFICATION SHEET

CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL
(PLUG-TUBING), METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the plugs described herein shall consist of this specification and the latest issue of MIL-C-5501.



PLUG

NOTES:
1. All dimensions are in millimeters.

FIGURE 1. CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL, (PLUG-TUBING), METRIC

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:57Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: Flexible plastic (see general specification).

2. These plugs shall be suitable for use with tubing of the sizes shown in Table I and shall provide a snug friction grip.

3. Part number: The part number consists of the letter "D", the basic number of this specification sheet, followed by a dash number taken from Table I.

EXAMPLE: D5501/25F1

- Dash number
- Specification sheet number

D5501/25F1 Indicates - Caps and Plugs, Protective Dust and Moisture Seal (Plug-Tubing), Metric; Plastic Plug Dimensions from Table I.

TABLE I. DASH NUMBERS AND DIMENSIONS (PLASTIC PLUGS)

DASH NUMBER	ØA ±0.2	ØB ±0.2	ØC ±0.2	D ±0.5	TUBE OD
F1	1.2	1.9	3.3	6.4	3
F2	2.7	3.6	4.8	7.9	5
F3	4.2	5.3	6.4	9.7	6
F4	5.8	6.9	7.9	9.7	8
F5	7.4	8.8	9.5	11.2	10
F6	10.5	11.9	12.7	12.7	13
F7	13.5	14.9	15.9	14.2	16
F8	16.7	18.1	19.1	14.2	19

Source: https://assist.dla.mil -- Downloaded: 202610-17T04:57Z
Check the source to verify that this is the currentversion before use.

Custodians:
Army - AR
Navy - AS
Air Force - 82

Review activities:
Army - AV, ER, GL
DLA - IS

User activities:
Army - AT, ME, MI
Navy - MC, OS, SH, YD

Preparing Activity:
Army - AR

Agent:
DLA - IS

(Project 5340-1763)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:57Z
Check the source to verify that this is the current version before use.