
MILITARY SPECIFICATION SHEET

CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-TUBING), METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the caps described herein shall consist of this specification and the latest issue of MIL-C-5501.



CAP

NOTES:
1. All dimensions are in millimeters.

FIGURE 1. CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL, (CAP-TUBING), METRIC

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:57Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: Flexible plastic (see general specification).

2. These caps shall be suitable for use with tubing of the sizes shown in TABLE I and shall provide a snug friction grip.

3. Part number: The part number consists of the letter "D", the basic number of this specification sheet, followed by a dash number taken from TABLE I.

EXAMPLE: D5501/26F1

- Dash number
- Specification sheet number

D5501/26F1 indicates - Caps and Plugs, Protective, Dust and Moisture Seal (Cap-Tubing), Metric; Plastic caps dimensions from TABLE I.

Source: https://assist.dla.mil -- Downloaded: 202610-17T04:57Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.(PLASTIC CAPS)

DASH NUMBER	ØA +0.0 -0.2	B INSIDE LENGTH ±2.0	TUBE OD
F1	2.0	16	2
F2	3.0	16	3
F3	4.0	16	4
F4	5.0	16	5
F5	6.0	16	6
F6	8.0	22	8
F7	10.0	22	10
F8	11.0	22	11
F9	13.0	22	13
F10	14.0	22	14
F11	16.0	22	16
F12	17.0	22	17
F13	19.0	22	19
F14	21.0	22	21
F15	22.0	22	22
F16	25.0	25	25
F17	29.0	25	29
F18	32.0	16	32
F19	32.0	25	32
F20	35.0	25	35

DASH NUMBER	ØA -0.0 -0.2	B INSIDE LENGTH ±2.0	TUBE OD
F21	35.0	38	35
F22	38.0	25	38
F23	41.0	25	41
F24	45.0	16	45
F25	45.0	25	45
F26	48.0	25	48
F27	51.0	16	51
F28	51.0	25	51
F29	54.0	25	54
F30	57.0	16	57
F31	57.0	25	57
F32	60.0	25	60
F33	64.0	16	64
F34	64.0	25	64
F35	67.0	25	67
F36	70.0	25	70
F37	73.0	25	73
F38	76.0	25	76
F39	79.0	35	79

Source: https://assist.dla.mil -- Downloaded: 202610-17T04:57Z
Check the source to verify that this is the current version before use.

Custodians:
Army - AR
Navy - AS
Air Force - 82

Review activities:
Army - AV, ER, GL
DLA - IS

User activities:
Army - AT, ME, MI
Navy - MC, OS, SH, YD

Preparing Activity:
Army - AR

Agent:
DLA - IS

(Project 5340-1764)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:57Z
Check the source to verify that this is the current version before use.