MILITARY SPECIFICATION SHEET

CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-PLUG, GENERAL PURPOSE)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the caps-plugs described herein shall consist of this document and the latest issue of specification MIL-C-5501.




TABLE I

DASH NO.	A PLUG MINOR DIA ±.010	B PLUG MAJOR DIA ±.010	C CAP MINOR DIA ±.010	D CAP MAJOR DIA ±.010	E HEIGHT ±.03	F FLANGE DIA +.05 -.03	RECOMMENDED SIZES			
							UN THREAD		NPT THREAD	
							PLUG	CAP	PLUG	CAP
F1	.116	.182	.053	.120	.38	.31	.190			
F2	.173	.240	.111	.177	.38	.38	.250	.190		
F3	.236	.302	.174	.240	.38	.47	.3125	.250		
F4	.299	.365	.235	.302	.38	.53	.375	.3125		
F5	.330	.396	.267	.333	.38	.56			1/8	
F6	.361	.427	.298	.365	.38	.59	.4375			
F7	.390	.456	.327	.394	.38	.62		.375		
F8	.419	.485	.356	.422	.38	.62	.500		1/4	1/8
F9	.447	.513	.385	.451	.38	.66		.4375		
F10	.471	.547	.409	.485	.44	.72	.5625	.500		
F11	.532	.612	.468	.552	.44	.75	.625			1/4
F12	.550	.631	.487	.568	.50	.78		.5625	3/8	
F13	.580	.667	.518	.605	.50	.84		.625		
F14	.640	.727	.578	.664	.50	.88	.750			
F15	.675	.755	.613	.693	.50	.88				3/8
F16	.690	.788	.628	.726	.56	.94			1/2	
F17	.725	.823	.663	.761	.56	1.00		.750		
F18	.750	.848	.687	.785	.56	1.03	.875			
F19	.802	.911	.740	.849	.62	1.09		.875		1/2
F20	.866	.975	.803	.912	.62	1.12			3/4	

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

TABLE I (Cont'd)

DASH NO.	A PLUG MINOR DIA ±.010	B PLUG MAJOR DIA ±.010	C CAP MINOR DIA ±.010	D CAP MAJOR DIA ±.010	E HEIGHT ±.03	F FLANGE DIA +.05 -.03	RECOMMENDED SIZES			
							UN THREAD		NPT THREAD	
							PLUG	CAP	PLUG	CAP
F21	.915	1.040	.835	.960	.69	1.16	1.0625			
F22	.964	1.090	.901	1.027	.75	1.28		1.0625		3/4
F23	1.094	1.215	1.031	1.152	.75	1.41			1	
F24	1.175	1.284	1.113	1.222	.75	1.44	1.3125			
F25	1.224	1.355	1.161	1.292	.75	1.50		1.3125		1
F26	1.312	1.465	1.249	1.402	.88	1.62				
F27	1.447	1.600	1.384	1.537	.88	1.75			1-1/4	
F28	1.560	1.682	1.498	1.620	.75	1.88		1.625		1-1/4
F29	1.750	1.880	1.688	1.818	.75	2.03	1.875		1-1/2	
F30	1.780	1.950	1.718	1.888	1.00	2.12		1.875		1-1/2
F31	1.900	2.076	1.840	2.013	1.00	2.25				
F32*	1.290	1.355	1.227	1.292	.38	1.50				
F33	1.513	1.600	1.451	1.537	.50	1.78	1.625			
F34	1.790	1.812	1.738	1.762	.38	2.00				
F35*	1.787	1.963	1.725	1.901	1.00	2.19				
F36*	1.844	2.000	1.781	1.938	1.00	2.12				
F37*	1.975	2.132	1.913	2.070	1.00	2.25				
F38*	2.015	2.147	1.953	2.085	.75	2.31				
F39	2.067	2.243	2.005	2.181	1.00	2.44	2.250			
F40	2.136	2.312	2.074	2.250	1.00	2.56		2.250		
F41	2.230	2.260	2.168	2.198	.50	2.50			2	
F42*	2.125	2.406	2.063	2.344	1.00	2.53				
F43	2.298	2.464	2.235	2.401	1.00	2.66	2.500			2
F44	2.395	2.602	2.333	2.540	1.12	2.84		2.500		
F45*	2.480	2.644	2.418	2.582	.62	2.78				
F46*	2.307	2.650	2.245	2.588	1.25	2.78				
F47*	2.457	2.750	2.395	2.688	1.00	2.88				
F48	2.641	2.790	2.579	2.728	.75	2.97			2-1/2	
F49	2.720	2.990	2.658	2.922	1.00	3.12				2-1/2
F50	2.849	2.980	2.787	2.918	.75	3.25	3.000			
F51	2.985	3.158	2.915	3.078	.75	3.41		3.000		
F52*	2.982	3.245	2.912	3.175	1.00	3.38				
F53*	3.090	3.370	3.020	3.300	1.00	3.50				
F54	3.325	3.457	3.245	3.377	.75	3.69			3	
F55	3.250	3.562	3.156	3.492	1.12	3.75				3

* Inactive for new design

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material - Flexible plastic.

2. Dimensions - All dimensions are in inches.

3. The part number consists of M5501/7 and a dash number taken from Table I. Example: M5501/7-F1.

4. Cap-plugs covered by the dash numbers in Table I supersede the Type I cap-plugs of MIL-C-52078 having the same size numbers as these dash numbers (without the F).

5. These cap-plugs shall be suitable for use with the UN and NPT threads as recommended in Table I.

6. When plugging, "B" dimension should be at least .020 larger than hole to be plugged.

   When capping, "C" dimension should be at least 1% smaller than diameter to be capped. Minimum of .020.

Custodians:
Army - WC
Navy - None
Air Force - 82

Reviewer Activities:
Army - AV, EL, GL, MU
Navy - None
Air Force - None
DSA - IS

Preparing activity:
Army - WC

Project No. 5340-0943

User Activities:
Army - AT, ME, MI
Navy - None
Air Force - None

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander US Army Armament Materiel Readiness Command
ATTN: DRSAR-LEE-S
Rock Island, IL 61299

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording.

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last First MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street City State ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:55Z
Check the source to verify that this is the current version before use.