INCH-POUND

MIL-M-28787/341
AMENDMENT 1
30 July 1993

MILITARY SPECIFICATION

MODULES, STANDARD ELECTRONIC

INTERFACE BUS, KEY CODE PHP

This amendment forms a part of Military Specification MIL-M-28787/341(EC), dated 25 October 1982, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 4

TABLE I, Test condition H1, Min columns: Delete "0.9" (5 places) and substitute "1.1" (5 places).

TABLE I, Test condition H1, Max columns: Delete "1.1" (5 places) and substitute "1.4" (5 places).

PAGE 19

FIGURE 8, NOTE 6, first line: Delete "Adjust HP3325A as follows:" and substitute "Adjust HP3325A for a 13 Vrms sinewave at the following frequencies:".

PAGE 23

FIGURE 9, ITEM G10 FUNCTION GENERATOR box: Add a "+" sign to the right of "ITEM G10" at the upper output.

PAGE 26

TABLE IX, Test condition H1, Min column: Delete "0.9" (1 place) and substitute "1.1" (1 place).

TABLE IX, Test condition H1, Max column: Delete "1.1" (1 place) and substitute "1.4" (1 place).

PAGE 31

FIGURE 14: Delete and substitute new figure 14 as printed on page 3 of this amendment.

PAGE 40

FIGURE 19, upper right portion of figure: Delete "SCOPE TRIGGER" and substitute "SCOPE".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T17:54Z
Check the source to verify that this is the current version before use.


Custodians:
Army - ER
Navy - NW
Air Force - 85

Review activities:
Army - AT
Navy - AS, MC
Air Force - 13, 19
DLA - ES

Preparing activity:
Navy - NW

(Project 5963-0258)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T17:54Z
Check the source to verify that this is the current version before use.



NOTES:
1. R1 = 35Ω ± 2%, 1/2 W, noninductive.
2. Load circuits 1, 2, and 3, are as shown on figure 11.
3. Item D07, CHAN B shall be operated in the inverted mode.
4. Modules which meet the requirements in table X, meet the common mode requirements of this specification.

FIGURE 14. Receiver common mode test circuit for table X.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T17:54Z
Check the source to verify that this is the current version before use.