INCH-POUND

MIL-R-19907D
AMENDMENT 1
13 August 1992

MILITARY SPECIFICATION

REPAIR KIT, GLASS REINFORCED PLASTIC LAMINATE

This amendment forms a part of MIL-R-19907D, dated 25 April 1990, and is approved for use all Departments and Agencies of the Department of Defense.

PAGE 12

Add as new paragraph 3.8:

"3.8 Toxic products. The material shall have no adverse effect on the health of personnel when used for its intended purpose. Conformance shall be determined by a health hazard risk assessment (HHRA) in accordance with 4.8. Products meeting this requirement will be issued a letter of approval by the Naval Sea Systems Command. Letters of approval shall apply soley to those products specifically evaluated for toxicity. Formulation changes in the product shall require a re-evaluation of the product for toxicity and a new letter of approval. Approval letters will be in effect for a maximum of three years, after which, re-issue may be requested. Manufacturers shall provide a copy of the approval letter applicable to offered products to the contracting activity before the product will be accepted (see 6.2). Questions pertaining to health hazards shall be referred by the contracting activity to Chief, Bureau of Medicine and Surgery, Department of the Navy, who will act as an advisor to the contracting agency."

AMSC N/A FSC 2090
DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 20261O-19T06:52Z
Check the source to verify that this is the current version before use.

Add as new paragraph 4.8:

"4.8 Toxicity. The manufacturer shall provide sufficient information to permit a toxicological evaluation of his product to the Navy Environmental Health Center (NEHC), accompanied with a request to perform a health hazard risk assessment (HHRA). As a minimum, the information shall include name, formula and approximate percentage by weight of each ingredient in the product; identification of its pyrolysis products; and any other such information as may be needed to permit an accurate appraisal of any toxicity problem associated with the handling, storage, application, use, removal, disposal, or combustion of the product. The request for a HHRA shall also include a product material safety data sheet and a copy of the product label. The manufacturer shall provide any other information requested by NEHC to perform their evaluation. Proprietary data, which is clearly marked as such, will be held in the strictest confidence by NEHC. The request for a HHRA shall be addressed to the Commanding Officer, Navy Environmental Health Center, 2510 Walmer Avenue, Norfolk, Virginia 23513-2617, Attention: Mr. J.R. Crawl, C.I.H./NEHC-34. The manufacturer shall also send a copy of the letter which requests the HHRA to the Chief, Bureau of Medicine and Surgery (MED-03B4), Washington D.C. 20372-5120. Upon receipt of the HHRA performed by NEHC, the manufacturer shall send a copy to the Naval Sea Systems Command, Code 514, Washington, D.C. 20362-5101, with a request for approval."

Source: https://assist.dla.mil -- Downloaded: 202610-19T06:52Z
Check the source to verify that this is the current version before use.

PAGE 7

6.2, "Acquisition requirements", Add new subparagraph (k):

"(k) Submittal of Naval Sea Systems Command approval letter regarding toxicity."

Custodians:
Army - ME
Navy - SH
Air Force - 82

User activities:
Navy - CG, AS, DS

Preparing activity:
Navy - SH
(Project 2090-0105)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T06:52Z
Check the source to verify that this is the current version before use.