
MILITARY SPECIFICATION SHEET

LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the light described herein shall consist of this specification and the latest issue of MIL-L-24560(SH).



SH 11419


M24560/12-001
ASSEMBLY, IDENTIFICATION (SUB) -SYM 233.1

Dimensions in inches.
For tolerances, other than specified herein, see 3.4.1.1 as specified in MIL-L-24560.

(B) denotes changes.

FSC 6220

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.




M24560/12-010


BASE

SH 11419-1


Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.



M24560/12-014
INSERT




MOUNTING BOLTS SHALL
BE 5/16-18 CRES





M24560/12-012
MOUNTING INSERT

SH 11419-2


Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.








DETAIL "A"




DETAIL "B"

M24560/12-013
RECEPTACLE

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.



M24560/12-011
CAP



INTERNAL WIRING DIAGRAM

SH 11419-4

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

DESIGN:

Electrical rating: 120 volts, 60 Hertz, 500 watts.
Dimensions and configuration: See figures.
Enclosure: Submersible (type II).
Parts: See table I.
First article: Examination of product, magnetic permeability, operation, insulation resistance, dielectric withstanding voltage, vibration, shock, salt spray, degree of enclosure, hydrostatic pressure.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as follows:

(a) Military part number: M24560/12-001 - (Light assembly - sym 233.1).
(b) Supersedes Drawing 803-5001032.
(c) Weight: The weight of the body assembly shall be 4.5 pounds maximum.

NOTES:

1. This light will be mounted in base down position.
2. Spacer (M24560/12-023) shall be used to position the top of the lampholder socket (M24560/12-024) approximately 1/8 inch above the top of base (M24560/12-010).
3. Molded plug, M24231/1-001 or M24231/2-001, sym 713 or 713.5, using type TSS-4 cable conforming to MIL-C-915/8.
4. Each assembly shall be subjected to a hydrostatic pressure of 1500 lb/in^2 ± 1 percent for 1 hour. The test shall be conducted with cap (M24560/12-011) or plug (M24231/1-001 or M24231/2-001) removed.

Source: https://assist.dla.mil -- Downloaded: 20260-19T22:57Z
Check the source to verify that this is the current version before use.

TABLE I. Parts.

Part number 1/	Part name	Quantity	Specification	Additional information
M24560/12-010	Base	1	MIL-M-14	Molded plastic GDI-30 or GPI-100 (black)
M24560/12-011	Cap	1	MIL-M-14	Molded plastic GDI-30 or GPI-100 (black)
M24560/12-012	Mounting insert	3	COML	AL BRZ
M24560/12-013	Receptacle	1	QQ-N-281	Ni-Cu alloy class A
M24560/12-014	Insert	6	COML	AL BRZ
M24560/12-015	Washer, lock	6	COML	CRES, #10
M24560/12-016	Spacer	2	COML	CRES
M24560/12-017	Insert	1	COML	Nylon 0.125 ± 0.002 dia X 0.203 lg
M24560/12-018	Ring, retaining	1	COML	SPIRALOX, PRD-99-M or equal
M24560/12-019	Screw, mach R.H.	4	COML	CRES, #10-24 NC-2A X 1/2 long
M24560/12-020	Screw, mach fil hd	2	COML	CRES, #10-24 NC-2A X 3/4 long
MS28775-338	O-Ring	1	MS28775	
MS28775-216	O-Ring	1	MS28775	
MS28775-215	O-Ring	1	MS28775	
MS28775-115	O-Ring	1	MS28775	
	Lampholder	1	COML	Sylvania elect. prod type S-4 or equal
	Lamp	1	COML	IND #500 Q/CL
	Insert, molded	1	MIL-C-24231/5	M24231/5-010 (wire only 12" LG)
M24560/2-011	Securing ring	1	MIL-M-14	Molded plastic MFI-20, black
M24560/15-005	Globe	1	MIL-L-24560/15	Yellow

(B)

1/ Part numbers M24560/12-010 through M24560/12-020 were assigned for reference purposes only.

Preparing activity:
Navy - SH
(Project 6220-N327)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:57Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions - Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-L-24360/12B(SH)	LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* - Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* - Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* - Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:57Z
Check the source to verify that this is the current version before use.