
MILITARY SPECIFICATION SHEET

LIGHT, YARDARM BLINKER, CLEAR,

120 VOLTS, 180 WATTS, TWELVE LAMPS, SYMBOL 191.2

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquisition of the light described herein shall consist of this document and the latest issue of MIL-L-24560(SH).



SH 11412


M24560/5-001

ASSEMBLY, YARDARM BLINKER - SYM 191.2


All dimensions in inches.
For tolerances, other than specified herein, see paragraph 3.4.1.1 of MIL-L-24560.

FSC 6220


Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.




M24560/5-019
STUD



M24560/5-012
SUPPORT PIPE






SH 11412-1


M24560/5-015
SHIELD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.




M24560/5-010

TOP ASSEMBLY
(SEE NOTE 6)



NOTE: MOUNTING BOLTS SHALL BE 3/8-16 HEX HEAD

MOUNTING DIMENSIONS



TYPICAL INSTALLATION
WIRING DIAGRAM

SH 11412-2

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

DESIGN:
Electrical rating: 120 volts, 60 Hertz, 180 watts
Dimensions and configuration: See figures
Enclosure: Splashproof (Type I)
Parts: See Table I
First Article: Examination of product, magnetic permeability, operation, insulation resistance, dielectric withstanding voltage, vibration, shock, salt spray, degree of enclosure.

GENERAL INFORMATION: Assignment of Military part numbers and general information is as follows:

(a) Military part number: M24560/5-001 - Light assembly - sym 191.2
(b) Supersedes NAVSHIPS Drawing 815-1197117
(c) Weight: The weight of this light assembly shall be 25.6 pounds maximum.

NOTES:


1. Rotate upper lampholder sufficiently to stagger lamps with those in lower lampholder.
2. This space shall be packed with a calking compound to provide a weather and heat resistant splashproof seal.
3. Lower jam nut M24560/5-013, shall have one flat side drilled and tapped #6-32 NC-2B, one hole.
4. Gasket M24560/5-017, shall be cemented in place, with seams left open to permit breathing of light.
5. Bolt M24560/5-023 shall have end of thread upset slightly to prevent removal.
6. Top assembly may be cast as one part in lieu of two pieces.

TABLE I. Parts.

Part number 1/	Part name	Quantity	Specification	Additional information
M24560/5-010	Top Assembly	-		Note 6
M24560/5-011	Washer, Lock	4	COML	Phosphor Bronze 5/16
M24560/5-012	Support Pipe	1	COML	Brass, 1/4 IPS X 8 1/4 LG
M24560/5-013	Nut	4	COML	Brass, 1/2 - 13 NC-2B Note 3
M24560/5-014	Washer, Lock	4	COML	Phosphor Bronze, 1/2
M24560/5-015	Shield	1	QQ-B-613	Brass
M24560/5-016	Sleeve	1	WW-P-351	Brass Pipe, 3 in. IPS
M24560/5-017	Gasket	1	MIL-R-900	Rubber, 3/16 X 7/16 X length to suit
M24560/5-018	Screw, Mach R. H.	3	COML	Brass, #8-32 NC-2A X 1 LG
M24560/5-019	Stud	4	QQ-B-637	Brass
M24560/5-020	Washer, Flat	4	COML	Brass, 11/32 ID X 3/4 OD X 0.040 THK
M24560/5-021	Washer, Lock	3	COML	Phosphor Bronze #8
M24560/5-022	Screw, Mach R. H.	1	COML	#6-32 NC-2A X 3/16 LG
M24560/5-023	Bolt, Hex Head	4	COML	Brass 5/16 - 18 NC-2A X 2 3/8 LG
M24560/5-024	Nut, Hex	8	COML	Brass, 5/16 - 18 NC-2B
M24560/5-025	Plug	1	COML	Brass, 1/8 IPS
M24560/5-026	Gasket	1	MIL-R-900	Rubber, 1/4 X 1/4 X length to suit
M24560/4-010	Base	1	QQ-C-390	Bronze
M24560/4-011	Base Ring	1	QQ-C-390	Bronze
M24560/4-012	Top	1	QQ-C-390	Bronze
M24560/4-014	Pin	4	QQ-B-626	Brass, 1/16 dia X length to suit
M24560/4-016	Hinge Pin	4	QQ-B-626	Brass
M24560/4-023	Washer (Upper)	1	COML	TEFLON
M24560/4-024	Washer (Lower)	1	COML	TEFLON
	Lamp	12	COML	15T7C
M970/5-1	Lampholder	2	MIL-L-970/5	
M19622/1-002	Stuffing Tube	1	MIL-S-19622/1	
M24560/17-001	Lens	1	MIL-L-24560/17	Clear

1/ Part numbers M24560/5-010 through M24560/5-026 were assigned for reference purposes only.

Preparing activity:
Navy - SH
(Project 6220-N267-5)



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-L-24560/5

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DoD-316

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Sea Systems Command (SEA 3112S)
Department of the Navy
Washington, DC 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:55Z
Check the source to verify that this is the current version before use.