INCH-POUND
MIL-L-24560/19A(SH)
17 August 1990
SUPERSEDING
MIL-L-24560/19(SH)
10 September 1979

MILITARY SPECIFICATION SHEET

LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-L-24560(SH).




FIGURE 1. Lens.

All dimensions are in inches.
For tolerances other than those specified herein, see MIL-L-24560.

Ⓐ denotes changes.

AMSC N/A FSC 6220
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:58Z
Check the source to verify that this is the current version before use.




FIGURE 2. Masked.

Source: https://assist.dla.mil -- Downloaded: 202610-19T22:58Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Material: Glass, class 2.
Color: Blue, masked.
Finish: Smooth.
(A) Marking: Military part number and glass batch number shall be molded, sandblasted, etched, or a combination thereof, and located as shown on figure 1.
First article: Examination of product, light output, color (chromaticity), mechanical shock, thermal shock, breakage pattern, color determination.

NOTE:

1. A vitreous, opaque, black or dark gray weather and heat resistant baked enamel of a good commercial grade shall be applied to black-out the globe as shown on figure 2.

TABLE I. Part number.

Part number	Color
M24560/19-001	Blue-masked 1/

1/ In addition to first article tests listed above, the paint removal test shall also be performed.

Preparing activity:
Navy - SH
(Project 6220-N358-15)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:58Z
Check the source to verify that this is the current version before use.