
MILITARY SPECIFICATION SHEET

DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE VI (C), MEDIUM POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the dummy load described herein shall consist of this document and the latest issue of Specification MIL-D-39030.



INCHES	MM
.01	.3
.125	3.18
.14	3.6
.76	19.3
1.52	38.6
1.76	44.7

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.0C inch = 25.4 mm.

FIGURE 1. Dimensions and configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:52Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Electrical characteristics:

Operating frequency: DC to 12.4 GHz.

Voltage standing wave ratio (VSWR):

1.10:1, maximum (DC to 4.0 GHz).

1.20:1, maximum (4.0 to 10.0 GHz).

1.30:1, maximum (10.0 to 12.4 GHz).

Power:

Average: 10 watts.

Peak: 5 kilowatts.

Nominal characteristic impedance: 50 ohms.

Materials:

Body and connector: Corrosion-resistant steel per QQ-S-763.

Finish: Gold plated per MIL-G-45204, type II, class 2.

Contact pin: Beryllium copper per QQ-C-530.

Finish: Gold plated per MIL-G-45204, type II, class 2.

Chain: Corrosion-resistant steel per QQ-S-763.

Weight: 3 ounces, maximum.

Ambient temperature range:

Operating: -55°C to +125°C.

Nonoperating (storage): -65°C to +125°C.

Part number: M39030/12-01.

NOTE: The dummy load covered by this specification sheet is substitutable for the following manufacturers' part numbers. This information in no way implies that the manufacturer's part is suitable as a substitute for the military part number.

Dash number	Manufacturer's code	Manufacturer's part number	FSN
	07397	73-805183-1	5985-00-245-8744
01	16301	8202MS	5985-00-245-8744
	99899	22564	5985-00-245-8744

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:52Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - EC
Air Force - 11

Review activities:
Army - ER, MI
Navy - OS, SH
Air Force - 11, 17, 85
DLA - ES

User activities:
Army - AV
Navy - AS
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 5985-0925-6)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:52Z
Check the source to verify that this is the current version before use.