
MILITARY SPECIFICATION SHEET

DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TNC), HIGH POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the dummy load described herein shall consist of this document and the latest issue of Specification MIL-D-39030.



INCHES	MM
.93	23.6
1.39	35.3
4.35	110.5

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.

FIGURE 1. Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:51Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Electrical characteristics:

Operating frequency: DC to 8.0 GHz.

Voltage standing wave ratio (VSWR):

1.10:1, maximum (DC to 1.0 GHz).

1.25:1, maximum (1.0 to 4.0 GHz).

1.40:1, maximum (4.0 to 8.0 GHz).

Power:

Average: 25 watts.

Peak: 5 kilowatts.

NOTE: Power input is derated linearly from 100 percent at +25°C to 10 percent at +125°C.

Nominal characteristic impedance: 50 ohms.

Materials:

Body: Aluminum alloy per QQ-A-225.

Finish: Anodized per MIL-A-8625.

Connector: Corrosion-resistant steel per QQ-S-763.

Finish: Gold plated per MIL-G-45204, type II, class 2.

Contact pin: Beryllium copper per QQ-C-530.

Finish: Gold plated per MIL-G-45204, type II, class 2.

Weight: 3 ounces, maximum.

Ambient temperature range:

Operating: -55°C to +125°C.

Nonoperating (storage): -55°C to +125°C.

Part number: M39030/9-01.

NOTE: The dummy load covered by this specification sheet is substitutable for the following manufacturers' part numbers. This information in no way implies that the manufacturer's part is suitable as a substitute for the military part number.

Dash number	Manufacturer's code	Manufacturer's part number	FSN
01	80063	SM-C-920979-4	
	18203	T350T	5985-00-139-3493
	00929	TBC11	5985-00-139-3493
	65597	247916-0001	5985-00-139-3493

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:51Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - EC
Air Force - 11

Review activities:
Army - ER, MI
Navy - OS, SH
Air Force - 11, 17, 85
DLA - ES

User activities:
Army - AV
Navy - AS
Air Force - 19

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 5985-0925-3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T18:51Z
Check the source to verify that this is the current version before use.