MIL-D-37140C
26 July 1976
SUPERSEDING
MIL-M-37140B
25 August 1975

MILITARY SPECIFICATION

DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Diatrizoate Meglumine and Diatrizoate Sodium Injection, USP.

1.2 Classification. The injection covered by this specification shall be of the following strengths and sizes (see 6.2):

Strength 1 - 60%
Strength 2 - 75%
Strength 3 - 76%

Size 1 - 30 ml
Size 2 - 50 ml
Size 3 - 200 ml

2. APPLICABLE DOCUMENT

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals. (See 6.4)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATTN, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142	Parenteral Preparations (for Medicinal Purposes).

MILITARY

MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Diatrizoate Meglumine and Diatrizoate Sodium Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I, class 1.

S5.2.1 The following is added to this paragraph:

For strength 1, shall be a sterile, aqueous solution containing 52% w/v of diatrizoate meglumine and 8% w/v of diatrizoate sodium, within the applicable assay limits for the injection.

For strength 2, shall be a sterile, aqueous solution containing 50% w/v of diatrizoate meglumine and 25% w/v of diatrizoate sodium, within the applicable assay limits for the injection.

For strength 3, shall be a sterile, aqueous solution containing 66% w/v of diatrizoate meglumine and 10% w/v of diatrizoate sodium, within the applicable assay limits for the injection.

3.2 Expiration dating period. The expiration dating period shall be 60 months for strengths 1 and 3, and 48 months for strength 2.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling shall be conducted in accordance with FED-STD-142.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examination. Tests and examination shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One vial of strength 3, size 2, or one box containing ten vials of strength 2, size 2, or one box containing twenty-five vials of strength 1, size 1, or strength 1, size 2, as specified, constitutes one unit of issue. In addition, one box containing ten single dose immediate containers of strength 3, size 3, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1 and size 2. The immediate container for size 1 and size 2 shall be a commercially available vial considered acceptable to the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 3. The immediate container for size 3 shall be a commercially available single-dose immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

5.2.2.2 Unit package.

5.2.2.2.1 Strength 1, size 1 and strength 1, size 2. Twenty-five vials of one strength and size only shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Strength 2, size 2, and strength 3, size 3. Ten vials of strength 2, size 2, or ten single dose immediate containers of strength 3, size 3, shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.3 Strength 3, size 2. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each vial shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twenty-five strength 3, size 2 units shall be packaged as specified in 5.2.7.1 of PPP-C-186. An intermediate package shall not be required for all other strengths and sizes.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. The following number of units of issue of one strength and size only shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

	Strength	Size	Exterior container quantity
(a)	1	1	8 units of issue
(b)	1	2	6 " " "
(c)	2	2	10 " " "
(d)	3	3	4 " " "
(e)	3	2	50 " " " (2 intermediate packages)

5.3.2 Level B. The number of units of issue of one strength and size only as specified in 5.3.1 shall be packed in an exterior container as specified in 5.4.3.2 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the national stock number.

NOTES:

(1) the national stock number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied for strength 3, size 2, the national stock number shall appear on the immediate container.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I Shelf life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)" and "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)" and "DO NOT PERMIT TO FREEZE".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement document should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock No.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).
(d) Strength and size required.

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-135-2439	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP, 60%, 30 ml, 25s	Strength 1, size 1
6505-00-135-2600	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP, 60%, 50 ml, 25s	Strength 1, size 2
6505-00-138-7344	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP, 76%, 200 ml, 10s	Strength 3, Size 3
6505-00-159-5008	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP, 76%, 50 ml	Strength 3, size 2
6505-00-165-6507	DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP, 75%, 50 ml, 10s	Strength 2, size 2

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1604

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20thStreet
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, DPSC-ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-D-37140C

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.