MIL-G-37097
10 March 1975

MILITARY SPECIFICATION

GENTIAN VIOLET TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Gentian Violet Tablets, Individually Sealed, Vaginal, 14s. (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-566	Box, Folding, paperboard.
PPP-B-585	Box, Wood, Wirebound.
PPP-B-601	Box, Wood, Cleated-Plywood.
PPP-B-621	Box, Wood, Nailed and Lock-Corner.
PPP-B-636	Box, Fiberboard.
PPP-B-676	Box, Setup.
PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals. (See 6.5).

Military

MIL-L-10547	Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

STANDARDS

Federal

Fed. Std. No. 140	Tablets (for Medicinal Purposes).

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

AMERICAN PHARMACEUTICAL ASSOCIATION PUBLICATION

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Description. Shall be Gentian Violet Tablets, Vaginal, and shall be in accordance with all applicable requirements of Federal Standard Fed. Std. 140, and as stated herein:

S2. Classification. Shall be type VII, class 1.

S5.3 The following additional tests and requirements are added to this paragraph:

Each tablet shall contain 2.0 mg Gentian Violet, within the designated assay limits for the tablets, and Silicone Dioxide Lactose, U.S.P., Benzethonium Chloride, N.F., Microcrystalline Cellulose and Magnesium Stearate, U.S.P.

The tablets shall assay to contain not less than 90.0 percent and not more than 120.0 percent of the required amount of Gentian Violet, when determined as specified in 4.3.1.

The tablets shall comply with the Accelerated Stability Test when determined as specified in 4.3.2.

S6.4.1.1 Uncoated tablets. The tablets may be very slightly mottled in appearance.

S6.4.6 Hardness. Shall have a tablet hardness of 4.0 to 9.0 Kg when tested by a Pfizer hardness tester or comparable instrument.

S6.4.9.1 Disintegration. Tablets shall disintegrate in not more than 30 minutes when tested according to the U.S.P. Disintegration Test for uncoated tablets.

3.2 Ingredients.

3.2.1 Gentian violet. The gentian violet used in the manufacture of the tablets shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto. As an alternate to performing the USP assay on the raw material, a certificate of analysis from the supplier of the raw material may be used to demonstrate compliance with the USP assay.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

3.2.2 Other Ingredients. All other ingredients used in the manufacture of the finished tablets shall conform with S5.1 of Fed. Std. No. 140a.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 A company supplying any ingredient(s) to the contractor will not be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Paragraph S6.8 and subparagraphs of Fed. Std. No. 140a shall apply.

4.2.1 Samples. If (i) after award of contract, the quality assurance representative submits samples to the laboratory at the Defense Personnel Support Center, or (ii) prior to award, the bidder (offeror) is required by the terms of the Schedule or otherwise, to submit samples to said laboratory, then 0.5 gram of Gentian Violet standard (same lot number as in the granulation) shall be submitted with the finished product to Directorate of Medical Materiel, Technical and Quality Assurance Division, Defense Personnel Support Center, 2800 South 20th Street, Philadelphia, PA 19101, Attention: Quality Assurance Branch.

4.3 Tests.

4.3.1 Assay for Gentian Violet in the finished tablets. Tablets shall be assayed by an appropriate, accurate and reproducible method. A quantity of twenty tablets shall be used in the assay.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

4.3.2 Accelerated stability test. Twenty-eight foil packed tablets picked at random from each lot shall be stored at 42°C. for 2 weeks and then examined and/or tested after cooling to room temperature for the following:

1. "Blow-ups" - The foil packages shall show no evidence of distention due to build up of CO_2 pressure and seals shall remain intact.

2. Tablet apperarance - The tablets may show slight "speckling" but there shall be no severe mottling or lightening of color and no evidence of crumbling.

3. Assay - The tablets shall be assayed for Gentian Violet, according to the prescribed methods for assay under 4.3.1, and the concentration shall meet the following limit:

   Gentian Violet - not less than 85.0 percent of the labeled amount.

4.4 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Table I. Examination of Preparation For Delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Shall be in accordance with all applicable requirements of Interim Federal Specification PPP-C-186, and as specified herein

5.1.1 Immediate containers. Each tablet shall be sealed in a moistureproof, metal-foil envelope.

5.1.2 Unit packages. Fourteen (14) vaginal tablets, each individually wrapped, as specified, shall be packed with a plastic vaginal applicator which shall be suitable in all respects for the purpose intended.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

5.2 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.2.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

5.2.2 Unit packages. Each unit package shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the National Stock Number.

(c) the date of manufacture.

NOTE: The National Stock Number shall not be preceded by any prefix.

Strip labeling may be used.

Label adhesion test shall not apply.

5.3 Packaging. Packaging shall be Level A or C as specified (see 6.1).

5.3.1 Unit of issue. One package containing fourteen (14) tablets and a applicator as specified, constitutes one unit of issue.

5.3.2 Level A.

5.3.2.1 Unit package. Unit package shall be a box of appropriate size and design constructed in accordance with PPP-B-676. Closure shall be adequate to prevent accidental opening.

5.3.2.2 Intermediate package. Twelve (12) units of issue shall be packaged in a box of appropriate size and design contructed in accordance with PPP-B-566 or PPP-B-676. Closure shall be adequate to prevent accidental opening.

5.3.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.

5.4 Packing. Packing shall be Level A, B or C as specified (see 6.1).

5.4.1 Level A.

5.4.1.1 Exterior container. One hundred forty four (144) units of issue shall be packed in a box designed for a type 2 load, and constructed in accordance with PPP-B-585, class 3, style 3; PPP-B-601, overseas type; PPP-B-621, class 2 or PPP-B-636, type CF, class weather-resistant. Closure and strapping shall be in accordance with the appendix of the applicable box specification. Special requirements of applicable table shall apply for PPP B-636 box.

5.4.1.2 Case liner. Each Level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard boxes shall be waterproofed in accordance with PPP-B-636.

5.4.2 Level B.

5.4.2.1 Exterior container. One hundred forty four (144) units of issue shall be packed in a box designed for a type 2 load, and constructed in accordance with PPP-B-585, class 2, style 3; PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, type CF, class domestic. Closure shall be as specified in the appendix of the applicable box specification. Special requirements of applicable table shall apply for PPP-B-636 box.

5.4.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.5 Marking.

5.5.1 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number, and name of contractor shall be shown. When labels are utilized, waterproofing shall be required only when applicable carton is fabricated of water-resistant material. Date of manufacture shall be shown in lieu of the date packed. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F.)"

Source: https://assist.dla.mil -- Downloaded: 202610-21T09:58Z
Check the source to verify that this is the current version before use.

5.5.2 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) numbers shall be shown. Marking shall include the date of manufacture, in lieu of the date packed, and the following legend:

"STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.3 and 5.4).

6.2 This specification covers the following item:

National Stock Number	Item Identification
6505-00-133-5212	GENTIAN VIOLET TABLETS, Individually Sealed, Vaginal, 14s

6.3 Supersession data. This specification includes the requirements of Defense Medical Purchase Description No. 1 dated 17 May 1974.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

6.5 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superceded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1316

Source: https://assist.dla.mil -- Downloaded: 202610-21T09:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-G-37097

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T09:58Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:58Z
Check the source to verify that this is the current version before use.