MILITARY SPECIFICATION

TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Triprolidine Hydrochloride and Pseudoephedrine Hydrochloride Tablets.

1.2 Classification. The tablets shall be the following sizes (see 6.2):

Size 1 - Bottle of 30s
Size 2 - Bottle of 100s
Size 3 - Bottle of 1000s

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals. (See 6.4).

STANDARDS

Federal

FED-STD-140	Tablets (for Medicinal Purposes).

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

AMERICAN PHARMACEUTICAL ASSOCIATION PUBLICATION

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, Pa. 18042.)

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, D. C. 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States.

(Application for copies should be addressed to the Mack Publishing Company, Easton, Pa. 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Triprolidine Hydrochloride and Pseudoephedrine Hydrochloride Tablets, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I, class 1.

S5.3 The following is added to this paragraph:

Tablets shall contain 2.5 mg of Triprolidine Hydrochloride and 60 mg of Pseudoephedrine Hydrochloride, within the designated assay limits for the tablets.

Tablets shall assay to contain not less than 93.0 percent and not more than 107.0 percent of the required amounts of Triprolidine Hydrochloride and Psuedoephedrine Hydrochloride, when determined as specified in 4.3.1.

The infrared spectrum obtained in the assay for triprolidine hydrochloride between 15.0u - 11.0u shall agree with the spectrum of Triprolidine Hydrochloride N.F. Reference Standard, similarly treated.

The infrared spectrum obtained in the assay for pseudoephedrine hydrochloride between 11.0 u - 5.0 u shall agree with the spectrum of Pseudoephedrine Hydrochloride N.F. Reference Standard, similarly treated.

A copy of the standard infrared spectrum, as kept on file by the manufacturer, shall be submitted by the contractor and shall be kept on file in the Technical & Quality Assurance Division, Directorate of Medical Material, Defense Personnel Support Center, for use if samples are submitted.

Shall meet the U.S.P. tests for "Chloride".

S6.4.9.1 Disintegration. Tablets shall disintegrate in not more than 15 minutes.

S6.4.10 Weight variation. Shall comply with the U.S.P. Weight Variation Test for Tablets.

3.2 Active ingredients.

3.2.1 Triprolidine Hydrochloride. The Triprolidine Hydrochloride entering into the manufacture of the tablets shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto.

3.2.2 Pseudoephedrine Hydrochloride. The Pseudoephedrine Hydrochloride entering into the manufacture of the tablets shall be in accordance with the tests, standards, and requirements of the N.F., including any supplements or revisions thereto, and shall comply with the following additional requirements:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

3.2.2.1 Melting range. Shall melt between 182.0° C. and 185° C., when determining using a suitable N.F. method.

3.2.2.2 Specific rotation. Shall be not less than + 61° and not more than + 62.5° when determined in a solution containing 500 mg of Pseudoephedrine Hydrochloride previously dried at 105° C for 3 hours, in 10 ml of solution.

3.2.3 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.3 Potency period. The potency period (Expiration dating period) shall be 60 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 5 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling and examination. Sampling and examination shall be conducted in accordance with FED-STD-140.

4.3 Tests.

4.3.1 Assays for pseudoephedrine hydrochloride and triprolidine hydrochloride in the finished tablets.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

Standard solution. Accurately weigh approximately 50.0 mg of Triprolidine Hydrochloride N.F. Reference Standard and 1.200 grams of Pseudoephedrine Hydrochloride N.F. Reference Standard and transfer quantitatively to a 100-ml volumetric flask. Dissolve in, and dilute to volume with purified water.

Sample solution. Transfer 20 tablets to a 100-ml volumetric flask, add approximately 80 ml of purified water, shake for 5 minutes, and dilute to volume with purified water.

4.3.1.1 Assay psuedoephedrine hydrochloride. Pipet 15.0 ml of the sample solution and 15.0 ml of the standard solution (See 4.3.1) into separate 125-ml separatory funnels. To each, add 1 ml of 50 percent aqueous sodium hydroxide solution while shaking gently, and 10.0 ml of methylene chloride. Shake for one minute and draw off the lower layers into separate 25-ml glass-stoppered flasks containing about 2 grams of sodium chloride. Shake well.

Record the spectra of sample and standard solutions in a suitable infrared spectrophotometer adjusted for optimal operating conditions, using a 0.4 mm cell and methylene chloride as the reference solution. Set the baseline between 9.70 u - 9.45 u, and record the spectra between 11 u - 5 u.

Calculation:*

$$\frac{\text{Absorbance sample at the maximum of approximately 9.6 u}}{\text{Absorbance standard at the maximum of approximately 9.6 u}} \times 100 = \text{percent required amount of Pseudoephedrine Hydrochloride per tablet}$$

* Make necessary correction in calculation to adjust to exact weight of standard.

4.3.1.2 Assay triprolidine hydrochloride. Pipet 25.0 ml of the sample and 25.0 ml of the standard solution (paragraph 4.3.1) into separate 125-ml separatory funnels. To each, add 4 ml of 50 percent aqueous sodium hydroxide solution while shaking gently, and 10.0 ml cylohexane. Shake well for one minute, carefully draw off the water layer and then transfer exactly 8.0 ml of the cyclohexane layers into separate 25-ml glass-stoppered flasks. Evaporate carefully to dryness on a steam bath with the aid of a current of air. Swirl the residue with 2.0 ml of cyclohexane, and transfer to the cell through a pledget of cotton. Record the spectra of sample and standard solutions in a manner similar to that for pseudoephedrine hydrochloride, except that the cell shall be 1.0 mm, the reference liquid cyclohexane, the baseline 12.4 u - 11.8 u, and the spectra between 15.0 - 11.0 u.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

Sampling and examination

Calculation:*

$$\frac{\text{Absorbance sample at the maximum of approximately 12.15 u}}{\text{Absorbance standard at the maximum of approximately 12.15 u}} \times 100 = \text{percent required amount of Triprolidine Hydrochloride per tablet}$$

* Make necessary correction in calculation to adjust to exact weight of standard.

4.5 Examination of Preparation for Delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The Inspection Level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Table I. Examination of Preparation for Delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

5. PREPARATION FOR DELIVERY

5.1 Preparation for Delivery shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be Level A or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

5.2.1 Unit of issue. One bottle containing thirty (30) tablets of size 1, or one hundred (100) tablets of size 2 or one thousand (1000) tablets of size 3 as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate containers (all sizes). Immediate container shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. Closure P, child-proof as specified in PPP-C-186 is applicable for size 1.

5.2.2.2 Unit package. At the option of the contractor, each unit may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Twelve (12) units of issue of size 1 or size 2 shall be packaged as specified in 5.2.7.1 of PPP-C-186. Twelve (12) units of issue of size 3 shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Two hundred eighty-eight (288) units of issue of size 1 or one hundred forty-four (144) units of issue of size 2 or forty-eight (48) units of issue of size 3 shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Two hundred eighty-eight (288) units of issue of size 1 or one hundred forty-four (144) units of issue of size 2 shall be packed as specified in 5.4.3.1.1 of PPP-C-186. Forty-eight (48) units of issue of size 3 shall be packed as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below:

5.4.1.1 Immediate container (Size 1). The label of the immediate container for size 1 shall be a tri-part label consisting of the following:

(1) a tab portion shall remain attached to the immediate container. This portion shall bear:

(a) the National Drug Code (NDC)
(b) the lot or control number
(c) the expiration date

Note: Other label information may be included.

(2) a tear-off portion adjacent to the tab portion or at the extreme end of the label bearing the following:

(a) the National Drug Code (NDC)
(b) the lot or control number
(c) the expiration date

No other labeling shall appear thereon.
This portion shall be easily removed for attachment to a prescription.

(3) the principal portion connected to the tear-off and/or the tab portion shall bear the following:

(a) all other information required by the Federal Food, Drug, and Cosmetic Act.

This portion shall also be easily removed.

Label adhesion test shall not apply to any portion of the tri-part label.

5.4.1.2 Immediate container (Sizes 2 and 3). Each immediate container label for sizes 2 and 3 shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

5.4.1.3 Unit package. Each unit package label for sizes 1, 2 and 3 shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.

Notes: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for sizes 2 and 3, the National Stock Number shall appear on the immediate container. If a unit package is not supplied for size 1, the National Stock Number shall appear on the principal portion connected to the tear-off and/or the tab portion of the label on each immediate container.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86° F.)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification
6505-00-117-8608	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS, 30s

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

National Stock Number	Item Identification
6505-00-142-9206	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS, 1000s
6505-00-753-9615	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDINE HYDROCHLORIDE TABLETS, 100s

6.3 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

6.4 All reference to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superceded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1324
cs

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:03Z
Check the source to verify that this is the current version before use.