METRIC

MIL-T-24649/17(SH)
10 June 1994

MILITARY SPECIFICATION SHEET

TELEPHONE, HARDWARD, SOUND POWERED STOWAGE BOX, HEADSET

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-T-24649

REQUIREMENTS:

Random drop (see 3.3.3)	not required
Dripproof (see 3.3.6)	not required
Splashproof (see 3.3.7)	not required
Watertight (see 3.3.8)	not required
Insulation resistance (see 3.3.9)	not required
Talk demonstration (see 3.3 10)	not required
Information plate (see 3.4.4)	not required
Station plate (see 3 4 5)	not required
Switches (see 3.4.6)	not required
Terminal boards (see 3.4.7)	not required
Wiring (see 3.4.8)	not required
Wire terminals (see 3.4.9)	not required
Solder (see 3.4.10)	not required

Construction.

1. All dimensions unless otherwise specified are in mm. Tolerances, unless otherwise specified shall be plus or minus 127 mm.
2. All sharp edges or corners exposed to touch shall be slightly rounded
3 Screw threads for all threaded securing devices shall conform to FED-STD-H28. The thread shall be right handed, of the course thread series.
4. Threads in aluminum alloys shall not be used. Through bolts shall be used whenever practical. Inserts shall be provided where screws or bolts must be removed for maintenance.
5 Threads shall not be employed in plastic parts without the use of suitable threaded metallic inserts
6 No deviation in details, dimensions, size and type as shown on the applicable standard will be permitted, unless approved by the Naval Sea Systems Command (NAVSEA).
7. All loose parts required for installation or operation shall be provided in a suitable cloth or plastic bag and packaged with the assembly

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:40Z
Check the source to verify that this is the current version before use.

8. The area marker in parenthesis on the identification plate is to be left blank, installing activity will etch, stamp or engrave to suit

Preparing activity:
Navy - SH
(Project 5935-N457-17)




FIGURE 1 Stowage box, headset front view

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:40Z
Check the source to verify that this is the current version before use.




FIGURE 2. Stowage box, headset side view.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:40Z
Check the source to verify that this is the current version before use.




FIGURE 3 Stowage box, headset top view (cover removed).




FIGURE 4 False bottom

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:40Z
Check the source to verify that this is the current version before use.




FIGURE 5. Identification plate.

TABLE OF DIMENSIONS

NUMBER OF COMPTS		1	2	3	4	5	6
DIM	DESCRIPTION OF DEMENSION						
A	INSIDE LENGTH OF BODY	235	305	457	610	762	914
B	INSIDE WIDTH OF BODY	152	235	235	235	235	235
C	INSIDE LENGTH OF COVER	254	324	476	629	781	933
D	INSIDE WIDTH OF COVER	171	254	254	254	254	254
E	LENGTH OF HINGE	197	267	419	571	724	876

FIGURE 6 Table of dimensions

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:40Z
Check the source to verify that this is the current version before use.