W-L-200
AMENDMENT—2
October 26, 1964

SUPERSEDING
Int. Amend.—1
March 11, 1964

FEDERAL SPECIFICATION

LANTERN, ELECTRIC

This amendment, which forms a part of Federal Specification W-L-200, dated November 18, 1955, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 6, section 4, Add the following paragraph:

4.5 Examination of preparation for delivery. An examination shall be made to determine that packaging, packing and marking requirements as required by section 5 of this specification are complied with. Defects shall be scored in accordance with table III. For examination of contents the sample unit shall be one shipping container fully prepared for delivery selected just prior to the closing operations. Defects of closure listed shall be examined on shipping container fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

TABLE III.—*Classification of preparation for delivery defects*

Examine	Defect
Markings (exterior and interior containers)	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as: Incomplete closure of container, loose strapping.
	Bulging or distortion of containers.
Packaging and packing	Packages improperly sealed.
	Case liner omitted.
	Case liner not sealed.

Page 6, section 5: Delete in its entirety and substitute:

5. PREPARATION FOR DELIVERY

(For civil agency procurement the definitions and applications of levels of packaging and packing shall be in accordance with Fed. Std. No. 102.)

5.1 **Packaging.** Packaging shall be level A, B, or C, as specified (see 6.2).

5.1.1 *Level A.* Each lantern shall be packaged in a box conforming to PPP-B-636, class 2, W6C, style RSC. Each box shall be securely closed with a water-resistant adhesive, applied to the entire area of contact between the flaps. Alternatively, each box may be closed by a combination of stitching or stapling the bottom set of flaps prior to packing, and closing the top set of flaps with water-resistant adhesive applied to the entire area of contact between the top flaps after packing. The water-resistant adhesive shall conform to MIL-A-101.

5.1.2 *Level B.* Each lantern shall be packaged in a close-fitting box conforming to PPP-B-566, PPP-B-665, or PPP-B-676. Each box shall be secured to prevent accidental opening.

5.1.3 *Level C.* The lanterns shall be packaged in accordance with the supplier's commercial practice.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:25Z
Check the source to verify that this is the current version before use.

5.2 **Packing.** Packing shall be level A, B, or C, as specified (see 6.2).

5.2.1 *Level A.* Lanterns of one type shall be packed in any of the containers conforming to the following specifications, at the option of the contractor:

Specification	*Type or class*
PPP-B-585	Class 3 use
PPP-B-601	Overseas type
PPP-B-621	Class 2
PPP-B-636	Class 2

Each container shall have a case liner conforming to, and closed and sealed in accordance with MIL-L-10547. Case liners for fiberboard containers may be omitted provided they are waterproof sealed with tape in accordance with the appendix to the fiberboard box specification. The gross weight of the wood or wood-cleated boxes shall not exceed 150 pounds; of the fiberboard boxes the weight limitations of the fiberboard box specification. The boxes shall be closed, sealed and banded in accordance with the appendix to the applicable box specification.

5.2.2 *Level B.* Twelve lanterns, packaged as specified in 5.1, shall be packed in a box conforming to PPP-B-636, type, class, and style optional. Bursting strength of the fiberboard shall be not less than 200 p.s.i. Each box shall be closed in accordance with the appendix to the box specification.

5.2.3 *Level C.* The lanterns shall be packed to insure carrier acceptance and safe delivery to destination in containers complying with the rules and regulations applicable to the mode of transportation.

5.2.4 *Standard pack (civil agency procurement).* The Standard Pack for civil agency procurements shall be as specified in paragraphs 5.1.2, and 5.2.2 (see 6.2 and 6.7).

5.3 **Marking.**

5.3.1 *Civil agencies.* In addition to markings required by the contract or order, the interior packages and shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.3.2 *Military activities.* In addition to markings required by the contract or order, the interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

Page 6, paragraph 6.2, add the following:

(*d*) Both the level of packaging and the level of packing required (see 5.1 and 5.2).

(*e*) Standard pack, when required (see 5.2.4 and 6.7).

Page 6, paragraph 6.6. Delete and substitute new paragraph 6.6 as follows:

6.6 **Transportation description.** Transportation descriptions and minimum weights applicable to this commodity are:

Rail:

Lanterns, electric. (Specify with or without batteries.)
Carload minimum weights 20,000 and 24,000 pounds, subject to Rule 34, Uniform Freight Classification.

Motor:

Lanterns, electric. (Specify with or without batteries.)
Truckload minimum weights 20,000 and 24,000 pounds, subject to Rule 115, National Motor Freight Classification.

Page 7, section 6, Add the following paragraph:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:25Z
Check the source to verify that this is the current version before use.

6.7 **Standard pack for civil agencies.** The standard pack requirements in 5.2.4 are intended for use in procurements of stores stock replenishments. Procuring officers should use the standard pack requirements when it is known that the material will be shipped from a supplier to a domestic warehouse, supply depot, or intermediate storage point for temporary storage, subsequent issue, and/or shipment to eventual user.

MILITARY INTERESTS:

Army—QMC MCE

Navy—Y

Air Force

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:25Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:25Z
Check the source to verify that this is the current version before use.