
THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED ON THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-21049

FORM APPROVED
OMB NO. 0704-0188



PREPARING ACTIVITY: NAVY — AS CUSTODIANS: ARMY — NAVY — AIR FORCE — 99 DLA — REVIEW: USAF-11,71 USER: PROJECT NUMBER: 1660-0614	**MILITARY SPECIFICATION SHEET** TITLE COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS	SPECIFICATION SHEET NUMBER **MS22068** 31 DEC 90 REV E SUPERSEDING MS22068D 18 OCT 85 AMSC — N/A FSC 1660
DISTRIBUTION STATEMENT A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.		PAGE 1 OF 3

DD FORM 1 MAY 88 672


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-21049

FORM APPROVED
OMB NO. 0704-0188



(b) TYPE II VENT COUPLING ASSEMBLY

PREPARING ACTIVITY: NAVY — AS CUSTODIANS: ARMY — NAVY — AIR FORCE — 99 DLA — REVIEW: USAF-11,71 USER: PROJECT NUMBER: 1660-0614	**MILITARY SPECIFICATION SHEET** TITLE COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS	SPECIFICATION SHEET NUMBER **MS22068** 31 DEC 90 REV E SUPERSEDING MS22068D 18 OCT 85 AMSC — N/A FSC 1660
DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.		PAGE 2 OF 3

DD FORM 1 MAY 88 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-C-21049

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE.

DASH NO.	ASSY TYPE	CONSISTS OF		WT OZ MAX
		COUPLING MALE	COUPLING FEMALE	
-1	IA	-1M	-1F	6.5
-2	IB	-2M	-1F	7.0
-3	II	-3M	-2F	8.0

DASH NO.	COUPLING HALF		WT OZ MAX
	MALE	FEMALE	
-4	1M	-----	2.5
-5	2M	-----	3.0
-6	3M	-----	2.75
-7	---	1F	4.0
-8	---	2F	5.25

(a) TYPE IA AND IB SUPPLY ASSEMBLY WITH CHECK VALVE.

(b) TYPE II VENT COUPLING ASSEMBLY WITHOUT CHECK VALVE.

(c) THE LOCK SLEEVE SHALL INCORPORATE A POSITIVE MECHANICAL MEANS TO PREVENT THE SLEEVE FROM ROTATING.

(d) ENGAGEMENT PIN GROOVES OF -1F COUPLING HALF MAY HAVE ANY CONFIGURATION THAT WILL MATE WITH -1M OR -2M COUPLING HALF THAT HAS BEEN APPROVED FOR LISTING ON THE QPL.

(e) ENGAGEMENT PIN GROOVES OF -2F COUPLING HALF MAY HAVE ANY CONFIGURATION THAT WILL MATE WITH -3M COUPLING HALF THAT HAS BEEN APPROVED FOR LISTING ON THE QPL.

NOTES:

1. MATERIAL: SEE PROCUREMENT SPECIFICATION.
2. FINISH: MINIMUM SURFACE TEXTURE 125 MICROINCHES IN ACCORDANCE WITH ANSI B46.1.
3. DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010, ANGLES ±0.5°.
4. (E) FITTING END SHALL BE IN ACCORDANCE WITH MS33656-5, STYLE E, OR STYLE C WITH WRENCH FLATS, MINIMUM WIDTH OF WRENCH FLATS SHALL BE .100.
5. (E) FITTING END SHALL BE IN ACCORDANCE WITH MS33656-8, STYLE E, OR STYLE C WITH WRENCH FLATS, MINIMUM WIDTH OF WRENCH FLATS SHALL BE .796.
6. (E) PORT HOLE DIAMETER SHALL BE OPTIONAL TO MEET PERFORMANCE REQUIREMENTS.
7. (E) IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.
8. (E) REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN.

PREPARING ACTIVITY: NAVY — AS
CUSTODIANS: ARMY — NAVY —
AIR FORCE — 99 DLA —
REVIEW: USAF-11, 71
USER:
PROJECT NUMBER: 1660-0614

MILITARY SPECIFICATION SHEET

TITLE

COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS

SPECIFICATION SHEET NUMBER
MS22068 REV E 31 DEC 90

SUPERSEDING
MS22068D 18 OCT 85

AMSC — N/A FSC 1660

DISTRIBUTION STATEMENT
'A' APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:45Z
Check the source to verify that this is the current version before use.