MIL-R-22717(SHIPS)
AMENDMENT-3
1 March 1967
SUPERSEDING 1/
Amendment-2
25 March 1963

MILITARY SPECIFICATION

RECORDER-REPRODUCER, SOUND
PORTABLE, MAGNETICALLY COATED TAPE

This amendment forms a part of Military Specification MIL-R-22717(SHIPS), 25 April 1961.

Page 1, paragraph 2.1: Delete reference to Federal Specification "W-T-61".

Page 1, paragraph 2.1: Add the following:

"SPECIFICATIONS

FEDERAL

W-R-175 - Reels and Hubs for Magnetic Recording Tape, General Specification For.
W-R-175/1 - Reels, Standard, Plastic, and Fiberglass, 5/16 Inch Center Hole.
W-T-70 - Tapes, Recording, Sound and Instrumentation, Magnetic Oxide Coated, General Specification For.
W-T-70/2 - Tape, Audio Type, Polyester Base.

MILITARY

MIL-T-27 - Transformers and Inductors (Audio, Power, and High Power Pulse) General Specification For.
MIL-C-62 - Capacitors, Fixed, Electrolytic (DC, Aluminum, Dry Electrolytic, Polarized), General Specification for.

STANDARDS

MIL-STD-701 - Preferred and Guidance Lists of Semiconductor Devices."

Page 1, paragraph 3.1: Delete and substitute:

"3.1 Preproduction sample. - Prior to beginning production a sample shall be tested as specified in 4.2.1 (see 6.2)."

1/ CHANGES FROM PREVIOUS ISSUE. THE OUTSIDE MARGINS OF THIS DOCUMENT HAVE BEEN MARKED "#" TO INDICATE WHERE CHANGES (DELETIONS, ADDITIONS, ETC.) FROM THE PREVIOUS ISSUE HAVE BEEN MADE. THIS HAS BEEN DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT AS WRITTEN IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

FSC 4320

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T13:36Z
Check the source to verify that this is the current version before use.

Page 2, paragraph 3.4.2, last sentence: Delete and substitute "The tape shall be in accordance with Specification W-T-70 and reels in accordance with Specification W-R-175."

Page 2, paragraph 3.4.4.1, lines 4 and 5: Delete "a standard equalization test tape or a Government approved method" and substitute "a 'Standard Tape Recording' furnished by the Government or a Government approved method."

Page 5, paragraph 3.5.8.1, items (a) and (b): Delete and substitute:

"(a) Two reels of tape conforming to type TAT-A-H_T of Specification W-T-70/2, packed in fiberboard containers."

"(b) One empty reel conforming to ER250NA of Specification W-R-175/1."

Page 5, paragraph 3.6.1.1: Delete and substitute:

"3.6.1.1 Tubes, semiconductor devices and transformers. - Either electron tubes of commercial grade or semiconductor devices in accordance with Standard MIL-STD-701 shall be used. Transformers shall be grade 3, class S, life expectancy X, in accordance with Specification MIL-T-27."

Page 5, paragraph 3.6.1.3: Add "A speaker 'on-off' switch shall be provided and shall connect a resistive load across the output when in the 'off' position."

Page 6: Add paragraph 3.6.1.5 as follows:

"3.6.1.5 Capacitors. - Electrolytic capacitors may be used in this equipment. These capacitors shall meet the requirements of Specification MIL-C-62."

Page 6, paragraph 3.6.2.1, second sentence: Delete and substitute "A 'Standard Tape Recording' will be supplied to the contractor by the Government."

Page 6, paragraph 3.6.2.4: Add "A speaker 'on-off' switch shall be provided and shall connect a resistive load across the output when in the 'off' position."

Page 6, paragraph 3.6.2.6.1, line 1: Delete "Standard equalization tapes" and substitute "A 'Standard Tape Recording'".

Page 6, paragraph 3.6.2.6.2, line 2: Delete "standard equalization tapes" and substitute "Standard Tape Recording".

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T13:36Z
Check the source to verify that this is the current version before use.

Page 7, paragraph 4.2.1 (except tabulation) and footnote 1/: Delete and substitute:

"4.2.1 Preproduction inspection. - Preproduction inspection shall consist of the following examination and tests, which shall be performed, in general, in the order listed."

Page 10, paragraph 4.3.10, lines 2 and 3: Delete "standard equalization test tape" and substitute "Standard Tape Recording".

Page 10, paragraph 4.3.10, lines 8, 9 and 10: Delete "equalization shall be measured as above with the 7.5 inch per second equalization tape".

Page 11, paragraph 6.2: Delete and substitute:

"6.2 Preproduction. - Invitations for bids should provide that the Government reserves the right to waive the requirement for preproduction samples as to those bidders offering a product which has been previously procured or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending procurement."

Page 11, paragraph 6.3: Delete.

Page 11, paragraph 6.4: Delete and substitute:

"6.4 Standard Tape Recording. - A 'Standard Tape Recording' will be made available to the contractor on a loan basis through the command or agency concerned."

Preparing activity:
Navy - SH
(Project 5835-N113Sh)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T13:36Z
Check the source to verify that this is the current version before use.