MIL-C-3098/70B (USAF)
11 April 1975
SUPERSEDING
MIL-C-3098/70A (USAF)
7 October 1968


MILITARY SPECIFICATION SHEET

CRYSTAL UNIT, QUARTZ, CR-95/U

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crystal unit described herein shall consist of this document and the latest issue of Military Specification MIL-C-3098.

Pertinent characteristics: 2.0 to 9.25 MHz; fundamental; noncontrolled; antiresonance.



INCHES	MM	INCHES	MM	INCHES	MM
.002	.05	.125	3.18	.640	16.26
.010	.25	.411	10.44	1.125	28.58
.015	.38	.460	11.68	1.170	29.72
.093	2.36	.500	12.70	1.282	32.56

NOTED:
1. DIMENSIONS ARE IN INCHES.
2. METRIC EQUIVALENTS (TO THE NEAREST .01 mm) ARE GIVEN FOR GENERAL INFORMATION ONLY AND ARE BASED UPON 1 INCH = 25.4 mm

Ⓑ DENOTES CHANGES

FSC 5955

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.

TABLE I. Requirements

Requirement	Specified Value or Condition
Holder	HC-11A/U (MIL-H-10056/17)
(B) Dimensions, marking, and configuration 1/	See Figure
Frequency range	2.0 to 9.25 MHz, inclusive
Mode of oscillation	Fundamental
Government reference standard test set	TS-330/TSM
Rated drive level and calibration values	See Table II
Antiresonance, load capacitance	91.0 ±0.5 pf
Operating temperature range (noncontrolled)	-35° to +75°C, inclusive
Frequency tolerance	±0.005 percent
Equivalent resistance	See Table III
Unwanted modes	Method I
Shock:	
Frequency change permitted	±0.0005 percent
Equivalent resistance change permitted	±15 percent, or 2 ohms, whichever is greater
Vibration: 2/	
Frequency change permitted	±0.0005 percent
Equivalent resistance change permitted	±15 percent, or 2 ohms, whichever is greater
Temperature cycling:	
Frequency change permitted	±0.0005 percent
Equivalent resistance change permitted	±15 percent, or 2 ohms, whichever is greater
Aging:	
Frequency change permitted	0.0005 percent

1/ Marking Information - Procurement documents shall specify the following:

a. The channel (operating) frequency shall be stamped on top of the holder in kilohertz (kHz).

b. The crystal frequency shall be stamped on side of the holder in kilohertz (kHz).

2/ Method 201 of MIL-STD-202

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.

TABLE II. Drive Level Calibration Data

Government Reference Standard Test Set	Band of Specified Frequencies Inclusive	Calibration Values			Rated Drive Level
		Resistance	Crystal Current	Calibrating Frequency	
	MHz	Ohms	ma	MHz	
TS-330/TSM	2.00 to 4.75	120	10	Crystal Frequency	—
	4.75+ to 6.00	75	15	Crystal Frequency	—
	6.00+ to 7.50	50	20	Crystal Frequency	—
	7.50+ to 9.25	35	25	Crystal Frequency	—

TABLE III. Equivalent-Resistance

Frequency Range, Inclusive	Maximum Resistance
MHz	Ohms
2.0 to 4.75	120
4.75+ to 6	75
6+ to 7.5	50
7.5+ to 9.25	35

NOTES:

A. This crystal-unit type is to be used for special applications, and is not for general use.

B. These crystal units are for use in the Collins 18S Receiver. They were previously fabricated using Air Force Technical Order 12-1-20 and/or Collins drawings 290-4718/5217-00, 289-2423/2722-00, 290-2534/2733-00, and 291-2422/2921-00.

C. Formulae for computing the crystal frequencies applicable to the Collins 18S Receiver are:

MHz	
2.0 to 7.5	$F_x = F_o + 455$ kHz
7.5+ to 18.5	$\frac{F_x = F_o - 455 \text{ kHz}}{2}$

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.

Custodian:
Air Force - 84

Reviewers:
Air Force - 11, 85

User activities:
Air Force - 17, 19

Preparing activity:
Air Force - 84

Project No. (5955-F171-9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE AIR FORCE

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73236 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE AIR FORCE

AFLC/MMGE/Standardization
WPAFB OH 45433

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T16:39Z
Check the source to verify that this is the current version before use.