
FED. SUP CLASS
4730



AN PART NO.	A	B	N
AN7023-1	1.875	0.938	5
AN7023-2	1.500	0.562	3

MATERIAL: ALUMINUM ALLOY, SPECIFICATION QQ-A-225

FINISH: ANODIC TREATMENT, SPECIFICATION MIL-A-8625

REMOVE ALL BURRS AND SHARP EDGES

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES:
DECIMALS ± 0.005, ANGLES ± 1°.

② REINSTATED

APPROVED 6 Jun 49 REVISED ① 23 Sep 53 ② 4 MAY 1981

P.A. 99 Other Cust	TITLE CONNECTOR-VACUUM HOSE,	AIR FORCE - NAVY AERONAUTICAL STANDARD AN 7023
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 1

This standard has been approved by the Department of the Air Force and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

DD FORM 1 SEP 65 672-1 (Limited coordination)

EDITION OF 1 SEP 57 MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:23Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:23Z
Check the source to verify that this is the current version before use.

INCH-POUND

NOTICE
OF VALIDATION

AN-7023 (REV. 2)
NOTICE 1
16 NOVEMBER 1993

MILITARY SPECIFICATION

CONNECTOR-VACUUM HOSE

AN-7023 dated 4 May 1981, has been reviewed and determined to be valid for use in acquisition.

Custodians:
Air Force - 99

Preparing activity:
Air Force - 82

Review Activities:
Air Force - 70

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:23Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:23Z
Check the source to verify that this is the current version before use.