EE-C-651J
March 1, 1973
SUPERSEDING
Int. Fed. Spec. EE-C-00651H(Army-GL)
March 31, 1971, and
Fed. Spec. EE-C-651G
June 21, 1965

FEDERAL SPECIFICATION

CRACKERS AND COOKIES

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers crackers and cookies for use by agencies of the Federal Government.

1.2 Classification.

1.2.1 Types, classes, and styles. Crackers and cookies covered by this specification shall be of the following types, classes, and styles, as specified (see 6.1):

Type I - Crackers
  Class A - Soda, plain
  Class B - Soda, salted
  Class C - Oyster, plain
  Class D - Oyster, salted
  Class E - Graham
  Class F - Sodium restricted

Type II - Specialty crackers
  Class A - Onion flavored
  Class B - Cheese flavored
  Class C - Wheat
  Class D - Rye
  Class E - Sesame
  Class F - Salad

FSC 8920

Type III - Cookies

Class A - Wafers
  Style 1 - Vanilla wafers
  Style 2 - Lemon wafers
Class B - Gingersnaps
Class C - Creme sandwich
  Style 1 - Vanilla base cakes
  Style 2 - Chocolate base cakes
  Style 3 - Combination (one vanilla and one chocolate base cake)
Class D - Shortbread
Class E - Coconut macaroons
Class F - Filled sandwich waffle wafers
Class G - Fig bars
Class H - Oatmeal-raisin
Class I - Chocolate chip cookies

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

L-C-110 - Cellophane (Coated and Non-Coated Regenerated Cellulose film)
L-P-378 - Plastic, Sheet and Strip, Thin Gauge, Polyolefin
PPP-B-636 - Boxes, Shipping, Fiberboard

Federal Standards:

Fed. Test Method Std. No. 101 - Preservation, Packaging and Packing Materials: Test Procedures
FED-STD-123 - Marking for Domestic Shipment **(Civil Agencies)**

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(Single copies of this specification and other Federal specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, D. C., Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards, and established distribution points in their agencies.)

Military Specifications:

MIL-L-10547	- Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible
MIL-L-35078	- Loads Unit; Preparation of Non-Perishable Subsistence Items

Military Standards:

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	- Marking for Shipment and Storage
MIL-STD-1105	- Sanitary Standards for Bakeries

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Department of Health, Education and Welfare

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder
Definitions and Standards for Cheeses and Processed Cheeses
Definitions and Standards of Identity for Oleomargarine and Margarine
Definitions and Standards of Identity for Chocolate and Cocoa Products
Definitions and Standards of Identity for Cereal Flour and Related Products

(Applications for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.)

U.S. Department of Agriculture

Regulations Governing the Grading and Inspection of Egg Products.
U.S. Standards for Grades of:

Dry Whey
Extracted Honey
Nonfat Dry Milk
Processed Raisins
Butter
Shelled Pecan pieces
Shelled Walnut pieces

U.S. Standards for Condition of Food Containers

Official Grain Standards of the United States SRA-AMS-177

(Application for copies should be addressed to the Information Division, Agriculture Marketing Service, U.S. Department of Agriculture, Washington, D.C. 20250.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

Marketing Order for Dried Figs

(Application for copies should be addressed to the Manager, Dried Fig Advisory Board, P.O. Box 709, Fresno, California 93712).

Association of Official Analytical Chemists

Official Methods of Analysis of the Association of Official Analytical Chemists

(Copies may be obtained upon application to the Association of Official Analytical Chemists, P.O. Box 540, Benjamin Franklin Station, Washington, D.C. 20044.)

National Research Council

Food Chemicals Codex

(Application for copies should be addressed to the Office of the Director, National Academy of Science, National Research Council, Washington, D.C. 20418.)

American Oil Chemists Society

Official and Tentative Methods

(Copies may be obtained upon application to the American Oil Chemists' Society, 508 South Sixth Street, Champaign, Illinois 61820.)

National Motor Freight Traffic Association, Inc., Agent

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

Uniform Classification Committee, Agent

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Material. All material shall be clean, sound, wholesome, and free from foreign odors, flavors, insect infestation or objectionable foreign matter.

3.1.1 Butter and margarine. Butter shall be the food product derived from milk or cream and be 90-score or better as defined in the U.S. Standards for Grades of Butter. Good quality (Baker's) margarine, as defined in the Definitions and Standards of Identity for Oleomargarine and Margarine of the Federal Food, Drug and Cosmetic Act, may be used in conjunction with, or as a replacement for butter.

3.1.2 Chocolate liquor, chocolate coating and cocoa. Chocolate liquor, chocolate coating and cocoa shall conform to the appropriate description sections of the Definitions and Standards of Identity for Chocolate and Cocoa Products of the Federal Food, Drug, and Cosmetic Act.

3.1.3 Colors. Coloring material shall be natural, U.S. Certified or GRAS categories or blend thereof.

3.1.4 Corn sirup. Corn sirup shall be a clarified, concentrated, aqueous solution of the product obtained by incomplete hydrolysis of cornstarch. Dried corn sirup solids may be used.

3.1.5 Egg products. The egg products shall be fresh eggs, egg yolks and egg albumen; frozen eggs, egg yolks and egg albumen and dried eggs, egg yolks and egg albumen. All egg products shall have been produced and handled in compliance with requirements set forth in the USDA publication entitled "Regulations Governing the Grading and Inspection of Egg Products." They shall be prepared under continuous inspection of the USDA and shall bear the USDA inspection shield mark. Egg products shall have been tested and certified Salmonella negative by the USDA.

3.1.6 Coconut. Coconut shall be prepared from fresh or dessicated, sound, sweet coconut without any removal of oil and be processed with sugar (sucrose), starch (anti-caking agent in powdered sugar), glycerine, proplylene glycol and sorbitol (or a combination of two or more), and may be flavored with salt.

3.1.7 Ground figs. The ground figs used in fig bar filling shall be derived from figs which conform to the Marketing Order for Dried Figs.

3.1.8 Invert sugar (sirup). Invert sugar (sirup) shall be a mixture of glucose and fructose and shall be made by treating cane or beet sugar with dilute acid solution or enzymes (invertase).

3.1.9 Poppy seed. Poppy seed shall be obtained from the dried mature capsules derived from Papaver somniferum L. It shall have the characteristic slate blue color and pleasant nut-like odor and flavor.

3.1.10 Flours. Wheat flour shall comply with the appropriate descriptive section of the Definitions and Standards for Cereal Flours and Related Products of the Federal Food, Drug and Cosmetic Act. Corn flour, rye flour, cottonseed flour, soya flour or other appropriate flours may be used. The flour shall be enriched in accordance with Definitions and Standards above.

3.1.11 Chemical leavening agents. Chemical leavening agents shall conform to the requirements specified in Food Chemical Codex.

3.1.12 Malt. Malt shall be barley malt and shall be high diastatic for soda crackers and low diastatic, high flavor for specialty crackers. Alternatively, fungal enzyme products, derived from Aspergillus Oryzae, may be used.

3.1.13 Dairy products. Dry whey and nonfat dry milk shall meet the requirements of United States Standards for Dry Whey, Extra Grade; or United States Standards for Grades of Nonfat Dry Milk (Spray Process), Standard Grade.

3.1.14 Molasses. Molasses shall be a thick sirup of light to dark brown color that is separated from raw cane sugar during sugar manufacture.

3.1.15 Raisins. Raisins shall conform to type I, Thompson Seedless, Grade B or better, of U.S. Standards for Grades of Processed Raisins.

3.1.16 Salt. Salt shall be white, refined sodium chloride, with or without anti-caking agents. Iodized salt shall not be used.

3.1.17 Shortening. Shortening shall be derived from vegetable oil, animal fat or combinations thereof and shall have a stability of not less than 45 hours when measured by the active oxygen method. Anti-oxidants may be incorporated in the product.

3.1.18 Plastic fat. Plastic fat shall be derived from vegetable oils or blends of animal and vegetable fats which conform to requirements stated in 3.1.17. It may contain added lecithin or other suitable plasticizing agents.

3.1.19 Starches. Cornstarch or other suitable starches may be used. The starch shall be finely pulverized, and free from lumps and hard or gritty particles. It shall be uniformly white in color and free from any foreign taste or odor. It shall be suitable for the product desired.

3.1.20 Sugar. The sugar shall be refined granulated or powdered cane or beet sugar, liquid sugar (noninvert type), or any combination of these.

3.1.21 Corn sugar. Corn sugar shall be either pulverized anhydrous or hydrated dextrose.

3.1.22 Brown sugar. Brown sugar shall be derived from the refining of cane sugar by the controlled evaporation and centrifuging system allowing the sugar crystals to retain a portion of the liquors that surround them.

3.1.23 Flavors. Vanilla flavor shall be vanilla extract or imitation vanilla or a combination thereof. Lemon flavor shall be imitation or natural flavor or a combination thereof. Imitation flavors shall be of such quality that the flavor imitated can be readily identified when the finished product is tested for flavor.

3.1.24 Yeast. Yeast shall be either compressed baker's yeast or dried yeast. Compressed baker's yeast shall be a pure culture of baker's yeast (Saccharomyces cerevisiae). Dried yeast shall be either primary grown yeast or properly debittered brewer's yeast.

3.1.25 Dough conditioners. Dough conditioners shall be of a type suitable for the product specified.

3.1.26 Honey, extracted. Extracted honey shall conform with grade B or better as specified in U. S. Standard for Grades of Extracted Honey.

3.1.27 Nutritional adjuncts. Nutritional adjuncts, such as sodium caseinate and lactoalbumens, shall be types that are suitable for the product and the nutritional purpose specified.

3.1.28 Pecan and walnut pieces. Pecan and walnut pieces shall conform to the standard for U.S. No. 1 pecan and walnut pieces, as defined in U.S. Standards for shelled pecans and walnuts.

3.1.29 Spices, ground. Ground spices shall be of a typical appearance, flavor, odor and pungency, as applicable of the spice. Spices shall be of full strength.

3.1.30 Cheese. Cheese shall comply with the appropriate descriptive section of Definitions and Standards for Cheeses and Processed Cheeses of the Federal Food, Drug and Cosmetic Act. Dehydrated forms of the defined cheese may be used.

3.1.31 Sesame seed. Sesame seed shall be of hulled seed derived from Sesamum indicum L. It shall have a very faint, nutty odor, and an agreeable flavor.

3.1.32 Hydrolyzed vegetable protein. Hydrolyzed vegetable protein shall be obtained by the hydrolysis of any one or any combination of corn, soybean, wheat, yeast proteins or other vegetable materials from which none of the monosodium glutamate has been removed during processing, and it shall have a characteristic flavor.

3.1.33 Sodium bisulfite. Sodium bisulfite shall conform to Food Chemicals Codex.

3.1.34 Onion, dehydrated. Dehydrated onion shall be a free flowing powder or granulated, fresh or toasted, produced from clean, sound, dehydrated onion with a characteristic odor and flavor.

3.1.35 Caraway seed. Caraway seed shall be the dried seed derived from Carum carvi L. It shall have a characteristic, agreeable odor, and aromatic, warm, somewhat sharp taste.

3.1.36 Oats and oatmeal. Oats and oatmeal shall be milled from white oats as defined in the Official Grain Standards of the U.S. for Oats.

3.1.37 Chocolate chips. Chocolate chips shall be made from sweet or semi-sweet chocolate which meets the requirements in the Definitions and Standards for Chocolate and Cocoa Products under Federal Food, Drug and Cosmetic Act.

3.1.38 Gum. Gum shall be derived from a vegetable origin and shall be suitable for use as a stabilizer.

3.1.39 Emulsifiers. Emulsifiers shall be of a type suitable for the product specified.

3.1.40 Plasticizers. Plasticizers shall be of a type suitable for the product specified.

3.2 Processing.

3.2.1 Type I, crackers.

3.2.1.1 Class A, plain soda. The crackers shall be made from wheat flour, water, salt, shortening, yeast, with optional ingredients such as white rye flour, malt, baking powder or other suitable leavening agents, dry whey dough conditioners, and nutritional adjuncts.

3.2.1.2 Class B, salted soda. The crackers shall be of the composition specified in 3.2.1.1. In addition, the crackers shall have a quantity of fine salt adhering to the top surface. This "topping" salt should be present in an amount of 1 to 2-1/2 pounds per 100 pounds of crackers.

3.2.1.3 Class C, plain oyster. The crackers shall be of the composition as in 3.2.1.1.

3.2.1.4 Class D, salted oyster. The crackers shall be of the composition as in 3.2.1.2.

3.2.1.5 Class E, graham. The graham cracker shall be of the composition as described in 3.2.1.1 except that yeast shall not be an ingredient. In addition, 10 to 35 percent by weight of the total flour ingredient shall be whole wheat flour. Sugar and molasses or honey (or a combination of molasses and honey) shall be added. Optional ingredients, such as flavors and nutritional adjuncts, may be added.

3.2.1.6 Class F, sodium restricted. The crackers shall be of the composition as in 3.2.1.1 except that salt shall not be added. In addition, the baking powder or other suitable leavening agents in the optional ingredients shall be substituted with potassium or ammonium bicarbonate.

3.2.2 Type II, speciality crackers

3.2.2.1 Class A, onion flavored. Onion flavored crackers shall be made from flour, shortening, sugar, dehydrated onions, salt, chemical leavening agents, and water with optional ingredients such as yeast, malt, dairy products, hydrolyzed vegetable protein, poppy seeds, colors, flavors, dough conditioners, sodium bisulfite, and nutritional adjuncts.

3.2.2.2 Class B, cheese flavored crackers. Cheese flavored crackers shall be made from flour, shortening, sugar, cheese, salt, chemical leavening agents and water with optional ingredients such as yeast, color and flavoring, dough conditioners, emulsifier(s), sodium bisulfite, nutritional adjuncts, sesame seed and spices.

3.2.2.3 Class C, wheat crackers. Wheat crackers shall be made from whole wheat flour, flour, shortening, sugar, salt, and chemical leavening agents and water, with optional ingredients such as, malt, sesame seed, dehydrated onions, yeast, hydrolyzed vegetable protein, food coloring and sodium bisulfite, dairy products, flavor, dough conditioners, and nutritional adjuncts.

3.2.2.4 Class D, rye crackers. Rye crackers shall be made from rye flour, flour, shortening, sugar, salt, chemical leavening agents and water, with optional ingredients such as molasses, caraway seeds, spice, artificial flavor, yeast, hydrolyzed vegetable protein, dry whey, food coloring and sodium bisulfite, flavors, dough conditioners and nutritional adjuncts.

3.2.2.5 Class E, sesame crackers. Sesame crackers shall be made from wheat flour, shortening, water, sugar, sesame seeds, salt and chemical leavening agents, and with optional ingredients such as whole wheat flour, brown sugar, molasses, corn sugar, corn sirup, malt, dry whey, yeast, emulsifier and flavor, vegetable gum, dough conditioners, colors, sodium bisulfite and nutritional adjuncts.

3.2.2.6 Class F, salad crackers. Salad crackers shall be made from flour, shortening, water, sugar, salt, and chemical leavening agents, with optional ingredients such as yeast, corn flour, malt and sodium bisulfite, dough conditioners, dairy products and nutritional adjuncts.

3.2.3 Type III, cookies.

3.2.3.1 Class A, wafers.

3.2.3.1.1 Style 1, vanilla wafers. Vanilla wafers shall be prepared by baking a soft drop cookie type of dough with the addition of sugar or other fermentable carbohydrate substances (or a combination of such ingredients) and vanilla flavoring. Nutritional adjuncts and other flavoring may be added as optional ingredients.

3.2.3.1.2 Style 2, lemon wafers. Lemon wafers shall comply with 3.2.3.1.1 except vanilla flavor shall be substituted with lemon flavor.

3.2.3.2 Class B, gingersnaps. Gingersnaps shall be prepared from flour, sugar, corn sirup, salt, molasses, invert sirup, shortening, leavening agents, ginger, and water. Nutritional adjuncts may be added as optional ingredients.

3.2.3.3 Class C, creme sandwich.

3.2.3.3.1 Style 1, vanilla base cakes. Vanilla base cakes shall be prepared from flour, sugar, corn sugar, or invert sirup (or a mixture of these), salt, water, and chemical leavening agents. The cookie dough formulation shall consist of sugar solids (sucrose, corn sugar and invert) and 45 pounds shortening for each 200 pounds of flour. Permissible optional ingredients are: corn sirup, dairy products, egg products, corn starch, emulsifiers, leavening agents, nutritional adjuncts and imitation colors and flavors.

3.2.3.3.2 Style 2, chocolate base cakes. Chocolate base cakes shall be prepared from ingredients as specified in 3.2.3.3.1 and, in addition shall contain cocoa and chocolate liquor or chocolate coating. The formulation shall be as specified in 3.2.3.3.1 and, in addition, shall contain not less than 38 pounds of cocoa and 3 pounds of chocolate liquor (or equivalent quantity of liquor in the form of coating chocolate) for each 200 pounds of flour. Permissible optional ingredients shall be as specified in 3.2.3.3.1.

3.2.3.3.3 Creme sandwich filling. The filling shall be prepared from powdered sugar and plastic fat. Permissible optional ingredients are: Salt, corn sugar, dairy products, starch, flour, emulsifiers and plasticizers and artificial colors and flavors. The finished filling shall contain not less than 30 percent fat.

3.2.3.4 Class D, shortbread. Shortbread cookies shall be prepared from flour, sugar, shortening, egg products, water, flavors, salt and chemical leavening agents. The formulation shall utilize not less than 50 pounds of sugar solids, 60 pounds of shortening and 2-1/2 pounds of whole eggs or equivalent in egg products to each 200 pounds of flour. Permissible optional ingredients are: dairy products, butter (for direct substitution of required shortening), corn sugar, corn sirup, invert sugar, leavening agents, nutritional adjuncts and artificial flavors and colors.

3.2.3.5 Class E, coconut macaroons. Coconut macaroons shall be prepared from flour, sugar, coconut, shortening, water, eggs and salt. The cookie dough formulation shall utilize not less than 95 pounds of sugar solids (not less than 5 percent to be in the form of invert solids), 70 pounds of coconut, and 35 pounds of shortening, to each 200 pounds of flour. Permissible optional ingredients are: corn sirup, dairy products, corn sugar, invert sugar, egg ingredients, leavening agents, nutritional adjuncts, and artifical flavors and colors.

3.2.3.6 Class F, filled sandwich waffle wafers.

3.2.6.1 Waffle wafers. Waffle wafers shall be prepared from flour, water, and salt. Optional permissible ingredients are: corn sirup, shortening, dairy products, starches, sugars, egg products, chemical leavening agents, emulsifiers, nutritional adjuncts, and artifical colors and flavors.

3.2.3.6.2 Waffle wafer filling. Waffle wafer filling shall be prepared from powdered sugar, flavors and plastic fat. The fat content of the finished filling shall not be less than 30 percent by weight. Pulverized corn sugar may be employed provided its usage does not exceed 25 percent of the total sugar content. Permissible optional ingredients are: dairy products, emulsifiers, plasticizers, and artificial colors and flavors.

3.2.3.7 Class G, fig bars. Fig bars shall be manufactured by enclosing fig bar filling of proper consistency in a casing or shell of dough.

3.2.3.8 Class H, oatmeal raisin. Oatmeal raisin cookies shall be prepared from flour, sucrose, oats, or oatmeal, shortening, raisins, salt, chemical leavening agents and water. Permissible optional ingredients are: invert sirup, corn sirup, spices, artificial flavors, molasses, emulsifier, food coloring and nutritional adjuncts.

3.2.3.9 Class I, chocolate chip. Chocolate chip cookies shall be prepared from flour, sugar, chocolate chips, shortening, salt, chemical leavening agents and artificial color and water. Permissible optional ingredients are corn sirup, invert sirup, dextrose, malt, whey, egg products, coconut, butter, flavor and emulsifier, dairy products, walnuts or pecan pieces, oats, food coloring, nutritional adjuncts.

3.3 Finished product. The finished product shall be clean, uniformly baked, not burnt or scorched, not damp, soggy or moldy, and shall be free from objectionable odors and flavors. In addition, the finished product shall comply with all requirements (including characteristic texture) for the specific type, class, and style as outlined below.

3.3.1 Type I, crackers.

3.3.1.1 Class A, plain soda and class B, salted soda. The cracker shall be not less than 3/16 nor more than 1/4 inch thick and 2 inches square ± 1/8 inch and shall have a count of from 120 to 190 crackers to the pound; alternatively, shall be not less than 3/16 nor more than 1/4 inch thick, and in a rectangler shape 2 inches by 1-1/4 inch ± 1/16 inch and shall have a count of 180 to 285 crackers to the pound. The crackers shall be crisp, but easily broken up and dispersed in the mouth with chewing. They shall be bland flavored with no off flavor or odor. The color shall be a golden brown as produced by proper baking of a cracker dough made from wheat flour and shall not be noticeably influenced by flours other than wheat. The crackers shall contain not less than 9.0 percent of fat on the moisture free basis and not more than 5.0 percent moisture.

3.3.1.2 Class C, plain oyster, and class D, salted oyster. The crackers shall comply with 3.3.1.1, except that they shall be round or nearly round or approximately square or hexagon shaped not less than 3/5 nor more than 1 inch in diameter, 7/16 inch ± 1/8 inch in thickness and shall have a count of 575 to 700 crackers to the pound, and shall have a fat content of not less than 5.5 percent on a moisture free basis.

3.3.1.3 Class E, graham. The crackers shall be 5/16 inch ± 1/8 inch thick and not less than 1-1/2 nor more than 2-1/2 inches square or alternatively shall be in rectangular shape 1-1/4 inches ± 1/8 inches by 2-3/4 inches ± 1/8 inch, and shall have a count of from 50 to 150 crackers to the pound. The crackers shall contain not less than 9.0 percent of fat on a moisture free basis and not more than 6.0 percent of moisture.

3.3.1.4 Class F, sodium restricted. The crackers shall be 7/32 inch thick, ± 1/32 inch, 2 inches square ± 1/8 inch, and shall have a count of 120 to 190 crackers to the pound. Alternatively, crackers shall be rectangular in shape 2-1/2 inches, ± 1/8 inch, by 1-3/8 inches, ± 1/8 inch, and shall have a count of 110 to 150 crackers to the pound. The crackers shall contain not more than 15 mg of sodium per 100 grams, not less than 8.0 percent fat on a moisture free basis and not more than 6.0 percent moisture.

3.3.2 Type II, speciality crackers.

3.3.2.1 Class A, onion flavored crackers. The crackers shall have a count of from 130 to 450 crackers to the pound. The crackers shall contain a minimum of 10 percent of total fat on a moisture-free basis, and a maximum of 5 percent moisture.

3.3.2.2 Class B, cheese flavored crackers. The crackers shall have a count of from 130 to 450 crackers to the pound. The crackers shall contain not less than 10 percent of total fat on a moisture-free basis, and not more than 5 percent moisture.

3.3.2.3 Class C, wheat crackers. The crackers shall have a count of from 110 to 250 crackers to the pound. The crackers shall contain not less than 10 percent of total fat on a moisture free basis and not more than 5 percent moisture.

3.3.2.4 Class D, rye crackers. The crackers shall have a count of from 110 to 170 crackers to the pound. The crackers shall contain not less than 10 percent of total fat on a moisture free basis and not more than 5 percent moisture.

3.3.2.5 Class E, sesame crackers. The crackers shall have a count of from 90 to 160 crackers to the pound. The crackers shall contain not less than 10 percent of total fat on a moisture free basis and not more than 5 percent moisture.

3.3.2.6 Class F, salad crackers. The salad crackers shall have a count of from 100 to 220 crackers to the pound. The crackers shall contain not less than 20 percent of total fat on a moisture free basis and not more than 5 percent moisture.

3.3.3 Type III, cookies.

3.3.3.1 Class A, wafers.

3.3.3.1.1 Style 1, vanilla wafers. The wafers shall be disc-shaped with somewhat rounded tops 3/8 inch in thickness ± 1/8 inch, not less than 1 nor more than 2 inches in diameter, and shall have a count of from 60 to 190 cookies to the pound. The wafers shall contain not less than 12.0 percent of fat on a moisture free basis, not more than 6.0 percent of moisture, and shall be of good characteristic texture.

3.3.3.1.2 Style 2, lemon wafers. Lemon wafers shall comply with 3.3.3.1.1 except that lemon flavor shall be used.

3.3.3.2 Class B, gingersnaps. The cookies shall be not less than 1-3/16 nor more than 2-1/2 inches in diameter and shall have a count of from 45 to 150 cookies to the pound. The cookies shall contain not less than 7.5 percent of fat on a moisture free basis and not more than 7.0 percent of moisture. The cookies shall be crisp but free from hard and excessively dark centers or open and crumbly grain.

3.3.3.3 Class C, creme sandwich. Class C, creme sandwich cookies, shall consist of 2 base cakes with a layer of filling made in accordance with 3.2.3.3.3. The base cakes shall be well-centered and placed flat surface to flat surface. The filling shall comprise not less than 25 percent of the finished cookie and shall be evenly distributed between the base cakes. The count per pound of finished cookies shall be not less than 20 nor more than 65. The finished product shall consist of the following, as applicable for the style specified: 2 vanilla base cakes and filling; 2 chocolate base cakes and filling; or 1 vanilla and 1 chocolate base cake and filling.

3.3.3.3.1 Style 1, vanilla base cakes. The base cakes shall possess an even, golden crust color. They shall be crisp and shall have an appetizing flavor. Cookies shall not be broken or cracked. The moisture content of the base cake shall not exceed 5.0 percent by weight.

3.3.3.3.2 Style 2, chocolate base cakes. Chocolate base cakes shall conform to 3.3.3.3.1 except that they shall possess a dark, rich, chocolate appearance, and chocolate flavor.

3.3.3.3.3 Style 3, combination (one vanilla and one chocolate base cake). Style 3 shall consist of one vanilla base cake as specified in 3.3.3.3.1 and one chocolate base cake as specified in 3.3.3.3.2.

3.3.3.4 Class D, shortbread. The shortbread shall be uniformly baked and shall possess an even, golden crust color. The moisture content of the finished product shall not exceed 5.0 percent. The count per pound of the finished product shall be not less than 30 nor more than 80.

3.3.3.5 Class E, coconut macaroons. The coconut macaroons shall be uniformly baked, shall have a characteristic golden crust color, shall be crisp and shall possess an appetizing flavor. The moisture content shall not exceed 5.0 percent. The count per pound shall be not less than 20 nor more than 60.

3.3.3.6 Class F, filled sandwich waffle wafers.

3.3.3.6.1 Base wafers. Base wafers shall possess an even, golden crust color and shall be crisp. Wafers having a burned or scorched taste will be unacceptable. The moisture content of the waffle wafer shall not exceed 3.0 percent, (by weight).

3.3.3.6.2 Finished sandwich waffle wafers. The finished product shall consist of two base wafers with a layer of filling. The filling shall be evenly distributed between the base wafers. The filling shall comprise not less than 60 percent by weight of the finished product. The count per pound of finished product shall not exceed 230.

3.3.3.7 Class G, fig bars. Fig bars shall be 1-1/4 to 1-3/4 inches wide and 1/2 inch thick ± 1/16 inch, and cut into bars not less than 1-1/4 nor more than 4.0 inches long. The ends shall be cut evenly and clean with or without sealing. The fig bars shall contain 20 to 30 percent by weight of fig filling which shall be evenly distributed, shall contain not less than 3.0 percent of fat on a moisture free basis, not more than 18.0 percent of moisture and shall have a count of from 14 to 50 bars to the pound.

3.3.3.8 Class H, oatmeal-raisin cookie. Oatmeal-raisin cookies shall be uniformly baked, shall possess an even golden crust color, shall be tender, crisp and have an appetizing flavor. The moisture content shall not exceed 7.5 percent. It shall contain not less than 10 percent fat on a moisture free basis. The count per pound shall be not less than 27 nor more than 80.

3.3.3.9 Class I, chocolate chip cookies. Chocolate chip cookies shall comply with 3.3.3.8 except that the moisture content shall not exceed 6.0 percent. It shall contain not less than 15 percent fat on a moisture free basis. The count per pound shall be not less than 27 nor more than 75.

3.4 Federal Food, Drug and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug and Cosmetic Act, and regulations promulgated thereunder.

3.5 Workmanship. The product shall be prepared, processed and packaged under modern sanitary conditions and in accordance with good commercial practice. For Military agencies, the product shall be processed in establishments meeting the requirements of MIL-STD-1105.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling. Samples of finished products covered by this specification and samples of any materials, components, or constituents entering into the preparation of the finished products may be taken at any time by the Government inspector to determine compliance with the requirements.

4.2 Inspection.

4.2.1 General. Inspection shall be made by the procuring agency or a duly authorized representative, at the time and place designated by the procuring agency. It may be made at the site of manufacture, both during and after processing, at any suitable point in transit, or after delivery to the point of destination.

4.2.2 Factory inspection. The passing as satisfactory of any detail of processing or materials shall not relieve the supplier of responsibility for faulty workmanship or materials which may be discovered at any time prior to final acceptance.

4.2.3 Final inspection. Unless otherwise specified, final inspection shall be made after delivery to the point of destination (see 6.8).

4.2.4 Condition inspection of containers. When inspection of product for quality and condition is performed by the U.S. Department of Agriculture, the United States Standards for Condition of Food Container shall apply. (For applicable criteria governing inspection of containers for the Military, see 4.2.7.3).

4.2.5 Responsibility for inspection. The supplier is responsible for meeting all the provisions of the specification prior to submission of supplies to the Government for acceptance. Unless otherwise specified in the contract or order, the supplier is required to perform the examinations and tests prescribed herein, using his own or any other inspection facilities and services acceptable to the Government.

4.2.5.1 Inspection records of the examination and tests shall be complete and made available to the Government as specified in the contract or order. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2.6 Preacceptance inspection (plant sanitation inspection).

4.2.6.1 Civil agencies. When specified (see 6.1), inspection of plants producing the product will be conducted upon request of the contracting officer to the appropriate Government inspection agency. Award of contracts will be limited to establishments known to maintain proper sanitary conditions or which have received prior sanitary approval recommended by the inspection agency.

4.2.6.2 Military agencies. The product shall be rejected if produced in plants not meeting the requirements of 3.5.

4.2.7 Sampling for inspection. Sampling for inspection and acceptance shall be in accordance with the provisions set forth in MIL-STD-105, except where otherwise indicated hereinafter.

4.2.7.1 Component and material inspection. In accordance with 4.2.5 and 4.2.5.1 above, components and materials shall be inspected in accordance with the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified or qualified in the specification or applicable purchase document.

4.2.7.1.1 Ingredients. Conformance of ingredients to identity requirements (kind, USDA Grade, composition, quality standard, and certification etc., as applicable) shall be ascertained by examination of pertinent labels, markings, invoices, or other valid documents. In addition, each ingredient shall be examined organoleptically, as necessary to determine conformance to condition requirements of 3.1 and as may be contained in the pertinent ingredient requirement paragraph. The sample unit shall be one pound of solid or 4 fluid ounces of liquid ingredient from a primary container. The sample size shall be five. In the event a lot consists of less than five containers, a sample unit shall be extracted from each container in the lot. Nonconformance with identity requirements, or one or more sample units not conforming to condition requirements shall indicate an unacceptable ingredient and use of such shall be cause for rejection of the involved finished product.

4.2.7.1.1.1 Egg products. Conformance of egg products with the requirements of 3.1.5 as concerns USDA inspection and certification shall be ascertained by examination for presence of USDA shield on containers and USDA certificate attesting to salmonella negative product. Use of nonconforming egg product shall be cause for rejection of the involved end item.

4.2.7.1.2 Testing of components. Testing of components described in this specification and changes to testing of components described in subsidiary specifications shall be in accordance with table I. Test requirements for the characteristics listed shall be average requirements. A test failure shall indicate an unacceptable component and use of such shall be cause for rejection of the involved end item.

TABLE I. Testing of components (see 4.2.7.1)

Components	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results repored	Test ref & requirement paragraph
Shortening	1 pound composite 1/	Pounds	S-1	Stability	Pass or fail 2/	3.1.17 4.3
Plastic fat	1 pound composite 1/	Pounds	S-1	Stability	Pass or fail	3.1.18 4.3
Waxed paper	3 square yards	Rolls	S-2	Basis wt. of paper	Nearest lb/ream	5.1.1.1 5.1.1.4.2 5.1.1.5 4.3

TABLE I. Testing of components (see 4.2.7.1) (cont'd)

Components	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Testing ref & requirement paragraph
Waxed glassine paper	3 square yards	Rolls	S-2	Basis wt. of paper	Nearest lb/ream	5.1.1.1 5.1.1.4.2 5.1.1.5 4.3
				Wt. of wax	Nearest lb/ream	
				Melting point of wax	Nearest degree F	

1/ Composite shall be derived from the number of containers indicated by the inspection level.

2/ In the event of failure, report to the nearest hour.

4.2.7.2 Examination of formulation. A formulation record shall be maintained by the supplier. Unless otherwise specified (see 6.1) examination shall be performed to determine conformance to 3.2, and the aforementioned records shall be examined. In the event production is in progress when the records are being examined, the assigned Government inspector shall also perform an examination of the actual formulation to the extent necessary to determine conformance to the pertinent requirements. Nonconformance shall be cause for rejection of the involved finished product.

4.2.7.3 Examination of end item. Examination shall be in accordance with tables III through VI and 4.2.7.3.1 through 4.2.7.3.5. The sampling plans for the aforementioned tables shall be in accordance with table II. The acceptable quality levels (AQLs) shall be expressed as defects per hundred units for tables III, V, and VI and percent defective for table IV.

TABLE II. Sampling plans

Table	Sample unit	Lot size expressed in	Inspection level	AQLs		
				Major	Minor	Total
III	1 filled and closed primary package	Packages	1	1.5	-	6.5
IV	1 filled primary package	Packages 1/	S-3	-	2.5	-
V	2/	Packages	S-2	4.0	-	10.0
VI	1 filled intermediate container	Intermediate containers	S-2	1.5	-	6.5

1/ For alternatively packaged units, as specified in 5.1.1.1, the sample unit shall be one filled carton. For individual servings as specified in 5.1.1.2 and 5.1.1.3, the sample unit shall be 1 filled intermediate box.

2/ The sample unit for individual serving packages shall be 1 filled package. The sample unit for product in all other packages shall be 20 crackers or cookies. Where possible, the cookies or crackers for a sample unit shall be extracted consecutively from a single package. Notwithstanding the foregoing, the sample unit for oyster crackers in other than individual servings shall be 2 ounces from a package.

TABLE III. Examination of primary package 1/

Category		Defect
Major	Minor	
101		Overwrap (when required) missing
102		Tear, hole, open seal or closure
103		Liner or bag (when required) missing, or not completely protecting product from container; or alternatively, interior of container not completely treated with a grease resistant substance
	201	Bulk packaged product not in a snug fitting container
104		One or more layers or rows of bulk packaged product not separated as specified
105		Packaging material not clean
106		Nomenclature on label missing, incorrect or illegible
	202	Other required labeling information missing, incorrect or illegible

1/ Packages not fabricated from materials specified or in the manner specified shall not be acceptable. Conformance to specified dimensions, container bursting strength, or paperboard weight requirements, shall be ascertained by examination of pertinent invoices, boxmakers compliance markings, or other valid means, as applicable.

TABLE IV. Examination for net weight of primary package 1/

Category	Defect
Minor	
201	More than 5 percent under specified net weight (package required to have 1 pound or less) 2/

TABLE IV. Examination for net weight of primary package 1/ (cont'd)

Category	Defect
Minor	
202	More than 2 percent under specified net weight (package required to have more than 1 pound but not more than 10 pounds) 3/
203	More than 1 percent under specified net weight (package required to have more than 10 pounds) 4/

1/ Lot shall be rejected if sample data indicate a lot average net weight less than specified net weight.

2/ Report results to nearest 1/16 ounce.

3/ Report results to nearest 1/4 ounce.

4/ Report results to nearest 1/2 ounce.

TABLE V. Examination of product characteristics 1/

Category		Defect
Major	Minor	Condition - Individual serving of soda crackers and type II speciality crackers and type III cookies 2/
	201	One or more broken or checked crackers or cookies
101		One or more crushed crackers or cookies
102		One or more crackers or cookies missing
		Condition - Oyster crackers 3/ 4/
103		More than 25 percent by weight of crackers in individual servings package not intact
104		More than 10 percent by weight of crackers (other than in individual servings) not intact

TABLE V. Examination of product characteristics 1/ (cont'd)

Category		Defect
Major	Minor	Condition - All others except fig bars 2/
	202	More than 2 crackers or cookies which are broken or checked
105		More than 1 cracker or cookie which is crushed
		Other characteristics 5/ 6/
106		Color of product not as specified
	203	Outer physical appearance not as specified
107		Overbaked (burnt, excessively dark etc.) or underbaked (doughy, soggy, etc.)
	204	Size not as specified 7/
	205	"Filling" of sandwich cookies, waffle wafer or fig bar not uniformly distributed
108		Not crisp
	206	Grain of product not as specified
109		Texture (mouth feel) not as specified
110		Flavor or odor not as specified

1/ Presence of foreign material (e.g. dirt, filth, insects, glass, wood, metal, paint, etc.) shall be cause for rejection of the lot.

2/ A broken cracker or cookie is one that is broken into not more than three parts or has more than 1/8 but not more than 1/4 of its area missing. A checked cookie or cracker is one that has fracture lines appearing on its surface. A crushed cookie or cracker is one that is broken into more than three parts or has more than 1/4 of its area missing.

3/ An intact oyster cracker is one that is neither broken or crushed (see footnote 2/ above).

4/ Calculate weights in terms of whole grams.

5/ See pertinent requirement paragraphs for applicability of defects.

6/ Make one determination per sample unit.

7/ Measuring device shall be calibrated in 1/32 inch increments.

TABLE VI. Examination of intermediate containers 1/

Category Major	Minor	Defect
		For all packages (see 5.1.1.2, 5.1.1.3 and 5.1.1.4.2)
101		Not a snug fitting container
	201	Required markings missing, incorrect or illegible
		For individual servings
102		Polyethylene liner missing
	202	Polyethylene liner not closed with a double fold closure or other equally suitable closure
	203	Number of individual servings more than 2 percent under specified count 2/
		For unit packages (see 5.1.1.4.2)
	204	Markings indicate a net weight of more than 16 pounds

1/ Materials not of the types specified or not of the dimensions (when applicable) specified shall not be acceptable (see pertinent invoices or other valid documents).

2/ Lot shall be rejected if sample data indicate a lot average count less than specified count.

4.2.7.3.1 Examination for count per pound. The sample unit shall be one pound of cookies or crackers (other than oyster, which shall be 4 ounces) extracted from a primary container or derived from the number of packages in a container necessary to yield a sample unit. The sample size shall be (5), randomly selected from the lot. Lot shall be rejected if the sample data indicate a lot average count not in conformance to requirements.

4.2.7.3.2 Examination for weight of filling. Creme sandwich cookies, fig bars, and waffle wafers shall be examined to determine conformance to "filling" weight requirements. The sample unit for examination shall be one pound of finished product derived from a container. The sample size shall be five, randomly selected from the lot. Tare weight for crust of fig bars, base cakes of creme sandwich cookies, and base wafers of waffle wafers shall be established by weighing 25 fig bar crusts, 50 base cakes or base wafers and calculating the average tare weight applicable to 1 fig bar, creme sandwich cookie, or waffle wafer. Lot shall be rejected if sample data indicate a lot average "filling" weight less than specified percentage.

4.2.7.3.3 Examination of waterproof case liners. Examination of filled and closed case liners shall be in accordance with the quality assurance provisions in the appendix of MIL-L-10547.

4.2.7.3.4 Examination of shipping containers. Examination of filled and closed shipping containers shall be in accordance with the quality assurance provisions in the appendix of PPP-B-636. In addition, the following defects shall be included in the examination. Major - Markings, missing, incorrect or illegible; Major - Protective pad and tape when required missing, not as specified, or not completely protecting case liner from metal stitches; Minor - Number of interior packages (except individual servings) not as marked; Minor - Assortment of cookies (see 5.1.1.5 and 5.1.2.1) not as specified. Minor - Markings indicate a total net weight or count exceeding that specified. When packing according to 5.2.3.1 is specified, only the defects pertinent to marking, number of interior packages and assortment (when applicable) shall apply.

4.2.7.3.5 Examination of unit loads. Unit loads shall be examined in accordance with the quality assurance provisions of MIL-L-35078.

4.2.7.4 Testing of finished product. The finished product shall be tested for moisture and fat, as applicable. In addition, type I, class F sodium restricted crackers shall be tested for sodium content. Test procedures shall be in accordance with 4.3. The sample for testing shall be a one-pound composite of product derived from the number of containers indicated by inspection level S-2. For type III, class C and G products, base cakes and filler of the cookies shall be tested separately. Lot size shall be expressed in pounds. Results shall be reported to the same unit or decimal place as specified for the pertinent requirement. A test failure shall be cause for rejection of the lot.

4.3 Test methods. Examination and test procedures which differ from those specified herein, unless otherwise excepted, may be used by the supplier if they provide a quality assurance equivalent to that specified. If the Government contracting officer determines that such procedures and controls do not provide, as a minimum, such quality assurance, the supplier will use the procedures set forth herein. In case of dispute as to examination or test results, the procedures specified herein will govern.

4.3.1 Test procedures.

4.3.1.1 Chemical analyses. Chemical analyses shall be conducted in accordance with the following methods from Offical Methods of Analysis of the Association of Offical Analytical Chemists:

Test	Source	Method
Finished product all types except class G		
Fat	Chapter: Cereal Foods Section: Baked Products Other than Bread	Fat
Moisture	Chapter: Cereal Foods Section: Baked Products Other than Bread	Solids
Class G		
Fat	Chapter: Cereal Foods Section: Fig Bars and Raisin Filled Crackers	Fat
Moisture	Chapter: Cereal Foods Section: Fig Bars and Raisin Filled Crackers	Moisture
Sodium (applicable to type I, class F only)	Chapter: Plants Section: Metals	Flame photometric

4.3.2 Fat stability (AOM). Fat stability test shall be made in accordance with method Cd 12-57 of the American Oil Chemists' Society, Section C, Commercial Fats and Oils.

4.3.3 Paper test. Paper shall be tested in accordance with method 204 of FED-STD-101.

4.3.4 Percentages. All percentages shall be upon the basis of weight.

5. PREPARATION FOR DELIVERY

5.1 Packaging. The product shall be packaged in accordance with level A or C, as specified (see 6.1).

5.1.1 Level A. The product shall be packaged in accordance with 5.1.1.1 through 5.1.1.5 as applicable.

5.1.1.1 Type I, all classes. Fractional packages of 1/8, 1/4, 1/3, 2/5, or 1/2 pounds of the product shall be wrapped and completely heat sealed in one of the following materials:

(a) Waxed glassine paper with a minimum basis weight, before waxing of 25 pounds per ream, (24 by 36-500), wet waxed overall with not less than 7 pounds per ream of a fully refined paraffin wax having a melting point of not less than 130°F., when tested in accordance with method 4017 of Fed. Test Method Std. No. 101.

(b) Cellophane complying with type IV, class 2, of L-C-110, which has area yield of 21,000 square inches per pound.

One to two pounds of the product, as specified (see 6.1) in the above fractional package, shall be placed in snug-fitting paperboard cartons. The thickness of the carton stock shall be 0.020 inch for the one pound size and 0.024 inch for the two pound size. Two one-pound cartons may be overwrapped together to fill the requirements of a two pound unit.

Alternatively, one or two pounds of the product, as specified (see 6.1) shall be packaged in a snug-fitting paperboard carton. The thickness of the board shall be 0.020 inch for the one-pound size and 0.024 inch for the two-pound size. The cartons shall be completely lined with a grease-resistant paper or the inside surface of the carton shall be treated with a suitable grease-resistant substance which shall not impart an odor or flavor to the product, either of which shall prevent visible stains to the paperboard. The filled and closed carton shall be tightly overwrapped and thoroughly sealed in one of the following materials:

(a) Waxed paper with an unwaxed basis weight of 23 pounds per ream (24 by 36 - 500) and waxed overall with sufficient wax to effect a heat seal.

(b) Cellophane complying with type IV, class 2, of L-C-110, which has an area yield of 19,500 square inches per pound.

5.1.1.2 Type I, class B, E and F (individual servings). Two or four crackers, as specified (see 6.1) of type I, class B, E and F product shall be wrapped in a heat-sealed overwarp of cellophane conforming to type IV, class 2, of L-C-110 and having an area yield of 19,500 square inches per pound. Alternatively, the overwarp shall be a cellophane conforming to type VI of L-C-110 provided all materials used conform to the requirements stipulated by the Food and Drug Administration. The two cracker packets or the four cracker packets as applicable, shall be placed in a snug-fitting intermediate fiberboard box normally used by the manufacturer as a domestic shipping container for the product packed. Each fiberboard box shall be provided with an interior polyethylene bag having a thickness of 0.0015-inch in conformance with L-P-378. The bag shall be of sufficient length to permit a double fold closure or equivalent protective closure.

5.1.1.3 Type I, class C and D (individual servings). Not less than 3/8 ounce of type I, class C or D (oyster crackers) shall be packaged in a heat-sealed individual serving packet. The packet shall be fabricated from cellophane conforming to type IV, class 2 or type VI of L-C-110. One hundred fifty or three hundred of the individual serving packets shall be packed in a snug-fitting intermediate fiberboard box normally used by the manufacturer as the domestic shipping containers for the product packed. Each fiberboard box shall be provided with an interior polyethylene bag as specified in 5.1.1.2.

5.1.1.4 Type II and III, all classes. Types II and III products shall be packaged in accordance with 5.1.1.4.1, 5.1.1.4.2 or 5.1.1.4.3, as specified (see 6.1).

5.1.1.4.1 Bulk packaging. Not more than 22 pounds of the type III, class G product, 16 pounds of the type III, class B product or 8 pounds of all other classes of the type II or type III product shall be packaged in a snug-fitting container made of laminated paperboard weighing not less than 200 pounds per 1,000 square feet. One of the layers of lamination shall be a substantial film of asphalt or other suitable moisture-resistant material. Alternatively, not more than 22 pounds of the product (all classes) may be bulk packaged in a snug-fitting container made of corrugated fiberboard having a minimum bursting strength of 200 pounds per square inch.

The container shall be protective against any visible stains by a grease-resistant barrier which does not impart any flavor or odor to the product. This barrier may be:

(a) A grease-resistant substance applied to the interior of the container.

(b) A grease-resistant lining paper.

(c) A polyethylene bag having a minimum thickness of 0.0015 inch in conformance to L-P-378. The bag shall have sufficient length to permit a double fold closure or equivalent protective closure.

Layers and rows of the product shall be separated by means of grease-resistant chipboard liners or by means of single faced corrugated glassine liners. None of the materials used shall impart an odor or flavor to the product.

The cover and ends of either type container shall be glued, taped or otherwise fastened to properly close the containers, as applicable.

5.1.1.4.2 Unit packaging. Eight ounces to 6 pounds, depending on the type of product, shall be unit-packaged in the following manner: Enclosed in either a heat-sealed cellophane overwrap, a heat-sealed cellophane bag, a chipboard sleeve enclosed in a heat-sealed cellophane overwrap, or a glassine face chipboard or styrene tray or boat enclosed in a heat-sealed cellophane overwrap. The cellophane shall comply with type IV, class 2, of L-C-110 and shall have an area yield of 19,500 square inches per pound when used as an overwrap or an area yield of 14,000 square inches per pound when used as a heat-sealed bag. Not more than 16 pounds of the product (unit packaged) shall be placed in either type of container as described in 5.1.1.4.1. The grease-resistant treatments and liners described in 5.1.1.4.1 need not be used for unit-packaged cookies. When specified (see 6.1), 1 or 2 pounds of the product, shall be packaged in accordance with 5.1.1.1.

5.1.1.4.3 Individual servings. One or two type II, speciality crackers, or type III, cookies, of the class specified, shall be packaged in accordance with 5.1.1.2.

5.1.1.5 Assorted cookies. One pound of cookies of one class and style shall be packaged in accordance with 5.1.1.1. Twenty pounds of cookies consisting of four, 1-pound packages of each of any five of the following classes and styles shall constitute the assortment: class A, style 1 or 2; class C, style 1, 2 or 3; class D; and class I. The assortment shall be packed in a fiberboard box conforming to the requirements of 5.2.3.

5.1.2 Level C. The product shall be packaged to afford adequate protection against damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets these requirements.

5.1.2.1 Assorted cookies. One pound of cookies of one type, class and style shall be packaged in accordance with 5.1.2. Twenty packages of type III cookies consisting of four, 1-pound packages of any five of the following classes and styles: class A, style 1 or 2; class C, style 1, 2 or 3; class D, class E; and class I shall constitute the assortment.

5.2 Packing. Not more than 48 pounds of the product packaged as specified in 5.1.1.1, 5.1.1.4, 5.1.1.4.1, 5.1.1.4.2 and 5.1.1.5, or not more than 600 of the individual serving packets, packaged and packed in intermediate containers as specified in 5.1.1.2, 5.1.1.3 or 5.1.1.4.3, shall be packed in a snug-fitting shipping container in accordance with level A, B, or C, as specified (see 6.1).

5.2.1 Level A. The shipping container shall be a fiberboard box, constructed, closed and reinforced in accordance with style RSC, V2s, of PPP-B-636. The shipping container shall be provided with a waterproof case liner, fabricated and sealed in accordance with MIL-L-10547 for subsistence items. When flaps of the shipping container are closed by stitching, the case liner shall be protected from the stitching with a paperboard pad placed between the stitches and the case liner. The paperboard pad shall have the same dimensions as the shipping container with a minus tolerance of 3/16-inch. The case liner shall be protected from stitches in the manufacturers joint by a piece of pressure-sensitive tape placed over the stitches. When unit loads are specified (see 5.3), reinforcement of shipping container is not required.

5.2.2 Level B. The shipping container shall be a fiberboard box, constructed and closed in accordance with style RSC, V3c, V3s or V4s of PPP-B-636. The shipping container shall be provided with a waterproof case liner in accordance with 5.2.1.

5.2.2.1 When specified (see 6.1 and 6.3), the shipping container specified in 5.2.2 shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive, filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.2.2 When specified (see 6.1 and 6.4), the product shall be packed in accordance with 5.2.2 except that the shipping container shall be a fiberboard box, constructed and closed in accordance with style RSC, W5c, or W5s, of PPP-B-636.

5.2.3 Level C. The shipping container shall be a fiberboard box, constructed and closed in accordance with style RSC, type CF or SF, class domestic, method 2 closure of PPP-B-636.

5.2.3.1 When specified (see 6.1 and 6.5), the shipping container shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Unit loads. When specified (see 6.1), the product, packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified.

5.4 Labeling and marking.

5.4.1 Civilian agencies.

5.4.1.1 Labeling. Any labeling that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder is acceptable. The label of the sodium restricted crackers shall include sodium content per 100 grams and nutritional analysis.

5.4.1.2 Marking. Unless otherwise specified (see 6.1) shipping containers shall be marked in accordance with the requirements of FED-STD-123, and such other information as specified by the individual agencies.

5.4.2 Military agencies.

5.4.2.1 Packages. Labeling that complies with the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder is acceptable, except that product identification shall be as specified herein.

5.4.2.2 Unit packages. The unit package shall have the following information imprinted on the overwrap or on the carton if the printing is legible through the overwrap:

Name of product (in letters larger than others used for the label).
Net weight.
Ingredient statement.
Name and adress of manufacturer.
Any other information required by the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder.

5.4.2.3 Intermediate shipping containers. Intermediate shipping containers shall be marked with the following information:

Name of product.
Name and weight of unit packages.

5.4.2.4 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.2.5 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078

6. NOTES

6.1 Ordering data. Purchasers should exercise any desired options offered herein and procurement document should specify the following:

(a) Title, number, and date of this specification.
(b) Types, classes, and styles of product required (see 1.2).
(c) Levels of packaging and packing (see 5.1 and 5.2).
(d) When other than the purchasing agency designates the time and place to perform inspection (see 4.2.1).
(e) When in process examination is not required by Civil agencies (see 4.2.7.2).
(f) Whether type I crackers are to be packaged one or two pounds per carton (see 5.1.1.1).
(g) Whether 2 or 4 type I, class B, E and F crackers are to be packaged in individual servings (5.1.1.2).
(h) Whether bulk or unit packaging or individual serving packets are required for types II and III products (see 5.1.1.4).
(i) When packing specified in 5.2.2.1, 5.2.2.2 or 5.2.3.1 is required (see 6.3, 6.4 and 6.5).
(j) Type and class of unit load when unit loads are specified (see 5.3).
(k) When shipping containers are to be marked other than is specified in 5.4.1.2.

6.2 Based on the conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15, NAVSUP PUB 470, AFR 71-6, MCO 4030.14D or DSAR 4145.7, as applicable.

6.3 Packing specified in 5.2.2.1 is intended for transfer at sea operations or specific overseas operations.

6.4 Packing specified in 5.2.2.2 should be used when experience or knowledge of the destination and mode of shipment would indicate that a lower grade of fiberboard can be used.

6.5 Packing specified in 5.2.3.1 is intended for direct shipment from the supply source to the first receiving activity for immediate use within CONUS or for shipment to ration assemblies.

6.6 This specification adequately describes the characteristics necessary to secure the desired material, and normally no sample will be necessary prior to award to determine compliance with this specification. If, for any particular purpose samples with bids are necessary, they should be specifically asked for the invitation for bids and the particular purpose to be served by the bid sample should be definitely stated, the specification to apply in all other respects.

6.7 Federal specifications do not include all types, classes, grades, sizes, etc., of the commodities indicated by the titles of the specification, or which are commercially available, but are intended to cover the types, etc., which are suitable for Federal Government requirements.

6.8 Destination inspection (for civil agencies only). When the finished product has been inspected and passed at a point other than destination, the contract should require that the product is inspected at destination for identity, condition and quantity only.

6.9 The following grades and class are no longer required for use by Federal Agencies and have been deleted from this revision of the specification:

Type 1, Class A, Soda, Plain

Grade 1 (high fat)
Grade 2 (low fat)

Type 1, Class B, Soda, Salted

Grade 1
Grade 2

Type 1, Class E - Graham

Grade 1
Grade 2

Type 1, Class G - Sweet, Raisin-filled

Custodians:

Army - GL
Navy - SA
Air Force - 45

Review activities:

Army - MD
Navy - MC, MS
DP-SS

Preparing activity:

Army - GL

Civil Agency Interest:

USDA - CMS
VA - DMS
HEW - NIH, FDA

Project No. 8920-0161

Orders for this publication are to be placed with General Services Administration acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 30 cents each.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

OFFICER IN CHARGE
NAVY CLOTHING & TEXTILE RESEARCH FACILITY
(CODE 50)
21 STRATHMORE ROAD
NATICK, MA 01760

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER

2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION

4. TYPE OF ORGANIZATION *(Mark one)*

☐ VENDOR

☐ USER

☐ MANUFACTURER

☐ OTHER *(Specify)*: ______

b. ADDRESS *(Street, City, State, ZIP Code)*

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional

b. WORK TELEPHONE NUMBER *(Include Ar*
Code) – Optional

c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional

8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 1426 82 MAR

PREVIOUS EDITION IS OBSOLETE.