FEDERAL SPECIFICATION

ENAMEL, INTERIOR, UNDERCOAT, TINTS AND WHITE

This amendment, which forms part of Federal Specification TT-E-543A, dated February 24, 1966, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 1

2.1, under Federal Specifications, delete

"TT-P-56 - Primer Coating (Primer-Sealer), Pigmented Oil, Plaster and Wallboard.
UU-W-101 - Wallboard; Composition."

and substitute

"TT-S-179 - Sealer Surface: Pigmented Oil Plaster and Wallboard.
LLL-B-1188 - Building Board, Hard Pressed, Vegetable Fiber (Laminated)."

After 2.1, add:

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR TESTING AND MATERIALS

D2088 Determination of Low Concentrations of Lead in Paint.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

AIR POLLUTION CONTROL DISTRICT

Rule 66

(Application for copies should be addressed to the Air Pollution Control District, County of Los Angeles, CA 90001.)

3.1, at end of paragraph, add: "Paint terms used throughout this specification are defined in FED. TEST METHOD STD. No. 141."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:17Z
Check the source to verify that this is the current version before use.

3.2, line 4, after "thinners" add: "which comply to Rule 66".

Page 2

3.3, at end of table I, insert in appropriate columns:

"Lead metal (nonvolatile basis) percent max	0.5"

After 3.3.1 insert new paragraph:

3.3.2 Lead content. The maximum metallic lead allowed in the dried paint film shall be as specified in table I. (This value is scheduled to be lowered to 0.06 percent after December 31, 1973.)

Page 3

3.4.10, last sentence, delete and substitute: "When tested as specified in 4.4.1, the laminated composition wallboard panel shall have a normal finish appearance."

4.1, delete and substitute:

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Page 4

4.4.1, line 3, delete "TT-P-56" and substitute "TT-S-179".

4.4.1, lines 4 and 5, delete "UU-W-101" and substitute "LLL-B-1188".

After 4.4.2, insert new paragraph:

4.4.3 Lead content. The lead content shall be determined in accordance with ASTM D2088 except that the metallic lead will be reported as percentage of nonvolatile. Nonconformance to 3.3.2 shall constitute failure of this test.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:17Z
Check the source to verify that this is the current version before use.

5.1, delete and substitute:

5.1 Packaging, packing, and marking. The enamel undercoat shall be packaged, packed, and marked in accordance with TT-P-143. The level of packaging shall be A, B, or C and the level of packing shall be A, B, or C as specified (see 6.2). The size of the unit container shall be as specified (see 6.2).

5.1.1, line 8, delete "(TT-P-56)" and substitute "(TT-S-179)".

6.2 (c), delete and substitute:

"(c) Level of packaging and level of packing required (see 5.1)."

6.3, delete.

6.5, delete.

MILITARY INTEREST

Custodians:

Army - ME
Navy - YD
Air Force - 84

Review activity:

Army - MD

User activities:

Army - EL, GL, CE, MR
Navy - CG, MC

Preparing activity:

Army - ME

CIVIL AGENCIES INTEREST

GSA-FSS

U. S. GOVERNMENT PRINTING OFFICE : 1973 O - 514-178 (440)

Source: https://assist.dla.mil -- Downloaded: 202610-26T12:17Z
Check the source to verify that this is the currentversion before use.