TT-I-544

AMENDMENT—2
APRIL 10, 1961

SUPERSEDING
Int. Amend.—1
November 15, 1960

FEDERAL SPECIFICATION

INK; MARKER, FELT TIP

This amendment, which forms a part of Federal Specification TT–I–544 dated February 23, 1956, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 1, section 2: Delete and substitute:

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification:

Federal Specifications:

GG–M–117 — Marker, Fountain Type, Felt Tip.

CCC–T–191—Textile Test Methods.

PPP–B–636—Box, Fiberboard.

PPP–C–96—Cans, Metal, 28 Gage and Lighter.

PPP–T–97 — Tape; Pressure-Sensitive Adhesive, Filament Reinforced.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging, and Packing Levels.

Fed. Std. No. 123—Marking for Domestic Shipment (Civilian Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications, Standards, and Handbooks and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications, Standards, and Handbooks from established distribution points in their agencies.)

Military Standards:

MIL–STD–105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL–STD–129—Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Page 1, bottom right-hand corner: Insert "FSC 7510".

Page 3, paragraph 4.4.4: Delete third sentence and substitute: "One specimen shall be exposed to light as described in method 5660 of Federal Specification CCC–T–191 and the other specimen retained but not exposed. Exposure periods shall be as follows: Black 24 hours, red 12 hours, blue, purple and green 8 hours."

Pages 3 and 4, section 5: Delete and substitute:

570405/61/317

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:17Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Federal Standard No. 102 (for civil agencies only). The definitions and applications of the levels of packaging and packing specified hereinafter shall be in accordance with Federal Standard No. 102.

5.2 Packaging. Marking ink shall be packaged level A, B or C, as specified in the contract or order (see 6.2).

5.2.1 *Levels A and B.* Marking ink shall be packaged in oval or rectangular cans conforming to type V of Federal Specification PPP–C–96, in 4-ounce or 1-pint size, as specified (see 6.2). Exterior coating of cans shall be plan A.

5.2.2 *Level C.* Marking ink shall be packaged in accordance with manufacturer's standard commercial practice.

5.3 Packing. Marking ink, packaged level A or C, shall be packed level A, B or C, as specified in the contract or order (see 6.2).

5.3.1 *Level A.* Thirty-six 4-ounce or twelve 1-pint cans of marking ink shall be packed in overseas-type fiberboard boxes conforming to Federal Specification PPP–B–636, class 2, V3c or V3s. Boxes shall be provided with partitions and top and bottom pads. Tiers of 4-ounce cans shall be provided with fiberboard separators. Cans with protruding spouts shall be provided with top cell spacers or buffer pads. The design, number and placement of pads shall eliminate movement of the cans and provide a slight clearance from the projecting spouts and cap from the inner walls of the box. Pads, partitions and separators shall be grade W5 or W6 of Federal Specification PPP–B–636. Box closure, sealing and strapping shall conform to the appendix to the box specification. In lieu of steel strapping, boxes may be reinforced with pressure-sensitive filament tape conforming to type IV of Federal Specification PPP–T–97, applied in accordance with the appendix thereto.

5.3.2 *Level B.* Marking ink shall be packed as specified for level A, except that boxes and cushioning material shall be class 1 (PPP–B–636) and strapping will not be required.

5.3.3 *Level C.* Ink shall be packed in containers of the type, size, and kind commonly used for the purpose, in a manner that will insure acceptance by common carrier and safe delivery at destination. Shipping containers shall comply with the carrier rules and regulations applicable to the mode of transportation.

5.4 Marking.

5.4.1 *Military agencies.* In addition to any special marking specified in the contract or order, shipping containers shall be marked in accordance with Military Standard MIL–STD–129. Unit containers shall be marked in accordance with 5.4.2.1.

5.4.2 *Civil agencies.* In addition to any special marking required in the contract or order, marking and labeling for civil agencies shall be in accordance with Federal Standard No. 123, and as specified below.

5.4.2.1 *Unit containers.* Unless otherwise specified, unit containers shall be marked or labeled in accordance with Federal Standard No. 123, including Federal Stock Number, name of commodity, color, quantity (4 oz. or 1-pint), contractor's or manufacturer's name and address, and date of manufacture (month and year).

5.4.2.2 *Shipping containers.* Unless otherwise specified, shipping containers shall be marked in accordance with Federal Standard No. 123, including Standard Markings, and Special Markings—(B) Date of pack (month and year) (F) Name and address of consignee and (G) Special handling markings.

5.5 Standard pack (civil agencies). The standard pack requirements for the commodity covered by this specification shall be as specified in 5.2.1 (level B), 5.3.2, and 5.4.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:17Z
Check the source to verify that this is the current version before use.

Page 4, paragraph 6.2: Delete and substitute:

6.2 Ordering data. Purchasers should exercise any desired options offered herein (see 3.3, 5.4.2.1, and 5.4.2.2) and procurement documents should specify the color of ink required, size of container of ink, level of packaging and level of packing and any special marking for shipment required (see 1.2, 3.3, 5.2, 5.3, 5.4, 5.5, and 6.3).

Page 4, section 6: Delete paragraph 6.3 and insert new paragraphs 6.3 and 6.4 as follows:

6.3 The standard pack requirements in 5.2.1 (level B), 5.3.2, and 5.4.2 are intended for use in procurements of Stores Stock replenishments. Procuring officers should use the standard pack provisions when it is known that the material will be shipped from a supplier to a domestic warehouse, supply depot or intermediate storage point for temporary storage, subsequent issue and/or shipment to eventual user.

6.4 Transportation description. Transportation descriptions and minimum weights applicable to this commodity are:

Rail:

Ink, marking

Carload minimum weight 36,000 pounds.

Motor:

Ink, marking

Motor volume minimum weight 36,000 pounds.

Page 4, delete "MILITARY INTERESTS" in its entirety and substitute:

MILITARY CUSTODIANS:

Army—Quartermaster Corps
Navy—Bureau of Supplies and Accounts
Air Force.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:17Z
Check the source to verify that this is the current version before use.