A-A-55608
30 JANUARY 1995
SUPERSEDING
MS27129C
18 AUGUST 1987

COMMERCIAL ITEM DESCRIPTION

WASHER, FINISHING-COUNTERSUNK

THE GENERAL SERVICES ADMINISTRATION HAS AUTHORIZED THIS COMMERCIAL ITEM DESCRIPTION FOR ALL FEDERAL AGENCIES


1. SCOPE: THIS COMMERCIAL ITEM DESCRIPTION (CID) DEPICTS THE REQUIREMENTS FOR A FINISHING-COUNTERSUNK WASHER.

2. SALIENT CHARACTERISTICS.

2.1. MATERIAL SHALL BE: BRASS, (UNS C26000 OR C26800) TEMPER H01 OR H02; STEEL, 1212 (UNS G12120); CORROSION RESISTANT STEEL 300 SERIES (UNS S300XX SERIES).

2.2. FINISH SHALL BE: BRASS - NICKEL OR CHROMIUM PLATED. STEEL - ZINC PLATED. CORROSION RESISTANT STEEL - CLEAN, DESCALED, AND PASSIVATED.

2.3. THESE WASHERS CAN BE USED WITH BOTH 82° AND 100° COUNTERSUNK SCREWS.



BENEFICIAL COMMENTS, RECOMMENDATIONS, ADDITIONS, DELETIONS, CLARIFICATIONS, ETC., AND DATA WHICH MAY IMPROVE THIS DOCUMENT SHOULD BE SENT TO: DEFENSE INDUSTRIAL SUPPLY CENTER. ATTN: DISC-EED, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5096.

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NUMBER			NOM SIZE	A		ØB		C		D		E		F	ØG
BRASS	STEEL	CRES		MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	±.003	+.005 −.000
1	2	3	NO.4	.247	.237	.385	.365	.096	.076	.036	.015	.027	.021	.012	.116
4	5	6	NO.6	.303	.293	.448	.428	.102	.082	.036	.015	.031	.025	.014	.142
7	8	9	NO.8	.357	.347	.541	.521	.112	.092	.036	.015	.031	.025	.014	.168
10	11	12	NO.10	.437	.412	.603	.583	.122	.102	.036	.015	.040	.032	.018	.194
13	14	15	NO.12	.470	.455	.697	.677	.156	.136	.051	.031	.040	.032	.018	.220
16	17	18	1/4	.546	.526	.791	.771	.170	.150	.051	.031	.040	.032	.018	.254
19	20	21	5/16	.678	.658	.947	.927	.222	.202	.051	.031	.044	.036	.020	.317
22	23	24	3/8	.810	.785	1.135	1.115	.260	.240	.051	.031	.055	.045	.025	.380

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

3. QUALITY CONFORMANCE PROVISIONS:

3.1. THE SUPPLIERS SHALL BE RESPONSIBLE FOR THOSE IN PROCESS CONTROLS AND INSPECTIONS NECESSARY TO SUPPLY A PRODUCT CONSISTENTLY CONFORMING TO THE REQUIREMENTS OF THIS DOCUMENT.


3.2. UPON REQUEST, THE SUPPLIER WILL CERTIFY WITH DOCUMENTED TEST/INSPECTION EVIDENCE, THAT THE PART SUPPLIED MEET THE REQUIREMENTS OF THIS DOCUMENT.

4. NOTES:

4.1. DIMENSIONS ARE IN INCHES.

4.2. THE PART IDENTIFYING NUMBER (PIN) SHALL CONSIST OF THE BASIC CID NUMBER FOLLOWED BY A DASH NUMBER TAKEN FROM TABLE I.

EXAMPLE: AA55608-16



AA55608-16 INDICATES: WASHER, FINISHING, COUNTERSUNK, 1/4 INCH NOMINAL SIZE, BRASS, NICKEL, ZINC PLATED.

TABLE II. CROSS - REFERENCE TABLE.

CANCELLED MS PIN	REPLACEMENT CID PIN
MS27129 - * 1/	AA55608 - * 1/

1/ * REPRESENTS THE SAME DESIGNATION CODES FOR BOTH MS AND CID PINS.

MILITARY INTERESTS

CUSTODIANS

ARMY - AR
AIR FORCE - 99

REVIEWER:

NAVY - AS, MC, YD
ARMY - AT, AV, MI
AIR FORCE - 11

PREPARING ACTIVITY

DLA-IS

(PROJECT: 5310-1979)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.