A-A-55609
30 JANUARY 1995
SUPERSEDING
MS35333K
13 DECEMBER 1993

COMMERCIAL ITEM DESCRIPTION

WASHER, LOCK, FLAT-INTERNAL TOOTH


THE GENERAL SERVICES ADMINISTRATION HAS AUTHORIZED THIS COMMERCIAL ITEM DESCRIPTION FOR ALL FEDERAL AGENCIES

1. SCOPE: THIS COMMERCIAL ITEM DESCRIPTION (CID) DEPICTS THE REQUIREMENTS FOR A FLAT-INTERNAL TOOTH LOCK WASHER.

2. SALIENT CHARACTERISTICS.

2.1. MATERIAL SHALL BE:
CARBON STEEL IN ACCORDANCE WITH ASME B18.21.1.
CORROSION-RESISTANT STEEL, 410 (UNS S41000).
CORROSION-RESISTANT STEEL IN ACCORDANCE WIH ASME B18.21.1.
PHOSPHOR BRONZE IN ACCORDANCE WITH ASME B18.21.1.
TIN-BRASS SHALL BE: CDA ALLOY 425 (UNS CA42500).

2.2. PROTECTIVE COATING SHALL BE:
CARBON STEEL- MECHANICALLY DEPOSITED ZINC.
CORROSION-RESISTANT STEEL - PASSIVATED.



ACCEPTABLE DESIGNS

BENEFICIAL COMMENTS, RECOMMENDATIONS, ADDITIONS, DELETIONS, CLARIFICATIONS, ETC., AND DATA WHICH MAY IMPROVE THIS DOCUMENT SHOULD BE SENT TO: DEFENSE INDUSTRIAL SUPPLY CENTER. ATTN: DISC-EED, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5096.

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

NOMINAL SIZE		øA INSIDE DIAMETER		øB OUTSIDE DIAMETER		C THICKNESS		STEEL			TIN-BRASS OR PHOSPHOR BRONZE
								CARBON ZINC PLATING	CORROSION RES		
									COMP 410	300 SER.	
		MAX	MIN	MAX	MIN	MAX	MIN	DASH NO.	DASH NO.	DASH NO.	DASH NO.
#2	.086	.095	.089	.200	.175	.015	.010	35	69		103
#4	.112	.123	.115	.270	.245	.019	.015	36	70	153	104
#6	.138	.150	.141	.295	.275	.021	.017	37	71	154	105
#8	.164	.176	.168	.340	.325	.023	.018	38	72	155	106
#10	.190	.204	.195	.381	.365	.025	.020	39	73		107
1/4	.250	.267	.256	.478	.460	.028	.023	40	74		108
5/16	.312	.332	.320	.610	.594	.034	.028	41	75		109
3/8	.375	.398	.384	.692	.670	.040	.032	42	76		110
7/16	.438	.464	.448	.789	.740	.040	.032	43	77		111
1/2	.500	.530	.512	.900	.867	.045	.037	44	78		113
5/8	.625	.663	.640	1.071	1.045	.050	.042	46	80		115
3/4	.750	.795	.769	1.245	1.220	.055	.047	47	81		116
7/8	.875	.927	.894	1.410	1.364	.060	.052	48	82		117
1	1.000	1.060	1.019	1.637	1.590	.067	.059	49	83		118
1-1/4	1.250	1.325	1.275	1.975	1.921	.067	.059	51	85		120

TABLE II. DASH NUMBERS AND DIMENSIONS.

NOMINAL SIZE		øA INSIDE DIAMETER		øB OUTSIDE DIAMETER		C THICKNESS		STEEL			TIN-BRASS OR PHOSPHOR BRONZE
								CARBON ZINC PLATING	CORROSION RES		
									COMP 410	300 SER.	
		MAX	MIN	MAX	MIN	MAX	MIN	DASH NO.	DASH NO.	DASH NO.	DASH NO.
1/4	.250	.267	.256	.410	.395	.020	.016	125	135	167	145
3/8	.375	.392	.383	.507	.493	.030	.020		134		
7/16	.437	.448	.440	.592	.580	.020	.016	131	141		151
15/32	.468	.480	.472	.607	.593	.023	.013	126	136		146
9/16	.563	.580	.570	.690	.680	.023	.013	127	137		147
5/8	.625	.640	.630	.800	.790	.027	.017	128	138		148
3/4	.750	.785	.775	1.077	1.047	.027	.017	129	139		149
1	1.000	1.020	1.010	1.390	1.360	.028	.023	130	140		150

* Washers shown in Table II are generally to be considered for use in mounting electronic components

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

3. QUALITY CONFORMANCE PROVISIONS:

3.1. THE SUPPLIERS SHALL BE RESPONSIBLE FOR THOSE IN PROCESS CONTROLS AND INSPECTIONS NECESSARY TO SUPPLY A PRODUCT CONSISTENTLY CONFORMING TO THE REQUIREMENTS OF THIS DOCUMENT.

3.2. UPON REQUEST, THE SUPPLIER WILL CERTIFY WITH DOCUMENTED TEST/INSPECTION EVIDENCE, THAT THE PART SUPPLIED MEET THE REQUIREMENTS OF THIS DOCUMENT.

4. NOTES:

4.1 DIMENSIONS ARE IN INCHES.

4.2. INTERPRET DRAWING IN ACCORDANCE WITH ANSI Y14.5M.

4.3. THE PART IDENTIFYING NUMBER (PIN) SHALL CONSIST OF THE BASIC CID NUMBER PLUS A DASH NUMBER TAKEN FROM TABLE I OR II.

EXAMPLE: AA55609 – 02
- 02 — DASH NUMBER
- AA55609 — BASIC CID NUMBER

AA55609-02 INDICATES: WASHER, LOCK, FLAT-INTERNAL TOOTH, 1/4 INCH NOMINAL SIZE, CARBON STEEL, ZINC PLATING.

TABLE III CROSS – REFERENCE TABLE.

CANCELLED MS PIN	REPLACEMENT CID PIN
MS35333 – * 1/	AA55609 – * 1/

1/ * REPRESENTS THE SAME DESIGNATION CODES FOR BOTH MS AND CID PINS.

MILITARY INTERESTS

CUSTODIANS
NAVY – AS
ARMY – AR
AIR FORCE – 99

REVIEWER:
NAVY – MC, OS, YD
ARMY – AT, AV, GL, ME, MI
AIR FORCE – 82
DLA – ES
NSA – NS

PREPARING ACTIVITY
DLA-IS

(PROJECT: 5310-1978)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.