COMMERCIAL ITEM DESCRIPTION
SHIELD, EXPANSION
(NON-DRILLING EXPANSION ANCHORS)


The General Services Administrations has authorized the use of this commercial item description for all federal agencies

1 SCOPE This Commercial Item Description (CID) covers the following types of non-drilling expansion anchors for use in attaching equipment and fixtures to masonry


Type 1-Expansion anchors, internally threaded, with external slits and single cone expander
Type 2-Expansion anchors, externally threaded, with external slits and single cone expander

2 SALIENT CHARACTERISTICS

2 1 Bolt Anchor Configurations



Type 1



Type 2

Beneficial comments, recommendations, additions, deletions, clarifications, etc , and data which may improve this document should be sent to Defense Industrial Supply Center ATTN DISC-ECB 700 Robbins Avenue Philadelphia, PA 19111-5096

DISTRIBUTION STATEMENT A Approved for public release distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I TYPE 1, DASH NUMBERS AND DIMENSIONS

Type 1 Dash Numbers	Thread Size UNC-2B	ØA Outside Diameter (Nominal)	B Height (Nominal)	C Depth of Thread Length (Nominal)	Average Ultimate Capacity [1,2] (Lbs)(Minimum)
101	250-20	4375	1 125	375	1600
102	375-16	5625	1 4375	4375	2500
103	500-13	6875	1 9375	6875	3700
104	625-11	844	2 375	875	5100
105	750-10	1 000	3 000	1 125	7100

1 Recommended safe working load is one-fourth of the average ultimate capacity
2 Test in accordance with ASTM E488

TABLE II TYPE 2, DASH NUMBERS AND DIMENSIONS

Type 2 Dash Numbers	Thread Size UNC-2A	ØA Outside Diameter (Nominal)	B Height (Nominal)	C Thread Length (Minimum)	Imbedment (Minimum)	Average Ultimate Capacity [1,2] (Lbs)(Minimum)
201	250-20	250	1 750	625	1 000	1200
202	375-16	375	2 250	625	1 250	2200
203	500-13	500	2 750	875	1 500	3500
204	625-11	625	3 375	1 000	2 000	4500
205	750-10	750	4 250	1 375	2 500	6000

1 Recommended safe working load is one-fourth of the average ultimate capacity
2 Test in accordance with ASTM E488

2 2 Material for expansion elements and cone expanders shall be carbon or alloy steel

3 QUALITY ASSURANCE PROVISIONS

3 1 The suppliers shall be responsible for those in process controls and inspections necessary to supply a product consistently conforming to the requirements of this document

3 2 Upon request, the supplier will certify with documented test/inspection evidence that the part supplied meets the requirements of this document

4 NOTES.

4 1 Unless otherwise specified, all dimensions are in inches
4 2 Bolts are not included with Type 1 non-drilling expansion anchors unless specified in the purchasing contract
4 3 Nuts and washers are not included with Type 2 non-drilling expansion anchors unless specified in the purchasing contract
4 4 Packaging shall be in accordance with ASTM D 3951
4 4 The part identification number (PIN) shall consist of the basic commercial item description number followed by a dash number from Table I or Table II

Example AA55614-101
Dash number
Basic number

MILITARY INTERESTS

Custodians
Army - AR
Navy - YD
Air Force - 99

Preparing Activity
DLA - IS

(Project 5340-2229)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS


1 The preparing activity must complete blocks 1, 2, 3 and 8 In block 1, both the document number and revision letter should be given
2 The submitter of this form must complete blocks 4, 5, 6 and 7
3 The preparing activity must provide a reply within 30 days from receipt of the form
NOTE This form may not be used to request copies of documents, or to request waivers, or clarification of requirements on current contracts
Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual

RECOMMENDED CHANGES	1 DOCUMENT NUMBER A-A-55614	2 DOCUMENT DATE (YYMMDD) 950719

3 DOCUMENT TITLE **SHIELD, EXPANSION (NON-DRILLING EXPANSION ANCHORS)**

4 NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible Attach sheets if needed)

5 REASON FOR RECOMMENDATION



8 PREPARING ACTIVITY DLA-IS

a. NAME	b TELEPHONE (Include Area Code)
Emelia Altoman	(1) Commercial (215) 697-6827
DDRESS (Include Zip Code) efense Industrial Supply Center 700 Robbins Avenue Bldg 3 (Code DISC-EED) Philadelphia PA 19111-5096	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041 TELEPHONE (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.