[Metric]
A-A-2990
July 25, 1996

COMMERCIAL ITEM DESCRIPTION
TRAYS, DESK;
AND SUPPORT SET, STACKING, DESK TRAY

The General Services Administration has authorized the use of this commercial item description by all federal agencies as a replacement for Federal Specification AA-T-636 which is canceled.

1. Scope: This Commercial Item Description covers a wood desk tray and stacking support set suitable for general purpose office work that can be used as a single unit or tiered when assembled.

2. Salient Characteristics:

2.1 Light oak color desk trays shall be made of oak lumber. Walnut color desk trays shall be made of beech, birch, cherry, maple, pecan, or walnut. All wood shall be uniformly kiln-dried to a moisture content of not less than 5 % nor more than 8%. Wood parts shall be grade AAF, free from knots over .635 cm (1/4) inch diameter, shakes, sap discoloration, brashness, or other defects which may affect the appearance of the desk tray.

2. 2 The felt used for covering the bottom of the desk trays shall be dark brown or natural color felt weighing not less than 4 ounces per square yard and shall contain not less than 25 % wood. The felt shall be evenly and securely glued to the bottom of the tray.

2. 3 The glue used shall conform to Federal Specifications MMM-A-100D.

2. 4 The desk tray stacking support set shall be made of brass-plated steel having a nominal thickness of not less than 21 gage (0.033 inch).

2.5 Construction.

2.5.1 Dimensions. The desk tray shall have dimensions of 38.15 cm x 25.437 cm x 5.167 cm (15 3/6 x 10 3/8 x 2 7/8) inches overall. The height dimensions exclusive of the felt shall be 7.083 cm (2 13/16 inches) overall.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.

2.5.2 **Tolerance.** A tolerance of plus or minus .158 cm (1/16) inch will be permitted in the overall dimensions. A tolerance of plus or minus .079 cm (1/32) inch will be permitted in all other dimensions.

2.6 **Corners.** The corners formed by the sides and ends of the desk tray shall be joined by either a lock joint or a dovetail joint.

2.7 **Bottoms.** The bottom of each desk tray shall be either 3-ply or 5-ply wood, .793 (5/16) inch thick, grade A-3 in accordance with Rules and Specifications for Dimensions and Woodwork (see para 6.1.4). The bottom shall be tenoned into the sides and ends of the desk tray, and shall be flush with the bottom edge of the underside of the side and ends. The felt covering for the underside of the desk trays shall be evenly and securely glued.

2.8 **Joints.** All joints shall be carefully fitted and securely glued.

2.9 **Desk Tray Stacking Support Set.**

2.9.1 The desk tray stacking support set shall consist of four supports of general design in accordance with normal commercial practice for this item.

2.10 **Method of Finishing.** All surfaces, with the exception of the underside of the desk trays shall be finished to a smooth, clear surface. Open grain or pores shall be stained, sealed, sanded, and lacquered to produce a semi-gloss finish. All trays shall be stained, filled, sealed, sanded, and lacquered to produce a uniform color and appearance. The final coat of lacquer shall produce a semigloss finish. Visible wood putty on the finished surface of these trays will be permitted.

2.11 **General Finishing Requirements.** The sanding, finishing materials and their application, drying time and cleaning shall be controlled to produce a clean, smooth, heavy, even film of finish without blisters, pits, wrinkles, runs or more than a trace of orange peel. The method of finish shall not cloud the natural grain of the wood.

2.12 **Workmanship.** The method of joining, assembly, and finishing shall be in accordance with commercial practices, characteristic of the quality of furniture required by the commercial item description. The desk tray and the desk tray supports shall be free from any defects which may affect serviceability or appearance.

3. **Regulatory Requirements:** The offerer/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. **Quality Assurance Requirements:**

4.1 **Product Conformance.** The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:28Z
Check the source to verify that this is the current version before use.

4.2 **Examinations / Sampling.**

4.2.1 Suppliers are encouraged to use quality control (QC) techniques that exhibit control over their processes (e.g. (Statistical Process Control) SPC Techniques) as defined in American National Standards Institute (ANSI) Z1.1, Z1.2 and Z1.3 / American Society for Quality Control (ASQC) B.1, B.2 and B.3 that systematically reduce excess variations. If used, objective evidence shall be available that demonstrates overall measurement adequacy techniques and controls. These techniques shall ensure quality levels equal to, or greater than, those cited in applicable technical document or, herein.

4.2.2 End item inspection/testing may be used by the offerrer or the government representative, as a means to determine the effectiveness of the in process quality controls. While in process controls shall not be substituted for end item testing, they may be substituted for visual and dimensional sampling.

4.2.3 For those characteristics for which there are no such controls, lot by lot sampling for inspection shall be required. The sample unit for this item shall be one tray and support set Sampling shall be in accordance with the American National Standards Institute (ANSI) / American Society for Quality Control (ASQC) Z1.4, Sampling Procedures and Tables for Inspection by Attributes.

4.2.4 An inspection lot shall consist of all like items submitted for inspection at one time The inspection level for visual and dimensional inspections shall be S-2 with an AQL of 4.0 percent defective The supplier must provide objective evidence (inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

5. **Packaging:**

5.1 Preservation, packing, and marking shall be specified in the contract or order.

6. **Notes:**

6.1 **Source of Documents.** Issues of the following documents, in effect on the date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington DC 20402.

6.1.2 Application for copies of (ANSI) Z1.1, Z1.2, Z1.3 and (ASQC) B.1, B.2 and B.3 may be obtained from the American Society for Quality Control PO Box 3005, 611 E. Wisconsin Avenue, Milwaukee, WI 53201-4606

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:28Z
Check the source to verify that this is the current version before use.

6.1.3 Federal Standards and Specifications may be obtained from the General Services Administration Specifications Section (3FBO-W) in Suite 8100 at 490 L'Enfant Plaza, SW Washington DC 20407.

6.1.4 Copies of Rules and Specifications for Dimension and Woodwork may be obtained from the National Dimension Manufacturers Association at 1000 Johnson Ferry Road, Suite A-130, Marietta, Georgia 30067, phone number 707 565-6660.

6.2 National Stock Number Listing (NSN). The following is a list of Nsn's assigned which correspond to this CID. The list may not be indicative of all possible nsn's associated with the CID.

Tray, Desk

7520-00-232-6828
7520-00-286-5801

Support Set, Stacking

7520-00-494-2447

MILITARY INTERESTS:

NONE: DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice.

Preparing Activity:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:28Z
Check the source to verify that this is the currentversion before use.