A-A-50903
23 September 1986

COMMERCIAL ITEM DESCRIPTION

ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION

The General Services Administration has authorized the use of this Commercial Item Description in preference as a replacement for Military Specification MIL-A-37375A (DLA-DM) which is cancelled.

Salient Characteristics:

The finished suspension shall be a homogeneous oral suspension with a pleasant and palatable taste. Suspension shall be supplied in regular or double strength as specified in this document.

The acid neutralizing capacity shall be in accordance with the requirement and test for Acid Neutralizing Capacity as specified in the Over-the-Counter Drugs Monograph for Antacid and Antiflatulent Products.

The pH of the finished product suspension (both regular and double strength) shall be not less than 7.50 and not more than 8.50 when determined potentiometrically at 25°C using the USP method.

Strength 1 shall be regular strength Aluminum Hydroxide Gel, Magnesium Hydroxide and Simethicone Suspension and shall contain the following ingredients per each 5 ml in addition to suitable flavoring and preservative agents:

Aluminum Hydroxide Gel (equivalent to Aluminum Hydroxide)	200 mg
Magnesium Hydroxide	200 mg
Simethicone	20 mg or 25 mg

AMSC/NA FSC 6505

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:48Z
Check the source to verify that this is the current version before use.

The Aluminum Oxide content in each 5 ml of finished regular strength suspension shall be not less than 90 mg and not more than 115 mg when assayed using a suitable, accurate and reproducible method.

The Magnesium Hydroxide content in each 5 ml of finished regular strength suspension shall be not less than 180 mg and not more than 230 mg when assayed using a suitable, accurate and reproducible method.

When the labeled amount of Simethicone is 20 mg, the Simethicone content in each 5 ml of finished regular strength suspension shall be not less than 18 mg and not more than 25 mg when assayed using a suitable, accurate and reproducible method. When the labeled amount of Simethicone is 25 mg, the Simethicone content in each 5 ml of finished regular strength suspension shall be not less than 22 mg and not more than 32.5 mg when assayed using a suitable, accurate and reproducible method.

Strength 2 shall be double strength Aluminum Hydroxide Gel, Magnesium Hydroxide and Simethicone Suspension and shall contain the following ingredients per each 5 ml, in addition to suitable flavoring and preservative agents:

Aluminum Hydroxide Gel (equivalent to Aluminum Hydroxide)	400 mg
Magnesium Hydroxide	400 mg
Simethicone	30 mg or 40 mg

The Aluminum Oxide content in each 5 ml of finished suspension for double strength suspension shall be not less than 180 mg and not more than 230 mg when assayed using a suitable, accurate and reproducible method.

The Magnesium Hydroxide content in each 5 ml of finished suspension for double strength suspension shall be not less than 360 mg and not more than 460 mg when assayed using a suitable, accurate and reproducible method.

When the labeled amount of Simethicone is 30 mg, the Simethicone content in each 5 ml for double strength suspension shall be not less than 27 mg and not more then 37.5 mg when determined using a suitable, accurate and reproducible method. When the labeled amount of Simethicone content in each 5 ml of finished suspension for double strength suspension shall be not less than 36 mg and not more than 50 mg when determined using a suitable, accurate and reproducible method.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.

Workmanship. Suspension shall be free from defects which detract from its appearance or impair its serviceability.

Unit.

For Strength 1 (regular strength), Size 1 - Box (BX). Shall be supplied in a bottle containing either 5 fl oz (148 ml) or 6 fl oz (180 ml). One box containing 48 bottles, as specified, constitutes one unit.

For Strength 2 (double strength), Size 1 - Box (BX). Shall be supplied in a bottle containing 5 fl oz (148 ml). One box containing 48 bottles, as specified, constitutes one unit.

For Strength 1 (regular strength), Size 2, and Strength 2 (double strength), Size 2 - Bottle (BT). One bottle containing 12 fl oz (356 ml), as specified, constitutes one unit.

For Strength 1 (regular strength), Size 3- Case (CS). Shall be supplied in a unit dose cup containing 30 ml. One case containing 100 cups (10 trays of 10 cups per tray), as specified, constitutes one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurdisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:48Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document:

NSN	ITEM IDENTIFICATION	STRENGTH	SIZE
6505-00-080-0975	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION, 5 fl oz (148 ml), 48s	1	1
6505-00-149-0247	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION, DOUBLE STRENGTH, 5 fl oz (148 ml), 48s	2	1
6505-01-095-9185	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION, 30 ml, 100s	1	3
6505-01-213-9513	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION, DOUBLE STRENGTH, 12 fl oz (355 ml)	2	2
6505-01-215-4148	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION, 12 fl oz (355 ml)	1	2

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:48Z
Check the source to verify that this is the current version before use.

Ordering data. Expiration dating required, intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

PGC 05810

Project No. 6505-2098

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:48Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. *All users of military standardization documents are invited to provide* suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 4966 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
Attn: DPSC-ATTS
2800 South 20th Street
Philadelphia, PA 19101

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-50903	ALUMINUM HYDROXIDE GEL, MAGNESIUM HYDROXIDE, AND SIMETHICONE SUSPENSION

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.