A-A-50965
March 15, 1984

COMMERCIAL ITEM DESCRIPTION

HOLDER, CUT-OFF OR SIDE CUTTING BLADE, LATHE

The General Services Administration has authorized the use of this commercial item description in preference to the Type III holders in Federal Specification OO-H-581.

This description covers tool holders that are designed to hold and support cut-off blades that are used on tool room and engine lathes.

Salient characteristics.

Classes and Styles. The following classes and styles are covered with all styles available in all classes.

Class 1 - Straight shank

Class 2 - Left-hand offset shank 34 degrees

Class 3 - Right-hand offset shank 34 degrees

Style A - Rigid (Table I)

Style B - Spring or gooseneck form (Table II)

Sizes and Dimensions. Dimensions of tool holder and cut-off blade size accommodated shall conform to Tables I and II. The tolerances for all dimensions shall be the manufacturers standard as specified on their part drawing.

TABLE I. Style A of classes 1, 2 and 3 tool holders

Tool holder number			Dimensions of cut-off blade; (inches)	Thickness of shank; (inches)	Height of shank; (inches)	Length of shank; (inches)
Class 1 Style A	Class 2 Style A	Class 3 Style A				
C-S-4	C-L-5	C-R-6	1/16 x 3/8	5/16	1/2	2-1/2
C-S-10	C-L-20	C-R-30	3/32 x 5/8	3/8	7/8	3-1/4
C-S-11	C-L-21	C-R-31	1/8 x 3/4	1/2	1-1/8	3-3/4
C-S-12	C-L-22	C-R-32	1/8 x 7/8	5/8	1-3/8	4
C-S-13	C-L-23	C-R-33	3/16 x 1	3/4	1-5/8	4-1/2
C-S-14	C-L-24	C-R-34	5/16 x 1-1/8	7/8	1-3/4	5-1/2
C-S-15	C-L-25	C-R-35	1/4 x 1-1/4	1	2	6-1/2

FSC 3460

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.

TABLE II. Style B of classes 1, 2 and 3 tool holders

Tool holder number			Dimensions of cut-off blade; (inches)	Thickness of shank; (inches)	Height of shank; (inches)	Length of shank; (inches)
Class 1 Style B	Class 2 Style B	Class 3 Style B				
C-S-7	C-L-8	C-R-9	1/16 x 3/8	5/16	1/2	2-1/2
C-S-40	C-L-50	C-R-60	3/32 x 5/8	3/8	7/8	3-1/4
C-S-41	C-L-51	C-R-61	1/8 x 3/4	1/2	1-1/8	3-3/4
C-S-42	C-L-52	C-R-62	1/8 x 7/8	5/8	1-3/8	4
C-S-43	C-L-53	C-R-63	3/16 x 1	3/4	1-5/8	4-1/2

Material and Hardness. The tool holders shall be of drop-forged alloy steel, heat-treated to Rockwell "C" 40 to 48 hardness, or alloy steel surface hardened to Rockwell "C" 50 to 55 hardness.

Clamping Device. The clamping device shall be hardened and finished, permitting no movement of the blade during cutting action.

Wrench. A wrench to fit the clamping device will be furnished with each tool holder.

Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the CID where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Acceptance inspection. The supplier shall randomly select the number of samples specified in Table III that is applicable to the quantity of items being purchased. Each sample shall be visually inspected, measured, and tested by the supplier, to determine conformance with the salient characteristics specified herein. Any sample failing to meet these requirements shall be considered a defective item. If the number of defective items equals, or is less than the quantity specified under "Acceptance, Number Defective" in Table III, the supplier shall replace the defective samples with items that meet all of the requirements specified herein and the entire lot shall be considered acceptable for shipment. If the number of defective samples equals, or exceeds, the quantity specified in the "Rejection, Number Defective" column of Table III, the entire lot shall be considered defective and unsuitable for acceptance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.

TABLE III. Sampling plan

Quantity of items being purchased	Sample size	Acceptance, number defective	Rejection, number defective
2-8	2	0	1
9-15	5	0	1
16-25	8	1	2
26-50	13	1	2
51-90	20	1	2
91-150	32	2	3
151-280	50	3	4
281-500	80	5	6

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Preservation, packaging, packing, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Note. The purchaser should specify quantity, class, style and tool holder number required for a specific procurement.

The class, style and tool holder numbers correspond to the class, style and tool holder number of Type III of Federal Specification 00-H-581.

MILITARY INTERESTS:

Custodians

Army - AL
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

User Activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY

DLA - IP

Project 3460-0096

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:48Z
Check the source to verify that this is the current version before use.