A-A-50969
17 April 1984

COMMERCIAL ITEM DESCRIPTION

ARBORS, DRILL CHUCK, STRAIGHT SHANK

The General Services Administration has authorized the use of this commercial item description in preference to the Style B arbors covered by Federal Specification GGG-C-350b.

This description covers straight shank arbors which will adapt a drill chuck having a tapered-mount hole to a straight drive socket.

Salient characteristics.

Size. The size of arbors covered by this description shall be as specified in Table I. The size arbor to be furnished under a specific procurement shall be as specified in the contract or order.

Finish. Surfaces shall be smoothly ground, free from wheel and chatter marks and other imperfections which may affect their accuracy, appearance, or serviceability.

Roundness. Each arbor shall be round within 0.001 inch total indicator reading.

Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this CID where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Acceptance inspection. The supplier shall randomly select the number of samples specified in Table II that is applicable to the quantity of items being purchased. Each sample shall be visually inspected, measured, and tested, by the supplier, to determine conformance with the salient characteristics herein. Any sample failing to meet these requirements shall be considereed a defective item. If the number of defective items equals, or is less than the quantity specified under "Acceptance, number defective" column in Table II, the supplier shall replace the defective samples with acceptable items and the entire lot shall be considered acceptable for shipment. If the number of defective samples equals, or exceeds, the quantity specified in the "Rejection, number defective" column of Table II, the entire lot shall be considered defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

TABLE I. Sizes and capacities.

Size	Shank diameter and length, (inches)	Mount taper (Jacobs)
1	1/2 x 2-1/2	0
2	1/2 x 2-1/2	1
3	1/2 x 2-1/2	2
4	1/2 x 2-1/2	3
5	1/2 x 2-1/2	4
6	1/2 x 2-1/2	6
7	1/2 x 2-1/2	33
8	5/8 x 2-1/2	1
9	5/8 x 2-1/2	2
10	5/8 x 2-1/2	3
11	5/8 x 2-1/2	4
12	5/8 x 2-1/2	6
13	5/8 x 2-1/2	33
14	3/4 x 3	2
15	3/4 x 3	3
16	3/4 x 3	4
17	3/4 x 3	6
18	3/4 x 3	33
19	1 x 3	2
20	1 x 3	3
21	1 x 3	4
22	1 x 3	6
23	1 x 3	33
24	1-1/2 x 4	3
25	1-1/2 x 4	4
26	1-3/4 x 4	3
27	1-3/4 x 4	4

Material. All arbors shall be made from a high grade steel entirely suitable for the purpose intended. Each arbor shall be of solid construction.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

TABLE II. Sampling plan.

Quantity of items being purchased	Sample size	Acceptance number defective	Rejection number defective
2 to 8	2	0	1
9 to 15	3	0	1
16 to 25	5	0	1
26 to 50	8	1	2
51 to 90	13	1	2
91 to 150	20	2	3
151 to 280	32	3	4
281 to 500	50	5	6

Roundness. Each of the sample arbors selected in accordance with Table II shall be checked for roundness specified herein.

Measurement system. In this description, all measurements, dimensions, sizes and capacities are given in U.S. units. These measurements may be converted to SI units through the use of the conversion factors and methods specified in ANSI/IEEE 268.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be in accordance with ASTM Standard D 3951, Commercial Packaging or as specified in the contract or order.

Notes. Purchasers should specify the quantity and size of arbors required for a specific procurement.

ASTM-D-3951 - "Commercial Packaging, Standard Practice for", is available from the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.

ANSI/IEEE 268, "Metric Practice", is available from the American National Standards Institute, ATTN: Sales Dept., 1430 Broadway, New York, NY.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army - AL
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

DLA - IP

Project 3460-0111

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.