NOT MEASUREMENT SENSITIVE

A-A-50970A
30 May 2007
SUPERSEDING
A-A-50970
10 April 1984

COMMERCIAL ITEM DESCRIPTION

ARBORS, DRILL CHUCK, TAPER SHANK WITH TANG

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers solid taper shank arbors, which are used to adapt a drill chuck having a tapered mount hole to a drilling machine having a tapered mount hole.

2. CLASSIFICATION. The arbors shall be of the following sizes as listed in table I, which are based on the number and type taper on the shank end of the arbor and the number and type taper on the mounting end of the arbor (see 7.3(b)).

TABLE I. Sizes.

Size	Number and type shank taper	Number and type mount taper
01	0 Morse	0 Jacobs
02	0 Morse	3 Jacobs
03	0 Morse	33 Jacobs
04	1 Morse	0 Jacobs
05	1 Morse	1 Jacobs
06	1 Morse	2 Jacobs
07	1 Morse	3 Jacobs
08	1 Morse	4 Jacobs
09	1 Morse	6 Jacobs
10	1 Morse	33 Jacobs
11	2 Morse	0 Jacobs

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or Defense Supply Center Richmond (DSCR), ATTN: DSCR-VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

TABLE I. Sizes - Continued.

Size	Number and type shank taper	Number and type mount taper
12	2 Morse	1 Jacobs
13	2 Morse	2 Jacobs
14	2 Morse	3 Jacobs
15	2 Morse	4 Jacobs
16	2 Morse	5 Jacobs
17	2 Morse	6 Jacobs
18	2 Morse	33 Jacobs
19	3 Morse	1 Jacobs
20	3 Morse	2 Jacobs
21	3 Morse	3 Jacobs
22	3 Morse	4 Jacobs
23	3 Morse	5 Jacobs
24	3 Morse	6 Jacobs
25	3 Morse	33 Jacobs
26	4 Morse	2 Jacobs
27	4 Morse	3 Jacobs
28	4 Morse	4 Jacobs
29	4 Morse	5 Jacobs
30	4 Morse	6 Jacobs
31	4 Morse	33 Jacobs
32	5 Morse	2 Jacobs
33	5 Morse	3 Jacobs
34	5 Morse	4 Jacobs
35	5 Morse	5 Jacobs
36	5 Morse	6 Jacobs
37	7 Brown & Sharp	2 Jacobs
38	7 Brown & Sharp	3 Jacobs
39	7 Brown & Sharp	6 Jacobs
40	9 Brown & Sharp	3 Jacobs
41	9 Brown & Sharp	4 Jacobs
42	9 Brown & Sharp	6 Jacobs
43	10 Brown & Sharp	3 Jacobs
44	10 Brown & Sharp	4 Jacobs

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS

3.1 Materials. The arbors shall be made from high grade steel suitable for the purpose intended. Each taper shall be precision ground and shall conform to dimensions and tolerances of ASME B5.10, "Machine Tapers (Self Holding and Steep Taper Series)".

3.2 Finish. Surfaces shall be smoothly ground and free from wheel and chatter marks and other imperfections that may affect their accuracy, appearance, or serviceability.

3.3 Roundness. Each arbor shall be round within 0.001 inch total indicator reading.

3.4 Nameplate.

a. Nomenclature.
b. Manufacturer’s name.
c. Manufacturer’s model designation.
d. Taper size (see table I).

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.


6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the acquisition order (see 7.3(c)).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Part or identification number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor.



7.2 Sources of documents.

7.2.1 FAR. The FAR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of FAR documents may be obtained from http://www.arnet.gov/far/.

7.2.2 ASME standards. Copies of ASME standards may be obtained from ASME International, Three Park Avenue, New York, NY 10016-5990. Electronic copies of ASME standards may be obtained from http://www.asme.org/.

7.3 Ordering data. The acquisition order should specify the following:

a. CID document number, revision, and CID PIN.
b. Arbor size (see 2).
c. Preservation, packing, and marking (see 6.1).

7.4 Subject term (key word) listing.

Brown & Sharp
drilling machine
Jacobs
Morse
mount hole

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:	CIVIL AGENCY COORDINATING ACTIVITY:
Custodian: Air Force - 99	GSA - FSS
Review Activity: Air Force - 84	Preparing Activity: DLA - GS6
	(Project 3460-2006-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:49Z
Check the source to verify that this is the current version before use.