INTERIM AMENDMENT TO

FEDERAL SPECIFICATION

BRUSH, CHASSIS AND RUNNING GEAR

This Interim Amendment was developed by the U. S. Army Natick Laboratories (GL), Natick, Massachusetts, for use by the Defense General Supply Center based on currently available technical information. It is recommended that Federal Agencies use it in procurement and forward recommendation for changes to the preparing activity at the address shown above. The General Services Administration has authorized Federal Agencies to use this Interim Amendment as a valid exception to Federal Specification H-B-181b, dated 2 October 1963.

PAGE 1

Section 1 - Delete in its entirety and substitute:

"1. Scope

"1.1 Scope.- This specification covers one type and size of chassis and running-gear cleaning brush (see 6.1)."

Paragraph 2.1, under "FEDERAL SPECIFICATION" - Add in proper sequence:

"H-S-951 - Synthetic Filaments for Brushes; General Specification for".

PAGE 2

Paragraph 3.2.1 - Delete and substitute:

"3.2.1 Filler material.- The filler material shall be either oiled palmetto fiber or polypropylene at the option of the supplier. The oiled palmetto fiber shall show no perceptible change in stiffness when tested as specified in 4.4.3. The polypropylene shall be 0.030 inches in diameter and shall conform to class P, Type II of H-S-951."

Table I, under "Fiber" delete "Weight, minimum ounces 3-7/8" and substitute"

"Weight, ounces, minimum, as applicable

Oiled palmetto	3-7/8
Polypropylene	2-3/8"

Page 3

Paragraph 3.4, at end of paragraph - Add "except polypropylene fiber which shall be weighed without conditioning."

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:06Z
Check the source to verify that this is the current version before use.

Paragraph 4.2 delete "4.4.2 and 4.4.3" and substitute "and 4.4.2 in addition palmetto fiber brushes shall be tested in accordance with 4.4.3."

Paragraph 4.3 throughout paragraph delete "and acceptance".

Paragraph 4.3.1 - Delete and substitute:

"4.3.1 Component and material inspection.- In accordance with 4.1 above, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, and standards unless otherwise excluded, amended, modified or qualified in this specification or applicable purchase document."

PAGE 4

Table II, under "Characteristic" after "Stiffness of fiber" add "(palmetto fiber only)".

Paragraph 4.4.2, first sentence after "The" add "palmetto". Second sentence after "conditioned" add "palmetto". At end of paragraph add the following new sentence: "The unconditioned polypropylene shall be weighed to determine compliance with 3.4."

Paragraph 4.4.3, throughout the paragraph before "fiber" add "palmetto".

PAGE 6

Paragraph 6.5 - Delete and substitute:

"6.5 Transportation description.- Transportation descriptions and minimum weights applicable to this commodity are:

a. Palmetto Fiber

Rail:

Brushes, vegetable or wood fibre.
Carload minimum weight 30,000 pounds.

Motor:

Brushes, vegetable or wood fibre.
Truckload minimum weight 24,000 pounds, subject to Rule 115, National Motor Freight Classification.

Source: https://assist.dla.mil -- Downloaded: 20264O-26T11:06Z
Check the source to verify that this is the current version before use.

b. Polypropylene

Rail:

Brushes, not otherwise indexed by name.
Carload minimum weight 24,000 pounds, subject to Rule 34, Uniform Freight Classification

Motor:

Brushes, synthetic bristle.
Truckload minimum weight 24,000 pounds subject to Rule 115, National Motor Freight Classification."

Custodian:

Army - GL

Preparing Activity:

Army - GL

Review activities:

Army - GL, WC

Project No. 7920-A010

Review information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DOD Documents.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T11:06Z
Check the source to verify that this is the current version before use.