MILITARY STANDARD


MIL-STD-1322-104
(NAVY)
1 NOVEMBER 1991

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
WARHEAD, HE, WDU-36/B
ON PALLET, MK 12 MOD 1


UNIT LOAD DATA

NUMBER OF WARHEADS PER UNIT LOAD	(1 OR 2)*
GROSS WEIGHT OF ONE WARHEAD	695 LBS
WEIGHT OF BOTH WOOD FRAME ASSEMBLIES	132 LBS
WEIGHT OF STEEL STRAPPING (APPROX)	9 LBS
WEIGHT OF PALLET (APPROX)	72 LBS
GROSS WEIGHT OF UNIT LOAD (APPROX)	1,603 LBS
CUBE	23.9 CU FT

*SEE PAGE 6 FOR SINGLE WAR HEAD UNIT LOAD.



FOR HAZARD CLASSIFICATION SEE OP2165



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

E. Rinaldi 11/1/91
SIGNATURE TDA, NWSE, WPNSTA EARLE DATE

L.R. Cannizzi 11/1/91
SIGNATURE AIRSYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR J. Bender 10/28/91
DATE

WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE:

(a) THREAD STRAPPING, ITEM 2, BETWEEN THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(b) THREAD LONGITUDINAL STRAPS, ITEM 2, UP THROUGH THE SQUARE OPENING AT THE FORWARD END OF ONE FRAME ASSEMBLY AND POSITION THE FRAME ASSEMBLY ON THE PALLET WITH THE AFT SUPPORT, ITEM 5, FLUSH WITH THE END OF THE PALLET.

(c) POSITION TWO WARHEADS IN THE FRAME ASSEMBLY AS SHOWN IN DETAIL B WITH V GROOVE STRESS RISER FACING UP.

(d) POSITION THE SECOND FRAME ASSEMBLY, INVERTED, OVER THE WARHEADS IN LINE WITH THE BOTTOM FRAME ASSEMBLY. (SEE DETAIL C)

(e) THREAD STRAPPING, ITEM 2, UP THROUGH THE SQUARE OPENING OF THE TOP FRAME. TENSION OVER THE TOP FRAME AND DOUBLE NOTCH THE SEAL, ITEM 4.

(f) POSITION LATERAL STRAPS, ITEM 3, UNDER THE PALLET DECK AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEALS, ITEM 4.

(g) SECURE LATERAL STRAPS, ITEM 3, TO THE TOP AND BOTTOM FRAMES WITH STAPLES, ITEM 15.

(h) AFTER UNIT LOAD IS ASSEMBLED, STENCIL IN A CONTRASTING COLOR ON BOTH LONGITUDINAL SIDES OF THE UNIT LOAD, "TEMPERATURE EXPOSURE LIMITS 140 F - 30 F" (SEE DETAIL C).

DEPALLETIZING PROCEDURE:

(a) REMOVE STAPLES.

(b) CUT AND REMOVE STRAPPING.

(c) REMOVE TOP FRAME ASSEMBLY.

(d) REMOVE WARHEADS.

(e) REMOVE BOTTOM FRAME ASSEMBLY.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.


NOTE: 1. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1322 (NAVY).

2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES.


AR	26	INK, STENCIL	A-A-208	TYPE I OR III
4	25	SEAL	STEEL	1 1/4
2	24	STRAP, LONGITUDINAL	STEEL	1 1/4 X .035 X 12'6"
2	23	STRAP, LATERAL	STEEL	1 1/4 X .035 X 6 FT
4	22	BRACE, SIDE	WOOD	2 X 4 X 17 3/4
1	21	CLEAT	DETAIL J	2 X 4 X 13 1/2
1	20	CLEAT	WOOD	2 X 4 X 13 1/2
1	19	SUPPORT, FWD	WOOD	4 X 6 X 16 1/2
1	18	SUPPORT, AFT	WOOD	4 X 4 X 16 1/2
2	17	BATTEN, SIDE	WOOD	2 X 4 X 52
2	16	BATTEN	WOOD	2 X 6 X 52
AR	15	STAPLES	STEEL	1 1/4" SIZE
AR	14	NAIL, COMMOM	STEEL	8d
AR	13	NAIL, COMMON	STEEL	16d
2	12	CLEAT	WOOD	2 X 4 X 14 1/2
1	11	CLEAT	WOOD	2 X 4 X 32 1/4
1	10	BATTEN	WOOD	2 X 4 X 45
2	9	BATTEN	WOOD	2 X 4 X 52
2	8	BATTEN	WOOD	2 X 6 X 52
2	7	SIDE PIECE	WOOD	2 X 4 X 52
1	6	SUPPORT, FWD	WOOD	4 X 4 X 32 1/4
1	5	SUPPORT, AFT	WOOD	4 X 6 X 32 1/4
5	4	SEAL	STEEL	1 1/4" SIZE
3	3	STRAP, LATERAL	STEEL	1 1/4 X .035 X 10 FT 6 IN
2	2	STRAP, LONGITIDUAL	STEEL	1 1/4 X .035 X 12 FT 6 IN
1	1	MK 12 MOD 1 PALLET	2645217	35 X 45 1/2 X 4 3/4
REQ'D	**ITEM**	**DESCRIPTION**	**MAT'L/DWG**	**DIMENSIONS**

PARTS LIST


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.



DETAIL A



DETAIL B



TEMPERTURE EXPOSURE LIMITS 140°F -30°F


FOR STENCIL APPLICATION SEE NOTE h.

DETAIL C


REF: FRAME ASSY
SEE PAGE 5 FOR CONSTRUCTION

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.


FRAME ASSEMBLY CONSTRUCTION




PLAN VIEW



SECTION D-D





SECTION E-E
ROTATED 90 CCW





Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.

FRAME ASSY CONSTRUCTION FOR ONE WARHEAD











DETAIL H



DETAIL J



(SEE PAGE 6 FOR UNITIZING PROCEDURE)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE FOR ONE WARHEAD:

a. THREAD LONGITIDUAL STRAPPING, ITEM 24, THROUGH THE 6TH & 7TH WIRES OF PALLET AS SHOWN IN VIEW K.

b. CENTRALLY LOCATE FRAME ASSY ON PALLET AS SHOWN IN VIEW K.

c. THREAD STRAPPING, ITEM 24, THROUGH SLOTS IN FRAME ASSY.

d. POSITION ONE WARHEAD IN THE FRAME ASSY AS SHOWN IN VIEW K "WITH V GROOVE STRESS RISER FACING UP".

e. NAIL (4) PC OF ITEM 22 TO LOWER PART OF FRAME ASSY W/3-10d NAILS/ BOARD IN APPROX POSITIONS SHOWN (SEE VIEW K).


f. POSITION 2ND FRAME ASSY INVERTED OVER THE WARHEAD IN LINE WITH THE BOTTOM FRAME ASSY (SEE VIEW L).

g. THREAD LATERAL STRAPPING, ITEM 23, UP THROUGH SQUARE OPENING IN THE PALLET AND OVER THE TOP FRAME ASSY. TENSION AND DOUBLE NOTCH SEALS, ITEM 25.


h. AFTER ALL STRAPPING IS SEALED, NAIL TOP SECTION OF ITEM 22 TO TOP FRAME ASSY W/3-10d NAILS/BOARD AS SHOWN IN VIEW L.

j. SECURE STRAPPING TO ITEMS 22 & 24 WITH 2 STAPLES/PC AS SHOWN IN VIEW L.

k. AFTER UNIT LOAD IS COMPLETED, STENCIL ON TWO LONGITIDUAL SIDES WITH 3/4 - 1 IN. HIGH LETTERS IN A CONTRASTING COLOR "TEMPERTURE EXPOSURE LIMITS 140°F -30°F" (SEE VIEW L)



VIEW K



VIEW L

DE-PALLETIZING PROCEDURE

a. CUT AND REMOVE STRAPPING.
b. REMOVE TOP FRAME ASSY.
c. REMOVE WAR HEAD.
d. REMOVE BOTTOM FRAME ASSY.

UNITIZED LOAD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.