MILITARY SPECIFICATION

PROJECTILE, 155MM: INERT PXR 6325 (M549 SIM)
METAL PARTS, ASSEMBLY

This Amendment forms a part of Military Specification MIL-P-63397A (AR), dated 11 January 1985 and is approved for use within the US Army Armament Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete the note at the bottom of the page and substitute the following:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Reserach and Development Center, ATTN: AMSMC-QA, Dover, New Jersey 07801-5001 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 2

2.1.1 Drawings: delete drawing "9236063- Projectile, 155MM: Inert PXR 6325 (M549 SIM)" in its entirety.

PAGE 4

3.5.2 Lines 4 and 5: Delete "there shall be no evidence of arc cratering at any location on the base metal when it is machined to 5.850 inch diameter." and substitute the following:

"There shall be no evidence of arc cratering at any location of the base metal when it is machined to 5.800 inches diameter."

3.5.4 Lines 7 and 8: Delete "All indications including those in the starting weld zone must be removed when machined to the 5.850 inch diameters." and substitute the following:

"All indications including those in the starting weld zone must be removed when machined to the 5.800 inch diameters".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:47Z
Check the source to verify that this is the current version before use.

PAGE 6

4.3.1 Line 8, To Metal Parts Assembly for, 155MM, Drawing No. 9236061; delete Quantity of: "5" and substitute Quantity of: "15".

4.3.1 Line 9, Delete the following in its entirety: "Projectile, 155MM: Inert PXR 6325 (M549 SIM); 9236063; 10".

PAGE 7

Table I - First Article Inspection: Add the following to Metal Parts Assembly for, 155MM; Inert PXR 6325 (M549 SIM):
"Proving ground test 10 - 3.7 4.4.3.5/4.5.4".

Delete the following in its entirety:
"Projectile, 155MM; Inert PXR 6325 (M549 SIM)
(Dwg. 9236063)
Proving ground test 10 - 3.7 4.5.4".

PAGE 16

4.4.3 Delete in its entirety and substitute the following:
"4.4.3 Testing."

PAGE 19

4.4.3.3.3.3 Lines 3 and 4: Delete "The band seat shall be machined to a minimum diameter of 5.850 inches." and substitute the following:

"The band seat shall be machined to a minimum diameter of 5.800 inches."

PAGE 22

4.5.4 Line 4 and 5: Delete "shall be loaded and assembled as specified on Dwg. 9236063 and fired" and substitute the following:

"shall be inert loaded as specified on the applicable projectile loading drawing, to one weight zone that falls within the weight specified, on loading drawing. The loaded projectle shall then be dummy fuzed and fired".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:47Z
Check the source to verify that this is the current version before use.

6.3 Delete lines 3 and 4: Delete "US Army Armament Munitions and Chemical Center, ATTN: DRSMC-QAR-I (D), Dover, New Jersey 07801" and substitute the following: "US Army Armament Research and Development Center, ATTN: AMSMC-QAR-I (D), Dover, New Jersey 07801-5001."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1320-A847)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:47Z
Check the source to verify that this is the current version before use.