INCH-POUND
A-A-55587
31 Oct 1994
SUPERSEDING
MS27968B
21 Dec 1987

COMMERCIAL ITEM DESCRIPTION


HINGE, BUTT, BROAD, NON-TEMPLATE

The General Services Administration has authorized the use of this commercial item description for all Federal Agencies.


Scope. This Commercial Item Description (CID) covers commercial and industrial quality, broad, non-template butt hinges suitable for use on wood and hollow core doors

Salient characteristics.

FAST AND LOOSE PIN



NOT SWAGED, FOR FULL SURFACE APPLICATION



SWAGED, FOR MORTISE APPLICATION

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and data which may improve this document should be sent to: Commander, U.S Army Armament Research, Development, and Engineering Center (ARDEC), ATTN: SMCAR-BAC-S, Picatinny Arsenal, NJ 07806-5000

AMSC N/A

FSC 5340

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I DASH NUMBER AND DIMENSIONS

NOMINAL SIZE	A LENGTH ±.06	2 00	2 50	3 00	3 50	4.00
	B WIDTH ± 06	2 00	2 50	3 00	3 50	4 00
T THICKNESS ± 005		082	089	092	2/ 101 123	2/.107 130
NUMBER OF SCREW HOLES		4	6	6	6	8
1/ SIZE OF SCREWS (REF)		#7 X 3/4	#8 X 3/4	#8 X 7/8	#9 X 1	#10 X 1
TYPES		DASH NUMBER	DASH NUMBER	DASH NUMBER	DASH NUMBER	DASH NUMBER
FAST PIN , NOT SWAGED		2	4	6	8	10
FAST PIN , SWAGED		22	24	26	28	30
LOOSE PIN, NOT SWAGED		12	14	16	18	20
LOOSE PIN, SWAGED		32	34	36	38	40

1/ SEE SAL CHAR 3
2/ SEE SAL CHAR 4

1 Material
Body Steel, in accordance with ASTM A506, low carbon, cold rolled
Pin Brass in accordance with ASTM B36, UNS numbers C26000, C26800, C27200, C28000 all H04 hard temper or ASTM B121 all specified UNS numbers with H04 hard temper or corrosion-resistant steel in accordance with ASTM A666

2 Protective coating zinc plated in accordance with ASTM B633, Type II, class Fe/Zn13

3 Hardware Hinges are furnished with wood screws The sizes specified are those normally furnished by the supplier

4 Acceptable thickness for loose pin hinges

5 Size The width dimension of not swaged hinge will be slightly narrower than shown

6 All dimensions are in inches unless otherwise specified

7 Workmanship. The hinges furnished shall be free from imperfections which may impair durability or serviceability


Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices Items with known defects shall not be submitted for government acceptance The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

Packaging. Packaging shall be in accordance with ASTM D3951.

CID based part identification number The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

Example AA 55587 - 2



Notes

a Ordering data Acqusition documents must specify the following

1 Title, number, and date of this CID.
2 Arrangements for first article inspection or whether first article is not required
3 Applicable level and packaging requirements

b Cross-reference data Butt hinges conforming to this CID are interchangeable/sustitute with butt hinges conforming to MS27968B dated 21 dec 1987

TABLE II. CROSS - REFERENCE TABLE.

Cancelled MS PIN	Replacement CID PIN
MS27968 - * 3/	AA55587 - * 3/

3/ * represents the same designation codes for both MS and CID PINs

c Regulatory requirements The offeror/ contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical

Custodian
Army- AR,
Navy- YD
Air Force-99

Review activities·
Army-AV, ME
Navy-MC, SH
Air Force-82
DLA-IS

Preparing activity
Army-AR

Agent
DLA-IS

Project No 5340-2182

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.