[INCH-POUND]

A-A-55603A
10 October 2012
SUPERSEDING
A-A-55603
2 May 1995

# COMMERCIAL ITEM DESCRIPTION

## CLAMP, GUY (POLE LINE)

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers the general requirements for clamp, guy, (pole line). clamp, guy, (pole line) covered by this CID are intended for commercial/industrial applications.

2.CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the PIN as shown in the following example (see 7.1).

| AA55603 | - | 001 |
|---|---|---|
| CID number | | Dash number |

2.1 Dash numbers. See table I for all dash numbers and their associated dimensional information.

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Clamp, guy, (pole line) supplied to this CID shall be as specified herein (see figure 1) and dimensions in table I.

3.2 Material. The material shall be carbon steel in accordance with ASTM A29/A29M.

3.3 Finish. The finish shall be (hot dipped) in accordance with ASTM A153/A153M.

3.4 Screw threads. All screw threads shall be UNC-2 as specified in FED-STD-H28.

3.5 Galvanized. All screw threads shall not be galvanized.

Comments, suggestions, or questions on this document should be addressed to DLA Land and Maritime, Attn: VAI, 3990 East Broad Street, Columbus, OH 43218-3990 or fluidflow@.dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

3.6 Marking Clamp, guy (pole line) supplied to this CID shall be marked with the manufacturer's (MFR's) standard commercial PIN. (NOTE: The part number marked on the unit pack shall be the CID PIN.)

3.7 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the material meets or exceeds the operational and maintenance requirements, and promotes economically advantageous life cycle costs.

3.8 Workmanship. Clamp, guy (pole line) shall be processed in such a manner as to be uniform in quality and shall be free from other defects that will affect life, serviceability, or appearance.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Environmentally preferable material. Environmentally preferable materials should be used to the maximum extent possible to meet the requirements of this specification. As of the dating of this document, the U.S. Environmental Protection Agency (EPA) is focusing efforts on reducing 31 priority chemicals. The list of chemicals and additional information is available on their website http://www.epa.gov/osw/hazard/wastemin/priority.htm. Included in the EPA list of 31 priority chemicals are cadmium, lead, and mercury. Use of these materials should be minimized or eliminated unless needed to meet the requirements specified herein (see Section 3).

7.3 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these clamp, guy (pole line) to DLA Land and Maritime under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.4 Source of documents.

FEDERAL STANDARD

FED–STD–H28 – Screw Thread Standards for Federal Services

(Copies of these documents are available online at https://assist.dla.mil/quicksearch / or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

FEDERAL REGULATIONS

FAR – Federal Acquisition Regulations (FAR)

(Copies of these documents are available online at www.acquisition.gov/comp/far/index.html or from the U.S. Government Printing Office, 732 North Capital Street, NW, Washington D.C. 20401.)

ASTM INTERNATIONAL

ASTM A29/A29M - Standard Specification for Steel Bars, Carbon and Alloy, Hot-Wrought, General Requirements for

ASTM A153/A153M - Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware

(Copies of these documents are available online at http://www.astm.org or from the ASTM International, P.O. Box C700, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.)

7.5 Ordering data. The contract or order should specify the following:

a. CID document number, revision, and CID PIN.

b. Product conformance provisions.

c. Packaging requirements.

7.6 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict acquisition to only the manufacturers shown.)

| MFR's CAGE | MFR's name and address |
|---|---|
| 08TX0 | FOSS-BROWN INC<br>3411 SILVERSIDE RD STE 100WB<br>WILMINGTON, DE 19810-4890<br>Tel: (941) 358-7400 Fax: (941) 358-7588<br>fbsouth@comcast.net |
| 3DPE3 | JSO/MD INC<br>1961 SAINT ANDREWS DR<br>RED OAK, TX 75154-5837<br>Tel: (972) 617-0677 Fax: (972) 576-8920<br>jsomdinc@msn.com |
| 9N473 | DIAL SUPPLY & MFG INC<br>1315 FM 1187 106<br>MANSFIELD, TX 76063-6194<br>Tel: (817) 453-3711 Fax: (817) 453-3716<br>dialgovt@netscape.net |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

7.7 Government users. To acquire information on obtaining these clamp, guy, (pole line) from the Government inventory system, contact DLA Land and Maritime, ATTN: DLA Land and Maritime Call Center (–NAB), P.O. Box 3990, Columbus, OH 43218–3990 or telephone (614) 692-2271 or (614) 692-3191.

7.8 Legacy. This commercial item description is a replacement for MS16791 for all federal agencies (MS16791 is canceled as of 02-MAY-1995 and copies of these documents are available online at www.acquisition.gov/comp/far/index.html or from the U.S. Government Printing Office, 732 North Capital Street, NW, Washington D.C. 20401.)

7.9 Clamp, guy (pole line) drawing with dimensions. See figure 1.




FIGURE 1. Clamp, guy (pole line).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. Dash numbers and dimensions

| Dash No. | No. Bolts | A | B ± .125 | C Max | E | Strand Size | Bolt Size | L Max |
|---|---|---|---|---|---|---|---|---|
| -1 | 2 | 1.563 | 1.625 | .2812 | 1.250 | .250 to .438 | .500-13 | 3.375 |
| -2 | 3 | 1.563 | 1.625 | .2812 | 2.031 | .250 to .438 | .500-13 | 6.188 |
| -3 | 3 | 1.563 | 1.625 | .2812 | .938 | .250 to .438 | .500-13 | 4 |
| -4 | 3 | 1.656 | 1.750 | .750 | 2.031 | .313 to .500 | .625-11 | 6.188 |
| -5 | 3 | 2.125 | 1.750 | .750 | 2.031 | .375 to .625 | .625-11 | 6.188 |
| -6 | 4 | 1.656 | 1.750 | .750 | 1.953 | .313 to .500 | .625-11 | 8 |

7.10 Cross-reference. See table II.

TABLE II. Cross – reference table.

| Cancelled MS Pin | Replacement CID PIN |
|---|---|
| MS16791 - 1/ | AA55603 - 1/ |

1/ Represents the same designation codes for both MS and CID pins.

7.11 Changes from previous issue. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

CONCLUDING MATERIALS

MILITARY INTERESTS:

Custodians:
Army – CR
Navy – YD
Air Force – 99
DLA-CC

Reviewer activities:
Army – AR,CR4
Navy – MC, SA
Air Force – 71

CIVIL AGENCY COORDINATION ACTIVITY:

GSA-FSA

Preparing Activity:
DLA-CC

Project 4030-2012-009

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.