A-A-55607
30 JANUARY 1995
SUPERSEDING
MS16213C
13 DECEMBER 1993

COMMERCIAL ITEM DESCRIPTION

WASHER, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC


THE GENERAL SERVICES ADMINISTRATION HAS AUTHORIZED THIS COMMERCIAL ITEM DESCRIPTION FOR ALL FEDERAL AGENCIES

1. SCOPE: THIS COMMERCIAL ITEM DESCRIPTION (CID) DEPICTS THE REQUIREMENTS FOR A NONMAGNETIC EXTERNAL TOOTH FLAT LOCK WASHER.

2. SALIENT CHARACTERISTICS.

2.1. MATERIAL SHALL BE AUSTENIC STAINLESS STEEL IN ACCORDANCE WITH ASME B18.21.1 OR AUSTENTIC CORROSION-RESISTANT STEEL 316 (USS S31600) IN ACCORDANCE WITH ASTM A580.

2.2. FINISH FOR STAINLESS OR CORROSION-RESISTANT STEEL WASHERS SHALL BE PASSIVATED.



ACCEPTABLE DESIGNS

BENEFICIAL COMMENTS, RECOMMENDATIONS, ADDITIONS, DELETIONS, CLARIFICATIONS, ETC., AND DATA WHICH MAY IMPROVE THIS DOCUMENT SHOULD BE SENT TO: DEFENSE INDUSTRIAL SUPPLY CENTER. ATTN: DISC-EED, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5096.

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS.

DASH NO.	NOMINAL SIZE	øA INSIDE DIAMETER		øB OUTSIDE DIAMETER		C THICKNESS	
		MAX	MIN	MAX	MIN	MAX	MIN
57	#4	.123	.115	.260	.245	.019	.014
58	#6	.150	.141	.320	.305	.022	.016
59	#8	.176	.168	.381	.365	.023	.018
60	#10	.204	.195	.410	.395	.025	.020
61	1/4	.267	.256	.510	.494	.028	.023
62	5/16	.332	.320	.610	.588	.034	.028
63	3/8	.398	.384	.694	.670	.040	.032
64	7/16	.464	.448	.760	.740	.040	.032
65	1/2	.530	.513	.900	.880	.045	.037
67	5/8	.663	.641	1.070	1.045	.050	.042
68	3/4	.795	.768	1.260	1.220	.055	.047
69	7/8	.927	.897	1.410	1.380	.060	.052
70	1	1.060	1.025	1.620	1.590	.067	.059

3. QUALITY CONFORMANCE PROVISIONS:

3.1. THE SUPPLIERS SHALL BE RESPONSIBLE FOR THOSE IN PROCESS CONTROLS AND INSPECTIONS NECESSARY TO SUPPLY A PRODUCT CONSISTENTLY CONFORMING TO THE REQUIREMENTS OF THIS DOCUMENT.

3.2. UPON REQUEST, THE SUPPLIER WILL CERTIFY WITH DOCUMENTED TEST/INSPECTION EVIDENCE, THAT THE PART SUPPLIED MEET THE REQUIREMENTS OF THIS DOCUMENT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:55Z
Check the source to verify that this is the current version before use.

4. NOTES:

4.1 DIMENSIONS ARE IN INCHES.

4.2. THE PART IDENTIFYING NUMBER (PIN) SHALL CONSIST OF THE BASIC CID NUMBER PLUS A DASH NUMBER TAKEN FROM TABLE I .

EXAMPLE: AA55607 - 61
- 61 — DASH NUMBER
- AA55607 — BASIC CID NUMBER

AA55607-61 INDICATES: WASHER, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC, 1/4 INCH NOMINAL SIZE, STAINLESS OR CORROSION-RESISTANT STEEL, PASSIVATED.

TABLE II CROSS - REFERENCE TABLE.

CANCELLED MS PIN	REPLACEMENT CID PIN
MS16213 - * 1/	AA55607 - * 1/

1/ * REPRESENTS THE SAME DESIGNATION CODES FOR BOTH MS AND CID PINS.

MILITARY INTERESTS

CUSTODIANS
NAVY - SH
ARMY - AR
AIR FORCE - 99

REVIEWER:
NAVY - SH
ARMY - GL
AIR FORCE - 82

PREPARING ACTIVITY
DLA-IS

(PROJECT: 5310-1980)

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:55Z
Check the source to verify that this is the currenversion before use.