MILITARY SPECIFICATION

CATAPULT, AIRCRAFT EJECTION SEAT, M9, ASSEMBLY

* This amendment forms a part of Military Specification MIL-C-46395 dated 5 March 1964, and is approved for use by all Departments and Agencies of the Department of Defense.

Page 1

* Below title add:


"This specification is approved for use by all Departments and Agencies of the Department of Defense."

* Under "2.1 STANDARDS, MILITARY", add:

"MIL-STD-1168 Ammunition Lot Numbering"

* After 3.1, add:

"3.1.1 Production lot designation. The production lot number shall follow MIL-STD-1168. The construction of the lot number shall be follows:



where:

a = Manufacturer's Identification Code
b = The year of manufacture of the oldest batch of propellant in the lot.
c = The month of manufacture of the oldest batch of propellant in the lot expressed as an alpha code in accordance with 4.1.3 of MIL-STD-1168.
d = Lot interfix number (controlled by Naval Ordnance Station, Code 5152, Indian Head, MD 20640 or procuring activity.)
e = Lot sequence number - lot number (manufacturer is responsible for the assignment of lot numbers).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T05:50Z
Check the source to verify that this is the current version before use.

3.1.2 Explosive components. All explosive components, including but not limited to ignition powders and igniters, shall be manufactured within the 12 months prior to the contract scheduled delivery date for the assembly lot. Primers shall be manufactured or requalified within the 12 months prior to the contract scheduled delivery date for the assembly lot.

3.1.3 Propellant. The propellant shall be manufactured within the 150 days prior to the contract scheduled delivery date for the assembly lot."

* Bottom center of page add:

"

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Ordnance Station, Standardization/Documentation Division (Code 501), Indian Head, MD 20640 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

"

Bottom right corner of page delete "1375" and substitute "1377."

Page 2

Table 1, across from "Trunnion and Tube, Launcher" delete "400 + 50" and substitute "500 + 50."

Table II, Booster section, Block Heading, "Rate of change of acceleration maximum" for temperature 65° to 75°F" change "300 g/sec" to 350 g/sec"; fortemperature "160° to 165°F" change "300 g/sec" to "450 g/sec."

Table III, Rocket section, Block Heading "Pressurization rate maximum" delete this requirement at all temperatures.

Block Heading "Action time maximum" for temperature "-65° to -70°F" change "400 Millisec" to "475 Millisec"; for temperature "65° to 75°F" change "350 Millisec" to "400 Millisec"; for temperature 160° to 165°F" change "300 Millisec" to "350 Millisec."

Add paragraph "3.4.1.3 Initiation. The catapult shall be fired by a source delivering an output equal to that of an M3A1 Initiator at the end of 10 feet of aircraft hose, size No. 4, MS28741, at 70° ± 5°F."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T05:50Z
Check the source to verify that this is the current version before use.

Page 7

Paragraph 5.2 Delete in its entirety.

Paragraph 6.7 Delete in its entirety.

Page 10

Figure 2 Delete "PRESSURIZATION RATE = $\Delta p/\Delta t$"; also delete "Δt (30MS)" and "Δp" on Rocket Pressure-Time Record.

The margins of this amendment are marked with an asterisk (*) to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no responsibility whatsoever for any inaccuracies in these notations. Bidders and suppliers are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:
NAVY - OS
AIR FORCE - 99

Preparing Activity:
NAVY - OS
Project Number:
1377-0711

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T05:50Z
Check the source to verify that this is the current version before use.