[INCH-POUND]
A-A-1954A
July 14, 1993
SUPERSEDING
A-A-1954
September 29, 1982

COMMERCIAL ITEM DESCRIPTION

MEASURING SET, SPOON (CORROSION-RESISTING STEEL)

The General Services Administration has authorized the use of this commercial item description as a replacement for Military Specification MIL-M-40122 which has been canceled.

1. SCOPE

1.1 Scope. This commercial item description covers a corrosion-resisting steel measuring spoon set consisting of a tablespoon, teaspoon, 1/2-teaspoon and 1/4-teaspoon.

2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units for General Use by The Federal Government.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to : General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.

DISTRIBUTION STATEMENT A : Approved for public release; distribution is unlimited.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Seattle, WA, and the GSA Specifications Unit (3FB-W), Suite 8100, 470 E. L'Enfant Plaza, S.W., Washington, DC 20407.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

American Iron and Steel Institute:

Handbook - Finishes for Stainless Steel

Application for copies of AISI handbooks should be addressed to the Committee of Stainless Steel Producers, American Iron and Steel Institute, 1000 16th Street, N.W., Washington, DC 20036.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits in Test Data to Determine Conformance with Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

3. SALIENT CHARACTERISTICS

3.1 Design and construction. The measuring spoon set shall consist of four spoons; one each of the following capacities: 1-tablespoon, 1-teaspoon, 1/2-teaspoon and 1/4-teaspoon. The spoons shall be formed from 300-series stainless steel with a minimum thickness of 0.028 inch (0.7 mm). The tablespoon shall measure 5 inches (12.7 cm) ± 1/4 inch (0.6 cm) in length and each smaller size measuring spoon shall be proportionately shorter in length to allow nesting of the bowls. The spoon handle shall measure 3/8 inch (0.95 cm) minimum in width. A key ring or wire loop shall pass through a hole in each spoon's handle to hold the set together. The handle may be embossed at the manufacturer's option. The capacity tolerance shall be ± 2 percent. The capacities shall be as follows:

1/4 Teaspoon	1.2 milliliters
1/2 Teaspoon	2.4 milliliters
Teaspoon	4.8 milliliters
Tablespoon	14.7 milliliters

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

3.2 Finish. The spoon set shall have a polished finish equivalent to a No. 2B or better as defined by the American Iron and Steel Institute handbook, "Finishes for Stainless Steel."

3.3 Marking. Each spoon shall have its capacity stamped in legible lettering measuring 1/8 inch (3.2 mm) minimum height.

3.4 Workmanship. The spoon set shall be free from sharp edges, slivers, burrs, deep scratches, pits and tool marks. The spoon set shall not be bent, damaged, or distorted. There shall be no defects which impair the durability, appearance, or serviceability of the item.

3.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

3.6 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The values stated in parentheses are for informational purposes only.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the specification preparing activity for changes to this document.

3.8 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Certification. The contractor shall certify that the measuring spoon set meets the salient characteristics and the requirements of this commercial item description, and, except for any government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace, or is the same product that has been successfully been delivered to the government on a previous contract or purchase order. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T08:18Z
Check the source to verify that this is the current version before use.

4.2 NSF. Acceptable evidence of meeting the requirements of NSF shall be

4.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.4 Lot formation. All spoon sets from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

4.5 Sampling for visual and dimensional examination. A random sample of spoon sets shall be selected from each lot in accordance with inspection level S-4, AQL 4.0 expressed in terms of defects per hundred units (dhu). The sample unit shall be one spoon set. The sample spoon set shall be visually and dimensionally examined to verify compliance with table I and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.

TABLE I. Examination for defects

Examine	Defect
Finish	Area of corrosion, stain or discoloration Not as specified
Construction and Workmanship	Scratch or tool mark 1/ Any sharp edge (except for cutting edge, sliver, rough tool or die mark, or burr Any spoon fractured, split, bent, buckled, punctured or otherwise impaired Capacity not as specified Capacity marking missing or illegible

1/ - An unacceptable scratch is one that will catch a fingernail when run across it.

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate, and shipping containers (as applicable) for conformance with the packaging, packing, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5 (dhu).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should include the following information in procurement documents (if applicable).

a. Title, number, and date of this commercial item description.
b. The packaging, packing, and marking required.

6.2 National Stock Number. The following NSN corresponds to this cid: 7330-00-272-7876.

MILITARY INTERESTS:

Military Coordinating Activity:

Army - GL

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review Activities:

Army - MD, QM
Air Force - 84, 50

User Activity:

Navy - MC

Civil Agency Coordinating Activity:

VA - OSS

Preparing Activity:

GSA - FSS

(DoD Project Number 7330-0653)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:18Z
Check the source to verify that this is the current version before use.