INCH-POUND

MIL-F-46580C
AMENDMENT 3
14 August 1998
SUPERSEDING
AMENDMENT 2
2 February 1990

MILITARY SPECIFICATION

FUZE, POINT DETONATION, M505A3

MIL-F-46580 was inactivated after 14 March 1997 for new design.

This Amendment forms a part of MIL-F-46580C, dated 15 November 1973, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, Under drawings,

Line 1, Delete: "Munitions" and substitute "Armament".

Line 11, Delete: "F7548084 - Box, Packing, Ammunition for Fuze, PD, M505 Series, Assembly, Details and Packing" and add:

"D11075814 - Ctn, Pk, Ammo with Barrier Bag for M505 Type Fuze
D11075815 - Method of Packing 1200 M505 Type Fuzes
D11075816 - Marking on Wooden Ammunition Boxes for M505 Type Fuzes
D11075817 - Box, Ammunition Packing, Wood, Nailed".

"D11075861 - Cartridge, 20mm, High Explosive Incendiary, M56A4".

PAGE 3

3.5, Add "or Dwg. D11075861" after Dwg. D7259023.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:22Z
Check the source to verify that this is the current version before use.

3.6, Add the following paragraph after 3.6.2:

"3.6.3 Sealant migration. Sealant shall not migrate beyond the booster threads and into the rotor cavity."

PAGE 7

4.4.3.7, Delete Drawing "F7548084" and substitute "D11075815, C11075816".

PAGE 10

4.4.4, Make the following changes:

Note 2/, add the following:

"Visible evidence of sealant migrating beyond booster threads and into rotor cavity shall be recorded for informational purpose (See 3.6.3)."

Note 3/, add the following:

"Visible evidence of sealant migrating beyond booster threads and into rotor cavity shall be recorded for informational purposes (See 3.6.3)."

PAGE 11

* 4.5.4, Add the following:

"Customers, through the procuring activity, may modify this requirement and base acceptance on firing one burst at a cyclic rate not less than 5500 shots per minute in a Gun, Automatic, M61."

5.1.1, Delete in its entirety and substitute the following:

"5.1.1 Packing and marking level B. The fuze lot shall be packed in accordance with Drawing No. 11075815 and marked in accordance with 11075816".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:22Z
Check the source to verify that this is the current version before use.

6., Add the following paragraph:

"6.5 International agreement. Certain provisions of this specification are the subject of Quadripartite Standardization Agreement 626. When amendment, revision or concellation of the specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliatory action through international standardization channel including departmental standardization offices, if required.".

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire contract irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR
Air Force-70

Review activities:
Army-AR
Air Force-70

Preparing activity
Army-AR

(Project 1305-0203)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:22Z
Check the source to verify that this is the current version before use.