INCH-POUND

MIL-C-1318B
AMENDMENT 2
06 January 1992
SUPERSEDING
AMENDMENT 1
4 October 1985

MILITARY SPECIFICATION

CARTRIDGE CALIBER .50, TRACER, M17

This Amendment forms a part of Military Specification MIL-C-1318B, dated 3 April 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1, Under Drawings, U.S. Army Munitions Command, Delete the following:

"D7553544 -Packing and Marking; Cartridge, Caliber .50, Bulk; Box, Ammunition M2A1, Box, Wirebound
D7573346 -Packing and Marking, Cartridge, Caliber .50, Linked, Box, Ammunition, M2A1; Box, Wirebound

F8596993 -Packing and Marking; Cartridges, Caliber .50, Linked, M15 or M15A1; Box, Ammunition, M2A1; Box, Wirebound

* 2.1, Under Drawings, U.S. Army Munitions Command, Add the following:

"12576456 -Packing and Marking for Box, Wirebound for Cartridge, .50 Caliber
12576457 -Packing and Marking for Box, Ammo, M2A1 for Cartridge, .50 Caliber"

PAGE 3

3.5: Delete "cartridge" and substitute "cartridges".

3.6: Delete in its entirety and substitute:

"3.6 Accuracy. The average of the mean radii of all targets of the sample cartridges, fired at 600 yards, shall not exceed 20.2 inches or, when fired at 200 yards, shall not exceed 6.25 inches. The test shall be performed as specified in 4.5.5."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:10Z
Check the source to verify that this is the current version before use.

PAGE 4

* 3.10: Delete in its entirety and substitute the following:

"Function and Casualty. The cartridge shall function without casualty. The test shall be performed as specified in 4.5.9."

PAGE 5

4.3.1: Delete "Ctg. Cal .50, Ball M33" and substitute "Ctg, Cal .50 Tracer, M17"

4.3.1: Delete "5/machine or tool" and substitute "5/tool/machine" in five places.

* 4.3.1: Delete "5/tool/machine" and substitute "5/machine" in five places.

PAGE 6

Table I: Add:

"8. Cyclic rate	0	2/

2/ If any burst fails to meet the cyclic rate requirement specified in 3.10, the first article sample shall be rejected."

* Table I: Delete:

"8. Cyclic rate	0	2/

2/ If any burst fails to meet the cyclic rate requirement specified in 3.10, the first article sample shall be rejected."

PAGE 7

Table II, NO. OF SAMPLE UNITS: Delete "5" and substitute "5/tool/machine" in five places.

* Table II, NO. OF SAMPLE UNITS: Delete "5/tool/machine" and substitute "5" in five places.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:10Z
Check the source to verify that this is the current version before use.

* 4.4.1.2 a thru d: Delete in its entirety and substitute:

"a. Cartridge cases from one unchanged process and from one manufacturer.

b. Bullets from one unchanged process and from one manufacturer.

c. Primers from one lot interfix number and from one manufacturer.

d. Propellant from no more than two lot numbers and from one manufacturer."

Table III: Add:

"8. Cyclic rate	0	5/	Major"

* Table III: Delete:

"8. cyclic rate	0	5/	Major"

Table III, Notes: Add the following:

"5/ Failure of any burst to comply with the applicable requirement shall be cause for rejection of the lot subject to the testing of a second sample consisting of double the number of cartridges in the first sample. Failure of any burst shall be cause for rejection of the lot. The second sample, if required, shall only be fired in the weapon type in which the failure occurred."

* Table III, Notes: Delete Note 5 in its entirety.

4.5.5: Add: "The size of the target shall be adjusted to suit the target range (200 or 600 yards)."

4.5.7: Add: "Prior to this test the cartridge shall be temperature conditioned in accordance with 4.5.12."

4.5.9: Change "revised" to "reused"

Source: https://assist.dla.mil -- Downloaded: 202640-16T13:10Z
Check the source to verify that this is the current version before use.

* 4.5.9: Change from:

"Observation for compliance with Table I and III, as applicable, and the cyclic rate of each test weapon shall be made. Cyclic rate of each weapon shall be recorded."

To:

"Observation for compliance with Tables I and III, as applicable, shall be made. Cyclic rate of each weapon shall be recorded."

PAGE 22

* 5.2.1, Delete the following drawing numbers: "D75533456, D7573544, F8596993" and add the following drawing numbers: "12576456, 12576457"

5.3, Delete the following drawing numbers: "D75533456, D7573544, F8596993" and add the following drawing numbers: "12576456, 12576457"

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Review activities:
Army-AR
Air Force-70

Preparing activity
Army-AR

(Project 1305-OD50)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T13:10Z
Check the source to verify that this is the current version before use.