[INCH-POUND]
A-A-55504/5
November 7, 1994

COMMERCIAL ITEM DESCRIPTION

FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, SCREWDRIVER KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers low profile, front mount fuseholder extractor posts with a screwdriver slotted knob fuse carrier which accommodates either 3AG or 5 mm x 20 mm fuse cartridges.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part or Identification Number (PIN) (see 7.1). The PIN shall be AA55504/05- (plus a dash number from table I). Complete PIN example: AA55504/05-001D.

TABLE I. Characteristics.

AA55504/05-	Accommodates fuse	Rear terminal configuration
001A	3AG	A
001B	3AG	B
001C	3AG	C
001D	3AG	D
002A	5 mm x 20 mm	A
002B	5 mm x 20 mm	B
002C	5 mm X 20 mm	C
002D	5 mm x 20 mm	D

3 SALIENT CHARACTERISTICS

3.1 Configurations and dimensions. Configurations and dimensions shall be as specified on figure 1.

3.2 Rear terminal configuration. The rear terminal configuration shall be as specified in A-A-55504.

3.3 Mounting hole. The mounting hole shall be as specified on figure 1.


4. REGULATORY REQUIREMENTS. This section is not applicable to this CID.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Electronics Supply Center, ATTN: DESC-ELDM, 1507 Wilmington Pike, Dayton, OH 45444-5765, or telephone (513) 296-6189, or facsimile (FAX) (513) 296-8868.


AMSC N/A
FSC 5920

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.



Suggested mounting holes



mm	Inches	mm	Inches
0.76	.030	11.90	.468
1.01	.039	12.19	.489
3.81	.150	12.70	.500
4.57	.180	12.95	.509
6.35	.250	15.95	.627
6.48	.255	17.60	.692
7.90	.311	37.50	1.476
11.60	.457	40.23	1.539
11.81	.465		

NOTES:
1. Dimensions are in millimeters.
2. Tolerance is ±0.13 millimeter (.005 inch).
3. The US government preferred system of measurement is the metric SI system. However, this item was originally designed using inch-pound units of measurement. In the event of conflict between the metric and inch-pound units, the inch-pound units shall take precedence.

Figure 1. Configuration and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS. Quality assurance provisions shall be as specified in A-A-55504.

6. PACKAGING Packaging shall be as specified in A-A-55504.

7. NOTES

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See 2 for PIN format.

7.2 Source of document.

Commercial Item Description

A-A-55504 - Fuseholder, Extractor Post, Which Accommodates 3AG (6.35 Millimeters (mm) X 31.75 mm (.25 Inch (in) X 1.25 in)) or 5 mm X 20 mm (.196 in X .787 in) Fuse Cartridges.

(Copies of commercial item descriptions are available from the Defense Printing Service Detachment Office, Building 4D (Customer Service), 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

7.3 Government users. To acquire information on obtaining these fuseholders from the Government inventory system, contact Defense Electronics Supply Center, ATTN: DESC-EOM, 1507 Wilmington Pike, Dayton, OH 45444-5519, or telephone (513) 296-5106.

7.4 Ordering data. Ordering data shall be as specified in A-A-55504.

7.5 Suggested sources of supply. Suggested sources of supply are listed herein. Additional sources will be added as they become available. The vendors listed have submitted a certificate of compliance to DESC-ELDM and meet the market acceptability requirements of this CID.

CID dash number (see table I) AA55504/05-	Vendor commercial PIN CAGE 71400	Vendor commercial PIN CAGE 75915
001A	HTB-32I	3453LS2
001B	HTB-34I	3453LS1
001C	HTB-36I	3453LS8
001D	HTB-38I	3453LS7
002A	HTB-32M	3455LS2
002B	HTB-34M	3455LS1
002C	HTB-36M	3455LS8
002D	HTB-38M	3455LS7

Vendor CAGE number	Vendor name and address
71400	Bussmann P.O. Box 14460 St. Louis, MO 63178-4460 (314) 394-2877
75915	Littelfuse, Incorporated 800 E. Northwest Highway Des Plaines, IL 60016-3096 (312) 824-1188

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

PREPARING ACTIVITY:

DLA-ES

Project 5920-0226-05

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.