[INCH-POUND]
A-A-1080A
May 20, 1993
SUPERSEDING
A-A-1080
July 29, 1980

COMMERCIAL ITEM DESCRIPTION

# OPENER, CAN, HAND
# (DISPOSABLE, COMBINATION OPENER AND PUNCH)

The General Services Administration has authorized the use of this commercial item description as a replacement for Federal Specification FF-O-605 which has been canceled.

## 1. SCOPE

1.1 Scope. This commercial item description covers a disposable combination can and bottle opener.

## 2. APPLICABLE DOCUMENTS

2.1 The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified. These documents form a part of this commercial item description to the extent specified. In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Federal Standard:

FED-STD-376 - Preferred Metric Units for General Use by The Federal Government.

Copies of Federal standards are available from the General Services Administration Business Service Centers in Boston, MA; New York, NY; Philadelphia, PA; Washington, DC; Atlanta, GA; Chicago, IL; Kansas City, MO; Fort Worth, TX; Denver, CO; San Francisco, CA; Seattle, WA, and the GSA Specifications Unit (3FBP-W), Suite 8100, 470 E. L'Enfant Plaza, S.W., Washington, DC 20407.

**Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any other data which may improve this document should be sent to: General Services Administration, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, TX 76102.**

DISTRIBUTION STATEMENT A : Approved for public release; distribution is unlimited.

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

Military Standard:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

Copies of military standards may be obtained from Standardization Documents Order Desk, Bldg. 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

ASTM Standard:

E 29 - Standard Practice For Using Significant Digits in Test Data to Determine Conformance with Specifications.

Application for copies of ASTM standards should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.

## 3. SALIENT CHARACTERISTICS

3.1 Design and construction. The can opener shall be constructed from nickel-plated carbon steel. One end of the opener shall have a bottle opener capable of opening a compression type bottle cap. The other end of the opener shall be of a triangular punch design capable of punching a V-shaped opening 11/16 inch (17.5 mm) in width in the tops of steel cans. The end with the bottle opener shall have a 3/16 inch (4.8 mm) minimum hole for hanging purposes.

3.2 Dimensions. The can opener shall have an overall length of 4 ¼ inches (10.8 cm), ± ¼ inch (0.6 cm). The can opener shall have a minimum width of 23/32 inch (1.8 cm) at the narrowest section and a minimum thickness of 0.055 inch (1.4 mm).

3.3 Finish. The can opener shall have a bright nickel-plated finish.

3.4 Workmanship. The opener shall be free from sharp edges (except for the punch opener end), slivers, burrs, deep scratches, pits, and tool marks. The opener shall not be bent, damaged, or distorted. Surfaces shall be free of loose or flaked plating. There shall be no defects which impair the durability, appearance, or serviceability of the item.

3.5 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580, as amended, to the maximum extent practicable.

3.6 Measurement system. The values stated in inch-pound units are to be regarded as the standard. The values stated in parentheses are for informational purposes only.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

3.7 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within tolerances specified using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the specification preparing activity for changes to this document.

3.7 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. QUALITY ASSURANCE PROVISIONS

4.1 Certification. The contractor shall certify, and maintain objective quality evidence, that the product offered meets this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the use of the contractor's own or any other facilities suitable for the performance of the inspection requirements specified herein shall be permitted, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.3 Sampling. The levels of inspection and acceptable quality levels (AQL's) shall be in accordance with MIL-STD-105.

4.4 Lot formation. All can openers from the same manufacturer offered for delivery at one time shall be considered a lot for purposes of inspection.

4.5 Sampling for visual and dimensional examination. A random sample of can openers shall be selected from each lot in accordance with inspection level S-4, AQL 4.0 expressed in terms of defects per hundred units (dhu). The sample unit shall be one can opener. The sample shall be visually and dimensionally examined to verify compliance with table I and the remainder of this commercial item description. All dimensions are absolute as defined in ASTM E 29.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.

TABLE I. Examination for defects

| Examine | Defect |
|---|---|
| Finish | Area of corrosion, stain or discoloration |
| | Not as specified |
| | Loose or flaked plating |
| Construction and Workmanship | Scratch or tool mark 1/ |
| | Any sharp edge (except for punch end), sliver, rough tool or die mark, or burr |
| | Opener split, bent, or buckled |

1/ - An unacceptable scratch is one that will catch a fingernail when run across it.

4.6 Examination for preparation for delivery. A random sample of shipping containers shall be selected from each lot for examination of the unit, intermediate, and shipping containers (as applicable) for conformance with the packaging, packing, and marking required in the contract or order. Samples shall be selected in accordance with inspection level S-2, AQL 6.5 (dhu). A sample unit shall be one shipping container.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing, and marking. The packaging, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Ordering data. Purchasers should include the following information in procurement documents (if applicable).

a. Title, number, and date of this commercial item description.
b. The packaging, packing, and marking required.

6.2 National Stock Number. The following NSN corresponds to this cid: 7330-00-655-5203.

MILITARY INTERESTS:
Military Coordinating Activity:
Army - GL

Custodians:
Army - GL
Navy - SA
Air Force - 99

Review Activities:
Army - MD, TS
Air Force - 84, 50

User Activity:
Navy - MC

Civil Agency Coordinating Activity:
VA - OSS

Preparing Activity:
GSA - FSS

(DoD Project Number 7330-0[illegible]



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:12Z
Check the source to verify that this is the current version before use.