L-B-550B
January 7, 1972
SUPERSEDING
Fed. Spec. L-B-550A
March 31, 1965
(See 6.3)

FEDERAL SPECIFICATION

BOTTLE AND TUMBLER SET

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers two types of plastic bottle and tumbler sets.

1.2 Classification. The bottle and tumbler sets shall be of the following types, as specified (see 6.2).

Type I - Reusable, 32 ounce bottle, 4 ounce tumbler.
Type II - Disposable, 32 ounce bottle, 6 ounce tumbler.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

PPP-B-636 - Box, Fiberboard.
PPP-T-45 - Tape, Gummed, Paper, Reinforced and Plain, for Sealing and Securing.

Federal Standards:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices

FSC 7360

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Standards:

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-147	-	Palletized and Containerized Unit Loads, 40" x 48" Pallets, Skids, Runners, or Pallet Type Base.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply:

U. S. Department of Health, Education, and Welfare:

Federal Food, Drug and Cosmetic Act
and General Regulations for Its Enforcement.

(Application for copies should be addressed to the Superintendent of Documents. U. S. Government Printing Office, Washington, D. C. 20402.)

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

Uniform Classification Committee, Agent:

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 202, Union Station, 516 W. Jackson Blvd., Chicago, Illinois 60606.)

3. REQUIREMENTS

3.1 Standard product. The bottle and tumbler sets shall be the current standard product of the manufacturer except for any modification specified herein.

3.2 Materials.

3.2.1 Nontoxic materials. The materials used for the bottle and tumbler sets shall not have toxic or other harmful ingredients and shall conform with the Federal Food, Drug and Cosmetic Act and Regulations promulgated thereunder.

3.2.2 Molding compound. Molding compound used for manufacturing the type I and II bottle and tumbler sets shall be virgin high density polyethylene or polypropylene suitable for conventional molding techniques. No scrap material previously molded and reground shall be used.

3.3 Construction.

3.3.1 Type I. The type I bottle and tumbler shall each consist of one piece round, molded construction. The bottle shall have a gradual curved outline with a flared opening suitable for easy handling and capable of seating an inverted tumbler.

3.3.2 Type II. The type II bottle and tumbler shall each be of one piece construction shaped as shown in figure 1. The tumbler shall have a smooth, rounded drinking edge and shall fit the bottle snugly.

3.4 Dimensions.

3.4.1 Type I. The type I bottle and tumbler set shall conform to dimensions specified in table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions

	Inches
Tumbler:	
Overall height	4 ± 3/16
Top diameter	2-1/32 ± 1/16
Wall thickness	0.0625 + 0.010 - 0.000
Brimful capacity	4.0 ± 0.25 ounces
Bottle:	
Overall height	6-7/8 ± 3/16
Outside brim diameter	3-3/8 ± 3/16
Inside neck diameter	2.125 min. - 2.160 max.
Maximum outside diameter	4-1/4 ± 1/4
Wall thickness	0.050 ± 0.015
Brimful capacity	32 + 1 - 0 ounces
Overall dimensions of set (total vertical height)	8-1/2 ± 3/8

3.4.2 Type II. The type II bottle and tumbler sets shall conform to the dimensions shown in figure 1. The bottle shall have a capacity of 32, +1, -0, ounces and the tumbler a capacity of 6 ± 1/2 ounces.

3.5 Stability during mechanical dishwashing, (type I only). The bottle and tumbler set shall exhibit dimensional stability and shall not chalk, discolor or show defects which might impair its appearance or serviceability after being tested in accordance with 4.4.1.1.

3.6 Steam sterilization, (type I only). The bottle and tumbler set shall exhibit dimensional stability and shall not chalk, discolor or show defects which might impair its appearance or serviceability after being tested in accordance with 4.4.1.2.

3.7 Color and finish.

3.7.1 Color. Unless otherwise specified (see 6.2), the type I bottle and tumbler set shall be translucent white. The type II bottle and tumbler set shall be blue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

3.7.2 Finish, (type I only). The surface of the bottle and tumbler set shall have a matte finish characteristic of the finish of the mold and not by the application of a finish or protective coating of lacquer.

3.8 Marking for identification. The bottle and tumbler set shall be permanently and distinctly marked with the name of the manufacturer or the brand name or trademark of such known character as to be readily identified with the same manufacturer.

3.9 Workmanship. The bottle and tumbler set shall be clean, well made, and free from any defects which may affect appearance or serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Inspection. Sampling for inspection shall be performed in accordance with MIL-STD-105, except where otherwise indicated hereinafter.

4.2.1 Component and material inspection. In accordance with 4.1 above, components and materials shall be inspected and tested in accordance with all the requirements of referenced specifications, drawings and standards unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase documents. In addition, the supplier shall submit a certificate of compliance stating that the materials used in the manufacture of the bottle and tumbler sets conforms to the requirements of 3.2.2.

4.2.1.1 Certificate of compliance. Where certificates of compliance are submitted, the Government reserves the right to check-test such items to determine the validity of the certification.

4.3 Examination of the end item. The end item shall be examined for the defects set forth in the applicable subparagraphs at the inspection levels and acceptable quality levels (AQLs) set forth in 4.3.3. The sample unit shall be one complete bottle and tumbler set. The lot size shall be the number of bottle and tumbler sets of one type in the end item inspection lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

4.3.1 Examination for visual defects. The end item shall be examined for the defects listed in table II.

TABLE II. Visual defects

Examine	Defect
Appearance	Not clean
Construction	Not as specified; bottle or tumbler not one piece
Color	Not color specified
Finish (type I only)	Not matte finish; finish sprayed on
Workmanship	Any rough edge Poorly shaped item Tumbler does not fit bottle properly Manufacturers identification missing

4.3.2 Examination for dimensional defects. The end item shall be examined for the dimensions listed in table I. Any dimension which does not fall within the allowable tolerance shall be classified as a defect.

4.3.3 Inspection levels and acceptable quality levels (AQL's) for examination. The inspection levels for determining the sample size and acceptable quality levels (AQLs) expressed in defects per hundred units shall be as follows:

Examination paragraph	Inspection level	AQL
4.3.1	S-3	2.5
4.3.2	I	4.0

4.3.4 Examination of preparation for delivery requirements. An examination shall be made to determine that the packaging, packing, and marking complies with the section 5 requirements. Defects shall be scored in accordance with table III. The sample unit shall be one shipping container fully prepared for delivery with the exception that it need not be closed. Defects of closure listed below shall be examined on shipping containers fully prepared for delivery. The lot size shall be the number of shipping containers in the end item inspection lot. The inspection level shall be S-2 and the AQL shall be 4.0 defects per hundred units.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

TABLE III. Classification of preparation for delivery defects

Examine	Defects
Markings (exterior and interior)	Omitted; incorrect; illegible; improper size, location, sequence, or method of application.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, loose strapping, improper taping or inadequate stapling. Bulging or distortion of container.
Content	Number of bottle and tumbler sets per interior package or shipping container is more or less than required.

4.3.5 Examination for palletization. An examination shall be made to determine that palletization complies with the section 5 requirements. Defects shall be scored in accordance with table IV. The sample unit shall be one palletized unit load fully prepared for delivery. The lot size shall be the number of palletized unit loads in the end item inspection lot. The inspection level shall be S-1 and the AQL shall be 6.5 defects per hundred units.

TABLE IV. Palletization defects

Examine	Defect
Finished dimension	Length, width, or height exceeds specified maximum requirement.
Palletization	Not as specified. Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted; incorrect; illegible; of improper size, location, sequence, or method of application.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

4.4 Tests.

4.4.1 Instructions for testing. The type I bottle and tumbler sets shall be tested for the characteristics listed below. The sample unit shall be one bottle and tumbler set. The inspection level shall be S-2 and the AQL shall be 6.5 percent defective.

4.4.1.1 Stability during mechanical dishwashing. Wash samples in a suitable dishwasher 10 cycles, each consisting of a 40 second wash at 180° ± 5°F. and a 10 second rinse at 200° ± 5°F. The wash water shall contain 1 pound anionic detergent per 50 gallons fresh water. Lightly wipe the surfaces dry, and examine the article for surface imperfections due to dishwashing, cloudiness that cannot be removed by wiping and for dimensional changes (see 3.5).

4.4.1.2 Steam sterilization. The samples shall be exposed to steam at a pressure of 10 p.s.i. (239.4° ± 3.7°F.) for 10 minutes and then examined for compliance with 3.6.

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A, B, or C as specified (see 6.2).

5.1.1 Level A. Twelve bottle and tumbler sets of one type only shall be packaged together in a snug-fitting fiberboard box conforming to style RSC, type CF (variety SW), class domestic, grade 200 of PPP-B-636. Each box shall be fitted with a full-height, half-slotted fiberboard partition fabricated of the same material as the box. Each set shall be placed in an individual cell formed by the partition. Each box shall have the top and bottom flaps securely closed with 2-inch minimum width gummed paper tape conforming to type III, grade B of PPP-T-45.

5.1.2 Level B (civil agencies). Bottle and tumbler sets shall be packaged in accordance with the requirements specified in 5.1.1 (see 6.2).

5.1.3 Level C. Bottle and tumbler sets shall be packaged to afford adequate protection against physical damage during shipment from the supply source to the first receiving activity. The supplier may use his standard practice when it meets this requirement.

5.2 Packing. Packing shall be level A, B, or C as specified (see 6.2).

5.2.1 Level A. Forty eight bottle and tumbler sets of one type only, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, grade V2s of PPP-B-636. Each shipping container shall be closed, waterproofed, and reinforced in accordance with the appendix of the container specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

5.2.2 Level B. Forty-eight bottle and tumbler sets of one type only, packaged as specified in 5.1, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Each shipping container shall be closed in accordance with method II as specified in the appendix of the container specification.

5.2.2.1 When specified (see 6.2), the fiberboard shipping container shall be a grade V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix of the container specification.

5.2.3 Level C. Bottle and tumbler sets, packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery at destination at the lowest transportation rate for such supplies. Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Palletization (military requirement). Unless otherwise specified (see 6.2), bottle and tumbler sets of one type only, packed as specified in 5.2, shall be palletized in accordance with load type I of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course. If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer.

5.4 Marking.

5.4.1 Civil agencies. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with FED-STD-123.

5.4.2 Military requirements. In addition to any special marking required by the contract or order, interior packages, shipping containers and palletized unit loads shall be marked in accordance with MIL-STD-129.

6. NOTES

6.1 Intended use. The bottle and tumbler sets are primarily intended for serving and drinking of liquids in military medical facilities.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.




FIG 1 BOTTLE AND TUMBLER SET TYPE II

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

(a) Title, number, and date of this specification.
(b) Type required (see 1.2).
(c) Color of type I, if other than white (see 3.7.1).
(d) Selection of the applicable levels of packaging and packing (see 5.1 and 5.2).
(e) When level B packaging is required for civil agencies (see 5.1.2).
(f) When weather resistant grade fiberboard shipping containers are required for level B packing (see 5.2.2.1).
(g) When palletization is not required (see 5.3).

6.3 Supersession data. This specification includes the requirements of Defense Medical Purchase Description No. 1 dated 24 October 1968.

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 84

Review activities:

Army - MD
Navy - MS

Preparing activity:

Army - GL

Project No. 7360-0116

CIVIL AGENCIES INTEREST:

GSA
FSS

VA
DMS

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

BOTTLE AND TUMBLER SET L-B-550B

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. S. Army Natick Laboratories
Natick, Massachusetts 01760

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY

U.S.MAIL

OFFICIAL BUSINESS

Commanding General
U. S. Army Natick Laboratories
ATTN: AMXRES-EQS
Natick, Massachusetts 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:10Z
Check the source to verify that this is the current version before use.