INCH-POUND

MS27489E
12 July 2002
SUPERSEDING
MS27489D
2 January 1976

DETAIL SPECIFICATION SHEET

Connectors, Adapter, Electrical, Reducer,
EMR Hardware, Series I and II

This specification is approved for use by all Departments
and Agencies of the Department of Defense.

The requirements for acquiring the product described herein
shall consist of this specification and MIL-DTL-38999.



FIGURE 1. Adapter.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

Dash No	A dia +.001, -.005	B dia +.010, -.001	C max dia
-81	.291	.164	.219
-82		.172	.234
-83		.188	.250
-84			
-85			
-86			
-87			
-88			
-89			
-101	.346	.217	.266
-102			
-103			
-104			
-105			
-106			
-107			
-108			
-109			
-121	.441	.198	.250
-122		.217	.266
-123		.280	.328
-124			
-125			
-126			
-127			
-128			
-129			

Dash No	A dia +.001, -.005	B dia +.010, -.001	C max dia
-141	.506	.217	.266
-142		.290	.344
-143		.312	.359
-144		.343	.391
-145		.360	.406
-146		.387	.438
-147			
-148			
-149			
-161	.571	.217	.266
-162		.290	.344
-163		.343	.391
-164		.406	.453
-165		.328	.375
-166			
-167			
-168			
-169			

FIGURE 1. Adapter - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

Dash No	A dia +.001 -.005	B dia +.010 -.001	C max dia
-181	.616	.217	.266
-182		.290	.344
-183		.343	.391
-184		.381	.430
-185		.451	.500
-186			
-187			
-188			
-189			
-201	.664	.328	.375
-202		.391	.453
-203		.445	.500
-204		.406	.469
-205		.484	.531
-206		.500	.547
-207			
-208			
-209			

Dash No	A dia +.001 -.005	B dia +.010 -.001	C max dia
-221	.738	.359	.406
-222		.438	.484
-223		.453	.500
-224		.469	.516
-225		.562	.609
-226			
-227			
-228			
-229			
-241	.796	.594	.641
-242			
-243			
-244			
-245			
-246			
-247			
-248			
-249			

FIGURE 1. Adapter - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

Inches	mm	Inches	mm	Inches	mm	Inches	mm
.001	0.03	.250	6.35	.381	9.68	.506	12.85
.005	0.13	.266	6.76	.387	9.83	.516	13.11
.010	0.25	.280	7.11	.391	9.93	.531	13.49
.015	0.38	.290	7.37	.406	10.31	.547	13.89
.031	0.79	.291	7.39	.430	10.92	.562	14.27
.062	1.57	.312	7.92	.438	11.13	.571	14.50
.164	4.17	.328	8.33	.441	11.20	.594	15.09
.172	4.37	.343	8.71	.445	11.30	.609	15.47
.188	4.78	.344	8.74	.451	11.46	.616	15.65
.198	5.03	.346	8.79	.453	11.51	.641	16.28
.217	5.51	.359	9.12	.469	11.91	.664	16.87
.219	5.56	.360	9.14	.484	12.29	.738	18.75
.234	5.94	.375	9.53	.500	12.70	.796	20.22

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Material: Copper alloy. Finish: Tin-lead, solder plated.
4. Accommodates: MS27487.

FIGURE 1. Adapter - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.
Interface dimensions shall conform to MIL-DTL-38999.
Mating connectors: MIL-DTL-38999 series I and series II.

Qualification:

Examination of product.
Mating and unmating forces.
Humidity.
Salt spray (corrosion).
Altitude immersion.

Group A sampling inspection. 100% inspection is not applicable. Sampling inspection shall be in accordance with table I:

TABLE I. Group A sampling plan.

Lot size	Sample size
1 to 13	100 percent
14 to 150	13 units
151 to 280	20 units
281 to 500	29 units
501 to 1,200	34 units
1,201 to 3,200	42 units

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

Part or Identifying Number (PIN) example:



CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - AS
Air Force - 11
DLA - CC

Review activities:
Army - AR, MI
Navy - EC, MC, OS
Air Force - 19, 99

Preparing activity:
DLA - CC

(Project 5935-4398)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.