

MILITARY SPECIFICATION SHEET

METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED MICROAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the meters described herein shall consist of this document and the latest issue of Specification MIL-M-10304.






DIAL MARKING ILLUSTRATION



SHROUD



PANEL DRILLING PLAN

INCHES	MM	INCHES	MM	INCHES	MM
.005	.13	350	8 89	1 010	25 65
.015	38	.375	9.53	1.187	30.15
.040	1 02	.500	12 70	1 250	31.75
.065	1 65	850	21 59	1 251	31.78
093	2 36	.901	22 89		
.200	5.08	1.000	25 40		

NOTES

1. Dimensions are in inches
2. Metric equivalents (to the nearest 01 mm) are given for general information only and are based upon 1 inch = 25 4 mm
3. Unless otherwise specified, tolerance is ± 015 (38 mm)
4. Shroud design is optional
5. Knurled edge required for mounting, optional for front flange
6. The solder lug terminals shall accommodate wire of a diameter of 065 (1 65 mm) and may accommodate up to a maximum diameter of .105 (2 67 mm)

FSC 6625

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration See figure

Weight 4 ounces maximum

Case material Metal or molded thermosetting plastic

Full-scale ranges See table I

Scale
Pointer deflections 90° minimum.
Length 75 inch minimum

Power consumption 200 millivolts maximum.

Position influence ±3 percent

Accuracy ±3 percent

Overshoot 2 0 minimum

Response time 3 0 seconds

High temperature cycling
±4 percent
±4 percent permanent change

Temperature influence ±1 percent

Exposure to extreme temperatures.
±8 percent.
±3 percent permanent change

Overload capacity·
Momentary overload ±2 percent
Sustained overload
±2 percent temporary zero shift
±1 percent permanent zero shift
±2 percent permanent change

Dielectric withstanding voltage 1,000 rms

TABLE I. Full-scale ranges

Ammeters	
Microamperes	
Zero left	Zero center
100	50-0-50
200	100-0-100
500	500-0-500

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.

TABLE II. Supersession data.

Superseded type designation	New type designation
Style 04	Style 07
MR04W500DCUA	MR07W500DCUAR
MR04W5SHDCUA	MR07W5H5DCUAR
MR04W100DCUA	MR07W100DCUAR
MR04B500DCUA	MR07B500DCUAR
MR04B5H5DCUA	MR07B5H5DCUAR
MR04B100DCUA	MR07B100DCUAR
MR04F500DCUA	MR07F500DCUAR
MR04F5H5DCUA	MR07F5H5DCUAR
MR04F100DCUA	MR07F100DCUAR
MR04S500DCUA 1/	MR07P500DCUAR
MR04S5H5DCUA 1/	MR07P5H5DCUAR
MR04S100DCUA 1/	MR07P100DCUAR
Style 05	Style 05
MR05W500DCUA	MR05W500DCUAR
MR05W5H5DCUA	MR05W5H5DCUAR
MR05W100DCUA	MR05W100DCUAR
MR05B500DCUA	MR05B500DCUAR
MR05B5H5DCUA	MR05B5H5DCUAR
MR05B100DCUA	MR05B100DCUAR
MR05F500DCUA	MR05F500DCUAR
MR05F5H5DCUA	MR05F5H5DCUAR
MR05F100DCUA	MR05F100DCUAR
MR05S500DCUA 1/	MR05P500DCUAR
MR05S5H5DCUA 1/	MR05P5H5DCUAR
MR05S100DCUA 1/	MR05P100DCUAR
Style 06	Style 06
MR06W500DCUA	MR06W500DCUAR
MR06W5H5DCUA	MR06W5H5DCUAR
MR06W100DCUA	MR06W100DCUAR
MR06B500DCUA	MR06B500DCUAR
MR06B5H5DCUA	MR06B5H5DCUAR
MR06B100DCUA	MR06B100DCUAR
MR06F500DCUA	MR06F500DCUAR
MR06F5H5DCUA	MR06F5H5DCUAR
MR06F100DCUA	MR06F100DCUAR
MR06S500DCUA 1/	MR06P500DCUAR
MR06S5H5DCUA 1/	MR06P5H5DCUAR
MR06S100DCUA 1/	MR06P100DCUAR

1/ The color scheme code letter "S" has been superseded by the code letter "P". The type designations of all new units will carry the code letter "P" (when applicable) to indicate that nonradioactive material has been used for phosphorescent markings and pointer

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.

Custodians.
Army - EL
Navy - EC
Air Force - 82

Review activities.
Army - EL, ME, AT, AV
Navy - EC, MC
Air Force - 11
DSA - ES

User activities.
Army - MI
Navy - CG
Air Force - None

Preparing activity:
Army - EL

Agent.
DSA - ES

(Project 6625-0545)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Avionics Research and Development Activity
ATTN: DAVAA-S/PE
Fort Monmouth, NJ 07703

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b Recommended Wording

c Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last First MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street City State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:54Z
Check the source to verify that this is the current version before use.